



17.0
MP-Parallel Edition

Statistics and Data Science

Copyright 1985-2021 StataCorp LLC
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC <https://www.stata.com>
979-696-4600 stata@stata.com

Stata license: Unlimited-user 64-core network perpetual
Serial number: 18461036
Licensed to: TEAM BTCR
TEAM BTCR

Notes:

1. Unicode is supported; see [help unicode advice](#).
2. More than 2 billion observations are allowed; see [help obs advice](#).
3. Maximum number of variables is set to 5,000; see [help set maxvar](#).

1 . use "C:\Users\akojo\OneDrive\Documents\Framingham_practices.dta"

2 . br

3 . tab edu
edu ambiguous abbreviation
[r\(111\)](#);

4 . tab educ

0-11 years, hs or ged, some coll, coll grad+	Freq.	Percent	Cum.
none	41	44.09	44.09
basic	30	32.26	76.34
secondary	13	13.98	90.32
tertiary	9	9.68	100.00
Total	93	100.00	

5 . label define edulab 1 "none"
label edulab already defined
[r\(110\)](#);

6 . br

7 . tab educ

0-11 years, hs or ged, some coll, coll grad+	Freq.	Percent	Cum.
none	41	44.09	44.09
basic	30	32.26	76.34
secondary	13	13.98	90.32
tertiary	9	9.68	100.00
Total	93	100.00	

8 . tab educ, nolab

0-11 years, hs or ged, some coll, coll grad+	Freq.	Percent	Cum.
1	41	44.09	44.09
2	30	32.26	76.34
3	13	13.98	90.32
4	9	9.68	100.00
Total	93	100.00	

9 . drop educ_formal

10 . recode educ (1=1 "uneducated") (2 3 4=2 "educated"), gen(educ_formal)
(22 differences between **educ** and **educ_formal**)

11 . tab educ_formal

RECODE of educ (0-11 years, hs or ged, some coll, coll grad+)	Freq.	Percent	Cum.
uneducated	41	44.09	44.09
educated	52	55.91	100.00
Total	93	100.00	

12 . sum bmi

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	95	25.67758	3.298695	18.18	36.57

13 . sum bmi age sysbp

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	95	25.67758	3.298695	18.18	36.57
age	95	50.98947	9.232799	35	69
sysbp	95	133.6579	22.46312	90	209

14 . sum bmi, detail

body mass index (kg/(m*m))				
Percentiles	Smallest			
1%	18.18	18.18		
5%	20.54	19.09		
10%	21.22	19.53	Obs	95
25%	23.57	20.12	Sum of wgt.	95
50%	25.4		Mean	25.67758
		Largest	Std. dev.	3.298695
75%	27.64	32.54		
90%	29.79	32.6	Variance	10.88139
95%	32.18	33.11	Skewness	.3648235
99%	36.57	36.57	Kurtosis	3.551271

15 . sum bmi

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	95	25.67758	3.298695	18.18	36.57

16 . sum bmi age sysbp, detail

body mass index (kg/(m*m))

Percentiles	Smallest		
1%	18.18	18.18	
5%	20.54	19.09	
10%	21.22	19.53	Obs 95
25%	23.57	20.12	Sum of wgt. 95
50%	25.4		Mean 25.67758
			Std. dev. 3.298695
75%	27.64	32.54	
90%	29.79	32.6	Variance 10.88139
95%	32.18	33.11	Skewness .3648235
99%	36.57	36.57	Kurtosis 3.551271

age (years) at examination

Percentiles	Smallest		
1%	35	35	
5%	38	37	
10%	39	37	Obs 95
25%	43	37	Sum of wgt. 95
50%	52		Mean 50.98947
			Std. dev. 9.232799
75%	58	67	
90%	65	67	Variance 85.24457
95%	66	68	Skewness .1295529
99%	69	69	Kurtosis 1.881472

systolic bp mmhg

Percentiles	Smallest		
1%	90	90	
5%	106	92.5	
10%	111.5	96.5	Obs 95
25%	118	99	Sum of wgt. 95
50%	130		Mean 133.6579
			Std. dev. 22.46312
75%	146	185.5	
90%	164	195	Variance 504.5918
95%	177.5	204	Skewness 1.001608
99%	209	209	Kurtosis 4.403674

17 . bys cursmoke: sum bmi

-> cursmoke = no

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	52	25.90808	3.276524	19.09	36.57

-> cursmoke = yes

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	43	25.39884	3.342478	18.18	32.6

18 . bys cursmoke: sum bmi

-> cursmoke = no

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	52	25.90808	3.276524	19.09	36.57

-> cursmoke = yes

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	43	25.39884	3.342478	18.18	32.6

19 . bys cursmoke: sum bmi age sysbp

-> cursmoke = no

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	52	25.90808	3.276524	19.09	36.57
age	52	52.94231	8.684928	35	69
sysbp	52	136.4231	24.97771	92.5	209

-> cursmoke = yes

Variable	Obs	Mean	Std. dev.	Min	Max
bmi	43	25.39884	3.342478	18.18	32.6
age	43	48.62791	9.421412	37	67
sysbp	43	130.314	18.73055	90	177.5

20 . help tabstat

21 . tabstat bmi

Variable	Mean
bmi	25.67758

22 . tabstat bmi, stat(mean semean sd var cv iqr q skewness kurtosis)

Variable	Mean	se(mean)	SD	Variance	CV	IQR	p25	p50	p75
bmi	25.67758	.3384389	3.298695	10.88139	.128466	4.07	23.57	25.4	27.64

Variable	Skewness	Kurtosis
bmi	.3648235	3.551271

23 . tabstat bmi age sysbp, stat(mean semean sd var cv iqr q skewness kurtosis)

Stats	bmi	age	sysbp
Mean	25.67758	50.98947	133.6579
se(mean)	.3384389	.9472651	2.304668
SD	3.298695	9.232799	22.46312
Variance	10.88139	85.24457	504.5918
CV	.128466	.1810726	.1680643
IQR	4.07	15	28
p25	23.57	43	118
p50	25.4	52	130
p75	27.64	58	146
Skewness	.3648235	.1295529	1.001608
Kurtosis	3.551271	1.881472	4.403674

24 . tabstat bmi, stat(mean semean sd var cv iqr q skewness kurtosis) by(cursmoke)

Summary for variables: bmi

Group variable: cursmoke (current cig smoker y/n)

cursmoke	Mean	se(mean)	SD	Variance	CV	IQR	p25	p50	p75
no	25.90808	.4543721	3.276524	10.73561	.1264673	3.035	24.59	25.575	27.625
yes	25.39884	.5097231	3.342478	11.17216	.1315996	4.690001	23.09	25.23	27.78
Total	25.67758	.3384389	3.298695	10.88139	.128466	4.07	23.57	25.4	27.64

cursmoke	Skewness	Kurtosis
no	.658422	4.226271
yes	.0443564	2.607256
Total	.3648235	3.551271

25 . tabstat bmi, stat(mean semean sd var cv iqr q skewness kurtosis) by(sex)

Summary for variables: bmi

Group variable: sex (sex)

sex	Mean	se(mean)	SD	Variance	CV	IQR	p25	p50	p75
male	25.26044	.4658679	3.125137	9.766482	.1237166	4.09	23.09	25.31	27.18
female	26.053	.4858185	3.435255	11.80098	.1318564	3.98	23.75	25.49	27.73
Total	25.67758	.3384389	3.298695	10.88139	.128466	4.07	23.57	25.4	27.64

sex	Skewness	Kurtosis
male	-.0539862	2.474081
female	.6017173	3.905915
Total	.3648235	3.551271

26 . tabstat bmi age sysbp, stat(mean semean sd var cv iqr q skewness kurtosis) by(cursmoke)

Summary statistics: Mean, se(mean), SD, Variance, CV, IQR, p25, p50, p75, Skewness, Kurtosis

Group variable: cursmoke (current cig smoker y/n)

cursmoke	bmi	age	sysbp
no	25.90808 .4543721 3.276524 10.73561 .1264673 3.035 24.59 25.575 27.625 .658422 4.226271	52.94231 1.204383 8.684928 75.42798 .1640451 14.5 46 53.5 60.5 -.0438 2.129901	136.4231 3.463786 24.97771 623.8861 .1830901 28.75 119.25 130 148 1.097269 3.996064
yes	25.39884 .5097231 3.342478 11.17216 .1315996 4.690001 23.09 25.23 27.78 .0443564 2.607256	48.62791 1.436752 9.421412 88.76301 .193745 15 40 46 55 .4332068 1.868782	130.314 2.856383 18.73055 350.8336 .1437341 24 117 130 141 .3017173 3.085185

Total	25.67758	50.98947	133.6579
	.3384389	.9472651	2.304668
	3.298695	9.232799	22.46312
	10.88139	85.24457	504.5918
	.128466	.1810726	.1680643
	4.07	15	28
	23.57	43	118
	25.4	52	130
	27.64	58	146
	.3648235	.1295529	1.001608
	3.551271	1.881472	4.403674

27 . tabstat bmi age sysbp, stat(mean semean sd var cv iqr q skewness kurtosis) by(cursmoke) long

cursmoke	Stats	bmi	age	sysbp
no	Mean	25.90808	52.94231	136.4231
	se(mean)	.4543721	1.204383	3.463786
	SD	3.276524	8.684928	24.97771
	Variance	10.73561	75.42798	623.8861
	CV	.1264673	.1640451	.1830901
	IQR	3.035	14.5	28.75
	p25	24.59	46	119.25
	p50	25.575	53.5	130
	p75	27.625	60.5	148
	Skewness	.658422	-.0438	1.097269
	Kurtosis	4.226271	2.129901	3.996064
yes	Mean	25.39884	48.62791	130.314
	se(mean)	.5097231	1.436752	2.856383
	SD	3.342478	9.421412	18.73055
	Variance	11.17216	88.76301	350.8336
	CV	.1315996	.193745	.1437341
	IQR	4.690001	15	24
	p25	23.09	40	117
	p50	25.23	46	130
	p75	27.78	55	141
	Skewness	.0443564	.4332068	.3017173
	Kurtosis	2.607256	1.868782	3.085185
Total	Mean	25.67758	50.98947	133.6579
	se(mean)	.3384389	.9472651	2.304668
	SD	3.298695	9.232799	22.46312
	Variance	10.88139	85.24457	504.5918
	CV	.128466	.1810726	.1680643
	IQR	4.07	15	28
	p25	23.57	43	118
	p50	25.4	52	130
	p75	27.64	58	146
	Skewness	.3648235	.1295529	1.001608
	Kurtosis	3.551271	1.881472	4.403674

28 . ci mean bmi

Variable	Obs	Mean	Std. err.	[95% conf. interval]	
bmi	95	25.67758	.3384389	25.0056	26.34956

29 . ci mean bmi, level(99)

Variable	Obs	Mean	Std. err.	[99% conf. interval]	
bmi	95	25.67758	.3384389	24.78777	26.56738

30 . ci mean bmi, level(90)

Variable	Obs	Mean	Std. err.	[90% conf. interval]	
bmi	95	25.67758	.3384389	25.11536	26.2398

31 . bys sex: ci mean bmi, level(99)

-> sex = male

Variable	Obs	Mean	Std. err.	[99% conf. interval]	
bmi	45	25.26044	.4658679	24.0062	26.51469

-> sex = female

Variable	Obs	Mean	Std. err.	[99% conf. interval]	
bmi	50	26.053	.4858185	24.75103	27.35497

32 . tab death

death indicator	Freq.	Percent	Cum.
no	57	60.00	60.00
yes	38	40.00	100.00
Total	95	100.00	

33 . tab1 cursmoke cvd death sex

-> tabulation of cursmoke

current cig smoker y/n	Freq.	Percent	Cum.
no	52	54.74	54.74
yes	43	45.26	100.00
Total	95	100.00	

-> tabulation of cvd

incident hosp mi or stroke, fatal or non	Freq.	Percent	Cum.
no	65	68.42	68.42
yes	30	31.58	100.00
Total	95	100.00	

-> tabulation of death

death indicator	Freq.	Percent	Cum.
no	57	60.00	60.00
yes	38	40.00	100.00
Total	95	100.00	

-> tabulation of sex

sex	Freq.	Percent	Cum.
male	45	47.37	47.37
female	50	52.63	100.00
Total	95	100.00	

34 . tab cursmoke death

current cig smoker y/n	death indicator		Total
	no	yes	
no	28	24	52
yes	29	14	43
Total	57	38	95

35 . tab cursmoke cvd death sex
too many variables specified
r(103);

36 . tab cursmoke death

current cig smoker y/n	death indicator		Total
	no	yes	
no	28	24	52
yes	29	14	43
Total	57	38	95

37 . tab death cursmoke

death indicator	current cig smoker y/n		Total
	no	yes	
no	28	29	57
yes	24	14	38
Total	52	43	95

38 . tab cursmoke death

current cig smoker y/n	death indicator		Total
	no	yes	
no	28	24	52
yes	29	14	43
Total	57	38	95

39 . tab death cursmoke

death indicator	current cig smoker y/n		Total
	no	yes	
no	28	29	57
yes	24	14	38
Total	52	43	95

40 . tab cursmoke death, row

Key
<i>frequency</i> <i>row percentage</i>

current cig smoker y/n	death indicator		Total
	no	yes	
no	28 53.85	24 46.15	52 100.00
yes	29 67.44	14 32.56	43 100.00
Total	57 60.00	38 40.00	95 100.00

41 . tab cursmoke death, col

Key
<i>frequency</i> <i>column percentage</i>

current cig smoker y/n	death indicator		Total
	no	yes	
no	28 49.12	24 63.16	52 54.74
yes	29 50.88	14 36.84	43 45.26
Total	57 100.00	38 100.00	95 100.00

42 . tab cursmoke death, col row

Key
<i>frequency</i> <i>row percentage</i> <i>column percentage</i>

current cig smoker y/n	death indicator		Total
	no	yes	
no	28 53.85 49.12	24 46.15 63.16	52 100.00 54.74
yes	29 67.44 50.88	14 32.56 36.84	43 100.00 45.26
Total	57 60.00 100.00	38 40.00 100.00	95 100.00 100.00

```
43 . save "C:\Users\akojo\OneDrive\Documents\Framingham_practices.dta", replace  
    file C:\Users\akojo\OneDrive\Documents\Framingham_practices.dta saved
```

```
44 .
```