Artificial Intelligence Spring 2022

HW#1 - Search in Pacman

TA email: <u>aita2022s@agent.csie.ntu.edu.tw</u>

Overview

HW1 deadline: Monday, 21 MAR 2022 14:20 (UTC+8)

- 1. Depth First Search (DFS) 20pts
- 2. Breadth First Search (BFS) 20pts
- 3. Uniform Cost Search (UCS) 30pts
- 4. A star (A*) 30pts



Detail Info

Files you'll edit:

search.py Where all of your search algorithms will reside. Please finish DFS, BFS,

UCS, A Star!

Files you must look at: Stack, Queue and PriorityQueue

util.py

Useful data structures for implementing search algorithms. Please use the data structures here only! Do not import any data structures from other python tools or package.

Files you might want to look at: (if you want to understand how pacman works)

pacman.py The main file that runs Pacman games. This file describes a Pacman

GameState type, which you use in this project.


game.py The logic behind how the Pacman world works. This file describes

several supporting types like AgentState, Agent, Direction, and Grid.

Base Code Tutorial

Several Important Function in Search.py

- problem.getStartState() tuple
 - # Return a start state of a problem.
 - Ex: (5, 5)
- problem.isGoalState(state) boolean
 - # Check state is goal or not.
 - Ex: False
- problem.getSuccessor(state) list
 - # get the legal successors of a state
 - # format [tuple of (next state, action, cost)]
 - Ex: [((5, 4), 'South', 1), ((4, 5), 'West', 1)]



Base Code Tutorial

def depthFirstSearch(problem):

#TODO
return [list of actions]

Please use the data structure in util.py only!

Your search functions need to return a list of actions consist of:

['North', West', 'East', 'South']

That is, a list of **strings**. That will lead the agent from the start to the goal. These actions all have to be legal moves

Notice for Mac

If you are using macOS 10.6 or later, the Apple-supplied Tcl/Tk 8.5 has serious bugs that can cause application crashes. If you wish to use IDLE or Tkinter, do not use the Apple-supplied Pythons. Instead, install and use a newer version of Python from python.org or a third-party distributor that supplies or links with a newer version of Tcl/Tk.

Error message example:

DEPRECATION WARNING: The system version of Tk is deprecated and may be removed in a future release. Please don't rely on it. Set TK_SILENCE_DEPRECATION=1 to suppress this warning.

Detail information: <u>IDLE and tkinter with Tcl/Tk on macOS | Python.org</u>
Python2 download link: <u>Python Release Python 2.7.18 | Python.org</u>

Notice for Mac

Python 2.7.18

- 1. Download the python package from Python.org
- 2. Type which -a python in the terminal to find the directory of downloaded python
 - a. Default directory for downloaded Python:
 - i. /usr/local/bin/python
- 3. Type /usr/local/bin/python pacman.py to run the pacman file.

Notice

When implementing the search algorithm.

Please don't shuffle the legal action list from **problem.getSuccessors()**.

Keep the action list in the original order or in reversed order.

HW1 - Submission on NTU COOL

Deadline: Monday, 21 MAR 2022 14:20 (UTC+8)

Language: Python2.7

Package: Do not import any other package

Delay Policy: One Day -> points * 0.7

Two Days -> points * 0.5 After Two Days -> 0 points

Everyone has a chance for a one-day late submission this semester!

File Format: r123456xx hw1.zip

- r123456xx_hw1.py (this is your search.py file)

*Do not include other python file except **r123456xx hw1.py** (search.py)

*All file name should be in **lower case** and **only zip file** (No rar and 7zip)

*Incompatible format will not be graded.

Notice: Zero point for plagiarism!!! (either from internet or copy from classmate)