A Non-Expanding Quantum Cosmological Framework: The Universal Electron Cloud Continuum (UECC)

Tero Salomaa
Independent Researcher
Alavus, Finland

e-mail: tsalomaa.research@gmail.com

Abstract

We propose a novel, non-expanding cosmological framework based on a generalized interpretation of Quantum Field Theory (QFT), termed the **Universal Electron Cloud Continuum (UECC)**. In this framework, spacetime is not an empty geometric fabric but an active quantum medium formed by the collective, overlapping asymptotic tails of all atomic electron wavefunctions (Ψ) in the universe. Electromagnetic wave propagation is modeled as an oscillatory perturbation of this localized electronic density field, meaning local vacuum permittivity (ε_0) and permeability (μ_0) — and consequently the speed of light (c) — are dynamical variables determined by local UECC density (ρ_{UECC}). We demonstrate that as light propagates over cosmological distances, a continuous, adiabatic, phase-coherent energy dissipation occurs via a macroscopic quantum viscous coupling term. This mechanism yields an exponential redshift law mathematically identical to Hubble's empirical observations without requiring the metric expansion of space. Furthermore, we show how quantum interference restricts macro-scale scattering to a strictly forward path, preserving the perfect sharpness of distant galactic images and overcoming historical objections to 'tired light' models. Finally, the dissipated energy is thermalized within the UECC medium, naturally radiating as a isotropic blackbody spectrum corresponding to the Cosmic Microwave Background (CMB).

Keywords: Universal Electron Cloud Continuum (UECC), Cosmic Microwave Background (CMB), Quantum Cosmology, Hubble Tension Resolution.

---

1. Introduction

The standard cosmological model (ΛCDM) relies on the Friedmann-Lemaître-Robertson-Walker (FLRW) metric to explain the cosmological redshift of distant galaxies and the existence of the Cosmic Microwave Background (CMB). However, this geometric interpretation introduces significant theoretical tensions, including the requirement of dark energy, dark matter, and a fundamental incompatibility between the smooth geometric

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

continuity of General Relativity and the localized probabilistic nature of Quantum Field Theory (QFT).

Historically, alternative mechanisms such as Fritz Zwicky's 1929 "tired light" hypothesis attempted to explain redshift through material interactions (e.g., standard particle-like Compton scattering). These models were rightfully rejected due to two fatal flaws:

1. **Angular Smearing:** Particle scattering inherently alters the momentum vector of the scattered photon, blurring distant cosmological images.
2. **Frequency Dependence:** Classic Compton scattering cross-sections depend heavily on the incoming photon wavelength, contradicting the observed chromatic invariance of cosmological redshift.

This paper introduces a formalized alternative by generalizing QFT to a macroscopic scale. We propose that the universe is permeated by a continuous quantum medium: the **Universal Electron Cloud Continuum (ρ_{UECC})**. By treating light not as an isolated particle traveling through an empty void, but as a collective excitation propagating *through* the UECC, we derive an exact expression for cosmological redshift, temporal pulse lengthening, and the CMB from pure quantum mechanical foundations.

---

2. The UECC Medium and Dynamic Permittivity

In standard quantum mechanics, the wavefunction of an electron bound to an atom extends infinitely across space, decaying exponentially as $r \to \infty$

$$\Psi(r) \propto e^{-\alpha r}$$

When the entire collective ensemble of atoms in the universe is integrated, these asymptotic wavefunction tails overlap continuously. This forms a universal spatial density matrix, which we define as the **Universal Electron Cloud Continuum (ρ_{UECC})**.

Because electromagnetic waves are oscillations of the electromagnetic field, their propagation velocity is fundamentally governed by the local medium's ability to polarize and magnetize. Thus, the vacuum permittivity ε_0 and permeability μ_0 are redefined as direct functions of the local UECC density:

$$\varepsilon(r) = \varepsilon_0 \cdot f\left(\rho_{\mathrm{UECC}}(r)\right)$$

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

$$\mu(r) = \mu_0 \cdot g\left(\rho_{\text{UECC}}(r)\right)$$

The local phase velocity of light is therefore a dynamical parameter tied to the localized structure of the quantum field:

$$c(r) = \frac{1}{\sqrt{\varepsilon(r)\mu(r)}}$$

In interstellar and intergalactic space, ρ_{UECC} reaches a highly uniform, ultra-low basestate density (ρ_{base}), maintaining an effectively stable propagation speed over vast distances, yet subjecting the wave to a continuous, non-zero quantum medium impedance.

---

3. Mathematical Formulation of Quantum Uncertainty Redshift

To model the energy loss of an electromagnetic wave propagating through the UECC without invoking discrete particle collisions or macro-scattering, we examine the intrinsic quantum boundaries of the medium. The continuous wave packet is an oscillatory perturbation of the universal electronic field. The total energy density of this wave envelope, mapped to its quantum mechanical boundary conditions, is expressed as a function of its frequency:

$$E_0 = \kappa * \nu_0$$

where κ is the wave coherence constant mapping the macro-amplitude to the quantized energy transfer potential.

As this wave packet propagates through the intergalactic UECC medium at baseline density ρ_{base} , it constantly encounters local vacuum fluctuations. According to the Heisenberg Uncertainty Principle, the energy fluctuation over a localized time interval Δt is governed by:

$$\Delta \text{E} \geq \frac{\hbar}{2\Delta t}$$

To preserve its structural phase coherence and avoid breaking down into random environmental background noise, the wave must continuously resolve this localized uncertainty at every spatial increment dx. This ongoing dynamic self-interaction with the

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

vacuum state acts as an intrinsic quantum resistance, forcing a tiny, constant energy dissipation coefficient (α) per unit distance:

$$\frac{dE}{dx} = -\alpha E$$

Integrating this differential equation over a cosmological distance D yields an exact exponential decay profile for the wave's total energy density:

$$E(D) = E_0 e^{-\alpha D}$$

Because space is static in this framework and the speed of light c is a fundamental constant determined by the stable baseline permittivity and permeability ($\varepsilon(r)$ and $\mu(r)$) of the UECC, the propagation velocity cannot slow down. Therefore, the continuous drain of energy $E(D)$ must force a uniform downward shift in the wave's internal vibrational frequency $\nu(D)$.

Substituting $E(D) = \kappa \cdot \nu(D)$ into the dissipation profile:

$$\kappa \cdot \nu(D) = (\kappa \cdot \nu_0) e^{-\alpha D}$$

Canceling the wave coherence constant κ yields the frequency decay law:

$$\nu(D) = \nu_0 e^{-\alpha D}$$

Since the spatial wavelength is inversely proportional to frequency ($\lambda = c/\nu$), the wavelength elongation over the distance D becomes:

$$\lambda(D) = \lambda_0 e^{\alpha D}$$

Defining the standard cosmological redshift parameter \(z\):

$$z = \frac{\lambda(D) - \lambda_0}{\lambda_0} = e^{\alpha D} - 1$$

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

For distances small relative to c/α, a Taylor series expansion ($e^{\alpha D} \approx 1 + \alpha D$) yields a linear relationship:

$$z \approx \alpha D$$

By mapping this intrinsic quantum dissipation coefficient α to Hubble's constant ($H_0 = \alpha$), this framework reproduces Hubble's empirical law directly from the localized mechanics of the universal quantum medium. Because α represents a fundamental stabilization cost against universal vacuum fluctuations, it acts uniformly across the entire electromagnetic spectrum, natively satisfying the requirement of chromatic invariance.

4. Preservation of Phase Coherence and Image Sharpness

The primary historical barrier to non-expanding cosmological models has been the preservation of angular resolution. In historical "tired light" models, energy loss was attributed to collisions with independent interstellar particles, which inherently forced off-axis scattering angles ($\theta > 0$) , causing unavoidable geometric distortion and blurring of deep-space images.

The UECC completely bypasses this limitation. Because the redshift mechanism derived in Section 3 is an intrinsic, non-scattering dissipation born from the wave resolving localized vacuum uncertainty within its own wave path, there is no spatial momentum transfer to secondary entities.

Furthermore, because the UECC is continuous and uniform on a cosmological scale ($\rho_{\mathrm{UECC}}(r) = \rho_{\mathrm{base}}$) , the wave preserves its strict phase coherence. The wavefront behaves as a singular, macroscopic quantum state where individual lateral momentum fluctuations cancel out across the symmetric field via destructive quantum interference.

The wave vector remains strictly invariant in direction $\mathbf{k} = \mathbf{k}'$ throughout its entire cosmological journey. As a result, angular smearing is mathematically zero. Distant galaxies remain perfectly sharp and visually coherent over billions of light-years, resolving the fatal geometric flaws that plagued classical particle-based scattering theories.

---

5. Origin of the Cosmic Microwave Background (CMB)

If electromagnetic waves continuously transfer energy to the UECC medium to resolve vacuum uncertainty during propagation, the law of conservation of energy requires this dissipated energy to manifest within the system. The universal intergalactic continuum cannot accumulate this energy density infinitely without boundaries.

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

The continuous energy deposited by all traveling electromagnetic wave envelopes across the cosmos serves as a steady-state thermal input directly into the UECC. Because the medium is inherently interconnected via long-range wavefunctions and universal macroscopic quantum entanglement, it functions as a perfect, non-localized thermal bath.

Rather than generating localized hot spots, the energy extracted from the redshifting wave paths is thoroughly distributed and thermalized through internal micro-oscillations of the continuum's baseline density field ρ_{base}. According to quantum statistical mechanics, any continuous quantum medium in true thermodynamic steady-state must radiate its excess energy according to Planck's blackbody radiation law:

$$I(\nu, T) = \frac{2h\nu^3}{c^2} \frac{1}{e^{\frac{h\nu}{k_B T}} - 1}$$

The UECC radiates this accumulated thermal energy completely isotropically. The stable ambient temperature of this universal medium, maintained by the balance between continuous wave dissipation and isotropic re-radiation, is measured today as exactly $T \approx 2.73\ \text{K}$.

The CMB is therefore not a relic of a primitive singular explosion or primeval expansion, but the direct, real-time thermodynamic manifestation of the energy lost by starlight as it continuously stabilizes its phase coherence against the intrinsic quantum fluctuations of the universe.

---

6. Temporal Pulse Lengthening (Time Dilation)

Modern cosmology points to the observed time dilation of distant Type Ia supernova light curves as definitive proof of a metric expansion of space. A supernova that takes 10 days to decay locally appears to take 20 days when observed at a redshift of z = 1.

The UECC framework elegantly accounts for this phenomenon via wave packet mechanics. A localized light pulse, such as a supernova flare, is mathematically constructed as a coherent superposition of multiple monochromatic Fourier frequency components:

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

$$A(t) = \int A(\omega) e^{-i\omega t} d\omega$$

As this wave packet propagates through the dissipative UECC medium, the mechanism derived in Section 3 dictates that every individual Fourier component ω undergoes an identical fractional energy loss and frequency decay while resolving localized vacuum fluctuations. The frequency shifts uniformly according to:

$$\omega(D) = \omega_0 e^{-\alpha D} = \frac{\omega_0}{1+z}$$

Because the entire frequency spectrum of the wave packet shifts downward uniformly by a factor of (1+z), the inverse Fourier transform dictates that the temporal envelope of the wave packet must stretch symmetrically by the exact inverse factor:

$$\Delta t_{observed} = \Delta t_{emitted} \cdot (1+z)$$

Thus, the light pulse takes longer to pass through the observer's detection system. The temporal elongation is a direct mathematical consequence of the uniform down-shifting of the packet's spectral components within the quantum medium, providing a complete physical explanation for cosmological time dilation without requiring kinetic movement or geometric metric expansion.

---

7. Conclusions

The Universal Electron Cloud Continuum (UECC) framework offers a robust, mathematically consistent alternative to geometric cosmological expansion. By translating the properties of the cosmos into the language of generalized quantum field densities, it unifies cosmological phenomena with the fundamental mechanics of atomic physics.

© 2026 T. Salomaa. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0).