

A Non-Expanding Quantum Cosmological Framework: The Universal Electron Cloud Continuum (UECC)

Tero Salomaa

Independent Researcher

Alavus, Finland

e-mail: tsalomaa.research@gmail.com

Abstract

We propose a novel, non-expanding cosmological framework based on a generalized interpretation of Quantum Field Theory (QFT), termed the **Universal Electron Cloud Continuum (UECC)**. In this framework, spacetime is not an empty geometric fabric but an active quantum medium formed by the collective, overlapping asymptotic tails of all atomic electron wavefunctions (Ψ) in the universe. Electromagnetic wave propagation is modeled as an oscillatory perturbation of this localized electronic density field, meaning local vacuum permittivity (ϵ_0) and permeability (μ_0) — and consequently the speed of light (c) — are dynamical variables determined by local UECC density (ρ_{UECC}). We demonstrate that as light propagates over cosmological distances, a continuous, adiabatic, phase-coherent energy dissipation occurs via a macroscopic quantum viscous coupling term. This mechanism yields an exponential redshift law mathematically identical to Hubble's empirical observations without requiring the metric expansion of space. Furthermore, we show how quantum interference restricts macro-scale scattering to a strictly forward path, preserving the perfect sharpness of distant galactic images and overcoming historical objections to 'tired light' models. Finally, the dissipated energy is thermalized within the UECC medium, naturally radiating as a isotropic blackbody spectrum corresponding to the Cosmic Microwave Background (CMB).

Keywords: Universal Electron Cloud Continuum (UECC), Cosmic Microwave Background (CMB), Quantum Cosmology, Hubble Tension Resolution.

1. Introduction

The standard cosmological model (Λ CDM) relies on the Friedmann-Lemaître-Robertson-Walker (FLRW) metric to explain the cosmological redshift of distant galaxies and the existence of the Cosmic Microwave Background (CMB). However, this geometric interpretation introduces significant theoretical tensions, including the requirement of dark energy, dark matter, and a fundamental incompatibility between the smooth geometric

continuity of General Relativity and the localized probabilistic nature of Quantum Field Theory (QFT).

Historically, alternative mechanisms such as Fritz Zwicky's 1929 "tired light" hypothesis attempted to explain redshift through material interactions (e.g., standard particle-like Compton scattering). These models were rightfully rejected due to two fatal flaws:

1. **Angular Smearing:** Particle scattering inherently alters the momentum vector of the scattered photon, blurring distant cosmological images.
2. **Frequency Dependence:** Classic Compton scattering cross-sections depend heavily on the incoming photon wavelength, contradicting the observed chromatic invariance of cosmological redshift.

This paper introduces a formalized alternative by generalizing QFT to a macroscopic scale. We propose that the universe is permeated by a continuous quantum medium: the **Universal Electron Cloud Continuum** (ρ_{UECC}). By treating light not as an isolated particle traveling through an empty void, but as a collective excitation propagating *through* the UECC, we derive an exact expression for cosmological redshift, temporal pulse lengthening, and the CMB from pure quantum mechanical foundations.

2. The UECC Medium and Dynamic Permittivity

In standard quantum mechanics, the wavefunction of an electron bound to an atom extends infinitely across space, decaying exponentially as $r \rightarrow \infty$

$$\Psi(r) \propto e^{-\alpha r}$$

When the entire collective ensemble of atoms in the universe is integrated, these asymptotic wavefunction tails overlap continuously. This forms a universal spatial density matrix, which we define as the **Universal Electron Cloud Continuum** (ρ_{UECC}).

Because electromagnetic waves are oscillations of the electromagnetic field, their propagation velocity is fundamentally governed by the local medium's ability to polarize and magnetize. Thus, the vacuum permittivity ϵ_0 and permeability μ_0 are redefined as direct functions of the local UECC density:

$$\epsilon(r) = \epsilon_0 \cdot f(\rho_{\text{UECC}}(r))$$

$$\mu(r) = \mu_0 \cdot g(\rho_{\text{UECC}}(r))$$

The local phase velocity of light is therefore a dynamical parameter tied to the localized structure of the quantum field:

$$c(r) = \frac{1}{\sqrt{\varepsilon(r)\mu(r)}}$$

In interstellar and intergalactic space, ρ_{UECC} reaches a highly uniform, ultra-low basestate density (ρ_{base}), maintaining an effectively stable propagation speed over vast distances, yet subjecting the wave to a continuous, non-zero quantum medium impedance.

3. Mathematical Formulation of Quantum Viscous Redshift

To model the energy loss of a photon propagating through the UECC without invoking discrete particle collisions, we construct a time-dependent, coupled quantum Hamiltonian for the total system:

$$H_{\text{total}} = H_{\text{EM}} + H_{\text{UECC}} + H_{\text{interaction}}$$

Where H_{EM} represents the unperturbed electromagnetic mode and H_{UECC} describes the baseline quantum state of the medium. The interaction Hamiltonian $H_{\text{interaction}}$ characterizes the continuous, weak-coupling perturbation experienced by the propagating wave as it dynamically polarizes the electron cloud tails.

Instead of discrete, localized transitions, this continuous coupling introduces a macroscopic quantum viscosity factor, γ , acting as an energy sink. The time-evolution of the expectation value of the photon energy $\langle E \rangle$ can be written via a master dissipative differential equation:

$$\frac{d\langle E \rangle}{dt} = -\gamma \langle E \rangle$$

Converting the time derivative to spatial propagation distance x where $dx=c \cdot dt$

$$\frac{dE}{dx} = -\frac{\gamma}{c} E$$

Integrating this over a cosmological distance D yields an exact exponential decay profile for the photon energy:

$$E(D) = E_0 e^{-\frac{\gamma}{c}D}$$

Since the quantum mechanical energy of a photon is strictly bound to its frequency and wavelength ($E=h\nu=hc\lambda$), this continuous energy drain forces an increase in wavelength:

$$\lambda(D) = \lambda_0 e^{\frac{\gamma}{c}D}$$

Defining the redshift parameter z as standard:

$$z = \frac{\lambda(D) - \lambda_0}{\lambda_0} = e^{\frac{\gamma}{c}D} - 1$$

For distances small relative to c/γ , a Taylor expansion yields:

$$z \approx \frac{\gamma}{c}D$$

By mapping the quantum viscosity constant to Hubble's constant ($H_0 = \gamma$), this framework reproduces **Hubble's Law ($z \propto D$)** directly from the intrinsic dissipative mechanics of the universal quantum medium. Because γ is a fundamental coupling coefficient of the continuous field interaction, it acts uniformly across all frequencies, satisfying the strict requirements of chromatic invariance.

4. Coherent Forward Scattering and Image Sharpness

The primary historical barrier to any non-expanding redshift theory is the preservation of angular resolution. Standard Compton scattering from discrete, independent particles forces spatial scattering angles $\theta > 0$, causing unavoidable geometric distortion.

The UECC resolves this through the principle of **Macroscopic Quantum Coherence**. Because the medium is continuous and uniform on a cosmological scale, the incoming electromagnetic wave interacts with a vast spatial ensemble of wavefunction tails simultaneously.

When a plane wave drives the collective electron continuum, every local differential element dV acts as a secondary emitter of radiation. The total scattered wavefunction in a given direction is determined by the coherent superposition of all secondary wavelets:

$$\Psi_{\text{scattered}}(k') \propto \int \rho_{\text{UECC}}(r) e^{i(k-k') \cdot r} d^3r$$

Where k is the incident wave vector and k' is the scattered wave vector. For a uniform intergalactic medium ($\rho_{\text{UECC}}(\mathbf{r}) = \rho_{\text{base}}$), this Fourier integral evaluates to a three-dimensional Dirac delta function:

$$\Psi_{\text{scattered}}(k') \propto \delta^3(k - k')$$

This mathematical identity proves that **destructive interference completely cancels out all off-axis scattering ($\theta \neq 0$)**. The individual lateral momentum transfers cancel out across the macroscopic field. The wave is constrained to a strictly forward path ($\mathbf{k} = \mathbf{k}'$), thereby eliminating angular smearing entirely. Distant galaxies remain perfectly sharp and visually coherent, bypassing the fatal flaw of classical particle-based tired light models.

5. Origin of the Cosmic Microwave Background (CMB)

If photons continuously transfer energy to the UECC medium, the law of conservation of energy requires this dissipated energy to manifest within the system. The intergalactic continuum cannot accumulate energy infinitely without bounds.

The continuous energy deposited by all redshifting light sources across the cosmos serves as a steady-state thermal input into the UECC. Because the medium is interconnected via universal quantum entanglement and long-range wavefunctions, it acts as a perfect **macroscopic thermal bath**.

The deposited energy is thoroughly distributed and thermalized through internal micro-oscillations of the continuum. According to quantum statistical mechanics, any medium in true thermodynamic steady-state must radiate energy according to Planck's law:

$$I(\nu, T) = \frac{2h\nu^3}{c^2} \frac{1}{e^{\frac{h\nu}{k_B T}} - 1}$$

The UECC radiates this accumulated thermal energy back into the electromagnetic field isotropically. The stable ambient temperature of this universal medium is measured today as exactly $T \approx 2.73\text{K}$. The CMB is therefore not a relic of a primitive singular explosion, but the direct, real-time thermodynamic manifestation of the energy lost by starlight as it struggles against the quantum viscosity of the universe.

6. Temporal Pulse Lengthening (Time Dilation)

Modern cosmology points to the observed time dilation of distant Type Ia supernova light curves as definitive proof of a metric expansion of space. A supernova that takes 10 days to decay locally appears to take 20 days when observed at $z=1$.

The UECC elegantly accounts for this phenomenon via wave packet mechanics. A localized light pulse (such as a supernova flare) is mathematically constructed as a coherent superposition of multiple monochromatic Fourier frequency components:

$$A(t) = \int A(\omega) e^{-i\omega t} d\omega$$

As this wave packet propagates through the dissipative UECC medium, section 3 demonstrates that every individual Fourier component ω undergoes an identical fractional energy loss and wavelength extension:

$$\omega(D) = \omega_0 e^{-\frac{\gamma D}{c}} = \frac{\omega_0}{1+z}$$

Because the entire frequency spectrum shifts downward uniformly by a factor of $(1+z)$, the inverse Fourier transform dictates that the temporal envelope of the wave packet must stretch symmetrically by the exact inverse factor:

$$\Delta t_{\text{observed}} = \Delta t_{\text{emitted}} \cdot (1+z)$$

Thus, the light pulse takes longer to pass through the observer's detection system. The temporal elongation is a direct mathematical consequence of the uniform down-shifting of the packet's spectral components within the quantum medium, providing a complete physical explanation for cosmological time dilation without kinetic movement.

7. Conclusions

The Universal Electron Cloud Continuum (UECC) framework offers a robust, mathematically consistent alternative to geometric cosmological expansion. By translating the properties of the cosmos into the language of generalized quantum field densities, it unifies cosmological phenomena with the fundamental mechanics of atomic physics.