



Animal & Plant Health Agency

Animal and Plant Health Agency (APHA)

New Haw, Addlestone, Surrey KT15 3NB United Kingdom

Telephone +44 300 0600022

lab.services@apha.gov.uk

www.gov.uk/apha

APHA Submission Ref: LT-26-035410

Date Received: 04 September 2026

Submission details as supplied by the customer

Rossdale Laboratories

Rossdale & Partners

High Street

Newmarket

Suffolk

CB8 8JS

England

Phone number: **01638 663150**

Fax number: **01638 660157**

Email: **laboratory@rossdales.com;**
exports.lab@rossdales.com

Interface No: **201555**

Sender's Submission Ref:

Owner: **MR JOE AKEHURST , GILLAM**
HALL STABLES

Sender: **Rossdale Laboratories**

CPHH:

Species: **Horse**

Breed: **Thoroughbred Horse**

Destination:

Date of Sampling: **03/09/2026**

Samples: **Serum x 3**

Laboratory Services Weybridge Report: 1 (Final)

The test result applies to the sample as received. A sub-sample of the item may have been tested where appropriate.

Contract	Test Code	Test(s) requested
FT6032	TC1126	CFT for Glanders using Ames Ag
FT6032	TC1159	AGIDT for equine infectious anaemia Ab
FT6032	TC1222	CFT for Trypanosoma equiperdum (Dourine) Ab

Test	Component	VLA26-060018 I GOT TO GO / 985-101-045-376-157	VLA26-060019 ALREEM / 372-140-0 45-414-053	VLA26-060020 ALRASHDEYAH / 372- 140-045-410-306
TC1126	Glanders CFT titre	Negative @ 1/10	Negative @ 1/10	Negative @ 1/10
TC1126	Comment	Negative @ 1/5	Negative @ 1/5	Negative @ 1/5
TC1159	EIA Ab AGIDT result	Negative	Negative	Negative
TC1222	T. equiperdum CFT result	Negative @ 1/10	Negative @ 1/10	Negative @ 1/10
TC1222	T. equiperdum comment	Negative @ 1/5	Negative @ 1/5	Negative @ 1/5

TC1222 - The CFT is used to confirm infection in clinical cases or in latent carriers. Non-infected animals, especially donkeys, often yield unclear results. The indirect fluorescent antibody test is used to confirm infection or resolve inconclusive CFT results. Animals infected with T. brucei or T. evansi may also give positive results in both these tests.

If you would like to confirm the validity of an APHA test report, please contact us at lab.services@apha.gov.uk

Karen Hinchliffe
Authorised Responsible Officer

10 September 2026

† - Not UKAS accredited
‡ - Test sub-contracted
§ - Accredited under Flexible Scope.

E-mail reports from APHA are sent with due authority and are acceptable to Defra and the RCVS as appropriate for International Trade Certification purposes.

In case of query please contact: lab.services@apha.gov.uk

Opinions and interpretation expressed herein are outside the scope of UKAS accreditation.



Tell us what you think of APHA's laboratory testing and post mortem services and take part in our customer satisfaction survey. The survey is available in English and Welsh here:

https://defragroup.eu.qualtrics.com/jfe/form/SV_cugSVwY8ektZqzb

Animal &
Plant Health
Agency

Asiantaeth
Iechyd Anifeiliaid
a Phlanhigion

Official
Document

† - Not UKAS accredited
‡ - Test sub-contracted
§ - Accredited under Flexible Scope.

E-mail reports from APHA are sent with due authority and are acceptable to Defra and the RCVS as appropriate for International Trade Certification purposes.

In case of query please contact: lab.services@apha.gov.uk

Opinions and interpretation expressed herein are outside the scope of UKAS accreditation.

Charging Preview

Contract	Service	Service Description	Unit Price	Qty	Total
FT6032	TC1126	CFT for Glanders	£44.80	3	£134.40
FT6032	TC1159	AGIDT for EIA Ab	£19.30	3	£57.90
FT6032	TC1222	CFT for T.equiperdum (Dourine)	£40.60	3	£121.80

This is NOT an INVOICE and is subject to amendment.

The charge for this laboratory work is £314.10 plus VAT (if applicable)

† - Not UKAS accredited
‡ - Test sub-contracted
§ - Accredited under Flexible Scope.

E-mail reports from APHA are sent with due authority and are acceptable to Defra and the RCVS as appropriate for International Trade Certification purposes.

In case of query please contact: lab.services@apha.gov.uk

Opinions and interpretation expressed herein are outside the scope of UKAS accreditation.