

Results - Lab12

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test1.sql'
umn_name | reference_generation | user_defined_type_catalog | user_defined_type_schema | user_defined_type_name
| is_insertable_into | is_typed | commit_action
-----+-----+-----+-----+-----+-----+-----+
lab12 | | information_schema | column_column_usage | VIEW |
| NO | | NO | | |
lab12 | | information_schema | information_schema_catalog_name | VIEW |
| NO | | NO | | |
lab12 | | information_schema | check_constraints | VIEW |
| NO | | NO | | |
lab12 | | information_schema | applicable_roles | VIEW |
| NO | | NO | | |
lab12 | | information_schema | administrable_role_authorizations | VIEW |
| NO | | NO | | |
lab12 | | information_schema | attributes | VIEW |
| NO | | NO | | |
lab12 | | information_schema | collations | VIEW |
| NO | | NO | | |
lab12 | | information_schema | character_sets | VIEW |
--More--
```

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test2.sql'
data_type | character_maximum_length | character_octet_length | numeric_precision | numeric_precision_r
adix | numeric_scale | datetime_precision | interval_type | interval_precision | character_set_catalog | charac
ter_set_schema | character_set_name | collation_catalog | collation_schema | collation_name | domain_catalog |
domain_schema | domain_name | udt_catalog | udt_schema | udt_name | scope_catalog | scope_schema | scope_name |
maximum_cardinality | dtd_identifier | is_self_referencing | is_identity | identity_generation | identity_star
t | identity_increment | identity_maximum | identity_minimum | identity_cycle | is_generated | generation_expre
ssion | is_updatable
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
lab12 | public | movies | movieid | 1 | 32 | NO |
integer | 2 | 0 | | | | |
| | | lab12 | pg_catalog | int4 | | | |
| | 1 | NO | NO | NEVER | |
| YES |
lab12 | public | movies | year_released | 4 | 32 | NO |
integer | 2 | 0 | | | | |
--More--
```

```
Cancel request sent
[root@iZwz989thjg5p4g6ibypbsZ Lab12]# psql "postgres://admin:000000@127.0.0.1:5432/lab12" -f './test3.sql'
 catalog_name | schema_name | schema_owner | default_character_set_catalog | default_character_set_
 schema | default_character_set_name | sql_path
-----+-----+-----+-----+-----
 lab12      | public      | pg_database_owner |                               |
 lab12      | information_schema | postgres          |                               |
 lab12      | pg_catalog  | postgres          |                               |
(3 rows)
```

```
[root@izwz989thjg5p4g6ibypshz Lab12]# psql "postgres://admin:000000@127.0.0.1:5432/lab12" -f './test4.sql'
 catalog | routine_schema | routine_name | routine_type | module_catalog |
 module_schema | module_name | udt_catalog | udt_schema | udt_name | data_type | character
 er_maximum_length | character_octet_length | character_set_catalog | character_set_schema | character_set_name |
 collation_catalog | collation_schema | collation_name | numeric_precision | numeric_precision_radix | numeric
 _scale | datetime_precision | interval_type | interval_precision | type_udt_catalog | type_udt_schema |
 type_udt_name | scope_catalog | scope_schema | scope_name | maximum_cardinality | dtd_identifier | rout
 ine_body | routine_definition | external_name | external_language | parameter_style | is_deter
 ministic | sql_data_access | is_null_call | sql_path | schema_level_routine | max_dynamic_result_sets | is_user
 _defined_cast | is_implicitly_invocable | security_type | to_sql_specific_catalog | to_sql_specific_schema | to
 _sql_specific_name | as_locator | created | last_altered | new_savepoint_level | is_udt_dependent | result_cast
 _from_data_type | result_cast_as_locator | result_cast_char_max_length | result_cast_char_octet_length | result
 _cast_char_set_catalog | result_cast_char_set_schema | result_cast_char_set_name | result_cast_collation_catalo
 g | result_cast_collation_schema | result_cast_collation_name | result_cast_numeric_precision | result_cast_num
 eric_precision_radix | result_cast_numeric_scale | result_cast_datetime_precision | result_cast_interval_type |
 result_cast_interval_precision | result_cast_type_udt_catalog | result_cast_type_udt_schema | result_cast_type
 _udt_name | result_cast_scope_catalog | result_cast_scope_schema | result_cast_scope_name | result_cast_maximum
 _cardinality | result_cast_dtd_identifier
-----+-----
--More--
```

[illegible]

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test6.sql'
```

reference_generation	user_defined_type_catalog	user_defined_type_schema	user_defined_type_name	is_insertable_into	is_typed	commit_action
lab12	pg_catalog	pg_type	BASE TABLE			YES
lab12	pg_catalog	pg_foreign_table	BASE TABLE			YES
lab12	pg_catalog	pg_roles	VIEW			NO
lab12	pg_catalog	pg_settings	VIEW			NO
lab12	pg_catalog	pg_tables	VIEW			NO
lab12	pg_catalog	pg_statio_all_sequences	VIEW			NO
lab12	pg_catalog	pg_subscription	BASE TABLE			YES
lab12	pg_catalog	pg_attribute	BASE TABLE			

--More--

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test7.sql'
```

```
oid
-----
17537
(1 row)

pg_database_size
-----
16551059
(1 row)

pg_database_size
-----
16551059
(1 row)
```

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test8.sql'
```

```
size in M
-----
2904
(1 row)

pg_size_pretty
-----
2904 MB
(1 row)
```

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test9.sql'
```

```
pg_size_pretty
-----
608 kB
(1 row)

pg_size_pretty
-----
768 kB
(1 row)

pg_size_pretty
-----
1376 kB
(1 row)
```

```
[root@iZwz989thjg5p4g6ibyphsZ Lab12]# psql "postgresql://admin:000000@127.0.0.1:5432/lab12" -f './test10.sql'
pg_column_size
-----
          12
(1 row)

pg_column_size
-----
          1
(1 row)
```