tomo suli pi kama sona NIMI PI TOMO NI

tsbohc

TOKI PONA: DISTRIBUTIONAL APPROACH TO SEMANTIC ANALYSIS OF A CONSTRUCTED LANGUAGE

tenpo ni la, lipu ni li pona ala (spelling and general unenglishness will be corrected at a later date)

CONTENTS

Introduction	4
Distributional semantics and constructed languages	7
1 Natural language processing	7
2 Distributional semantics	7
2.1 Distributional representations	10
2.1.1 Context types	11
2.1.2 Semantic similarity metric	12
2.1.3 Curse of dimensionality	13
2.2 Notable implementations	13
2.2.1 Count vector model	13
2.2.2 Neural probabilistic language model	14
2.2.3 Recurrent neural net language model	15
2.2.4 Continuous bag-of-words model	15
2.2.5 Continuous skip-gram model	16
2.3 Applications	16
3 Artificial languages	18
3.1 The notion of a constructed language	18
3.2 Notable constructed languages throughout history	19
3.3 Classification	24
3.3.1 Traditional: structure and source material	24
3.3.2 Traditional: purpose	26
3.3.3 Blanke's functional classification	28
4 Summary	29

Language modelling and Toki Pona	30
1 Toki Pona	30
1.1 History	30
1.1.1 Pre-pu	30
1.1.2 Post-pu	31
1.2 Phonology	32
1.3 Grammar	32
1.4 Vocabulary	32
1.5 Tokiponidos	32
2 Vector space model	32
2.1 Text tokenisation	32
2.2 Text normalisation	32
2.3 Model construction	32
2.4 Projection	32
2.5 Visualisation	32
2.6 Observations	32
3 Summary	32
Conclusion	33
nimi mute li pini la	34
References	35
Online resources	40
Supplementary marterial	41
1 Model vectors	41
2 Toki Pona dictionary	41

INTRODUCTION

Toki Pona is the second most spoken constructed language in the world. Its core vocabulary consists of only 120-140 words, not including words that are rare and/or considered non-standard by the majority of speakers. Despite the small vocabulary size, Toki Pona can be used to convey a wide range of ideas of varying complexity [Meulen 2021].

Problem

While some cases are covered by the lessons present in the original book [Lang 2014], the definitions provided by the official publicly available dictionary do not fully reflect how the vocabulary is used today.

This was amended with the publication of the second Toki Pona book [Lang, Sartirani 2021], a two-way Toki Pona – English dictionary. The second book primarily documents the compounds that can be used to convery certain ideas in Toki Pona.

While this paper also deals with the semantics of the Toki Pona vocabulary, it is different in nature. This research aims to identify the semantic compositions of individual words in the Toki Pona vocabulary, independently from the published books. The comparisons are drawn between the original dictionary and the current usage pattersn of the vocabulary.

Goals

The primary goal of this paper is to comment on the semantics of the core Toki Pona vocabulary, as well as to organise individual words into groups based on their semantic relatedness and the context they are most prevalently used in.

The secondary goal is to discuss the semantics of the core vocabulary of Toki Pona — as it is spoken by the majority of the communety — in relation to the official dictionary of the language.

- **Subject.** Semantic evaluation and classification of vocabulary.
- Object. Toki Pona, a constructed language.
- **Methodology.** Distributional semantics and natural language processing, namely language modelling (word embedding).

Objectives

- 1. Define natural language processing and distributional semantics, discuss modern implementations as well as other related concepts.
- 2. Define and classify constructed languages.
- 3. Describe Toki Pona, its philosophy, history, and unique features.
- 4. Obtain the necessary corpora.
- 5. Construct a vector space model of the language.
- 6. Make observations on the model.
- 7. Classify the words of the vocabulary based on the observed semantic relationships between them.

Relevance

Constructed languages are rapidly gaining popularity. Despite this, the only constructed language that has seen much representation in scientific writing is Esperanto.

The existing dictionaries or other resources concerned with teaching Toki Pona to new speakers could benefit from the findings of this research. New tools can be developed which will aid newcomers to the language.

The vector space model of Toki Pona developed in the course of this research can find further use in machine translation, topic modelling, text prediction, sentiment analysis, and many other areas.

DISTRIBUTIONAL SEMANTICS AND CONSTRUCTED LANGUAGES

1 Natural language processing

"Linguistics is concerned not only with language per se, but must also deal with how humans model the world. The study of semantics, for example, must relate language expressions to their meanings, which reside in the mental models possessed by humans. <...> Whereas computational linguistics, as a subfield of linguistics, is concerned with the formal or computational description of rules that languages follow [Tsujii 2021]".

The aim of this research is to bridge the gap between the two disciplines, to use computational linguistics to build a semantic model of a constructed language. This model can then be used to explore the nuances of how humans speak the said language.

In turn, "Natural Language Processing is a field at the intersection of computer science, artificial intelligence, and linguistics [Vajjala, Majumder 2020, p. 7]". "Natural language processing includes a range of algorithms, tasks, and problems that take human-produced text as an input and produce some useful information, such as labels, semantic representations, and so on, as an output [Hagiwara 2021, p. 4]".

2 Distributional semantics

The core idea behind distributional semantics has roots in American structuralism (Harris) and British lexicology (Firth) and is known as the distributional hypothesis. In its simplest form, it states that "similarity in



Figure .1: Language-related disciplines [Tsujii 2021]

meaning results in similarity of linguistic distribution [Harris 1954]".

The reverse of this statement is also true. Meaning that "the statistical distribution of linguistic items in context plays a key role in characterizing their semantic behavior [Lenci 2018]". The aim of distributional semantics is exactly that, to learn the meanings of linguistics units from a corpus of text.

Distributional semantics was popularised by Firth in the 1950s. In a 1957 publication he wrote, "the placing of a text as a constituent in a context of situation contributes to the statement of meaning since situations are set up to recognise use. <...> You shall know a word by the company it keeps! [Firth 1957, p. 11]".

The ideas introduced by the distributional hypothesis have received attention in cognitive science [Mcdonald 2008] and language learning [Yarlett, Ramscar, Dye 2008].

Overview

Distributional semantics has become widespread with the adoption of information technology in the field of linguistic research.

Distributional semantics are most frequently applied by taking large amounts of text as input and pushing it through an abstraction algorithm to produce a distributional model as output [Emerson 2020].

Distributional models rely on context to produce semantic

representations. That is, distributional models characterise the meanings of words through the context in which they have been observed [Erk 2016].

dim1

dim2

0.53848

0.44034

0.05389

Planets of the solar system are orbiting the sun. The 0.11023 sun moon is orbiting the earth. 0.21575 moon It's his antique typewriter algorithm typewriter 0.52834 clacking. <...>




Figure .2: Distributional semantics, an illustrated overview

In a model, the semantic representations are stored in the form of Vectors are essentially lists of numbers that refer to points in a multi-dimensional space. These vectors are referred to as word vectors.

In the illustrated example, the model only has the dimensionality of two and thus can be mapped onto a two dimensionsional plane without any further processing.

If this is not the case, the multi-dimensionality of the word vector

encodings can be reduced to only two or three dimensions. The resulting dimensions can then be used to create a projection of the model which can be observed by the human eye.

All of the approaches to distributional semantics share the quality of learning semantic representations from a corpus in an unsupervised manner, without the involvement of humans.

2.1 Distributional representations

Distributional representations are mathematic encodings of the distributional properties of words. Typically, in the form of a sequence of numbers. This sequence of numbers can be viewed as a multi-dimensional vector for the purposes of applying to them principles derived from liner algebra.

"Word vectors represent words as multidimensional continuous floating point numbers where semantically similar words are mapped to proximate points in geometric space [Ahire 2018]".

In simpler terms, a word vector is a numerical representation of a word in a corpus relative to every other word in that corpus.

"Vectors have geometrical interpretations: Vectors with n components define points (or arrows) in n-dimensional spaces. Therefore, distributional representations are geometrical representations of the lexicon in the form of a distributional vector space. The positions of lexemes in a distributional semantic space depend on their co-occurrences with linguistic contexts [Lenci 2018]".

2.1.1 Context types

Distributional representations output by a distributional model differ with respect to how the linguistic context is defined.

The contexts can be of the following types [Lenci 2018]:

- **Undirected window-based collocate.** This context type includes words around the current word. No information as to whether the context words precede or follow after the current word is provided to the model. The window size typically ranges from 2 to 10.
- **Directed window-based collocate.** Unlike the previous context type, directed window-based contexts provide the direction in which the context word was seen relative to the current word.
- **Dependency-filtered syntactic collocate.** This context restricted the words which are analysed by the algorithm based on their syntactic roles. This information is hovewer not provided to the model.
- **Dependency-typed syntactic collocate.** This context type provides the previously omitted syntactic type to the model.
- **Text region.** A text region context can represent any text sample that is uniquely identifiable: book chapters, web pages, or simply text portions of any fixed size.

The term window provides a physical analogy to a linguistic context. As the algorithm processes the corpus, the window of the context slides across the text, accounting for the words that can be seen through it.

2.1.2 Semantic similarity metric

The semantic similary between two vectors is primary measured in two ways: using cosine similarity or the Euclidean distance.

The primary advantage of using one of these two methods is that they can be calculated for vectors of any dimensionality.

Euclidean distance

The Euclidean distance between two points is the length of a line segment between the two points. It can also be defined as the shortest distance between two points in an n-dimensional space. For the purposes of calculating the Euclidean distance, the vectors are viewed as point coordinates [Oduntan, Adeyanju 2018].

$$d_{Euc}(p,q) = \sqrt{\sum_{i=1}^{n} (p_i - q_i)^2} = \sqrt{(p_1 - q_1)^2 + (p_2 - q_2)^2 + \dots + (p_n - q_n)^2}$$

Cosine similarity

Cosine similarity is a measurement of similarity between two sequences of numbers. When calculating cosine similarity, the two sequences of numbers are viewed as vectors. Cosine similarity is equal the cosine of the angle between two vectors, that is, the dot product of the vectors devided by the product of their lengths [Oduntan, Adeyanju 2018].

Cosine similarity always falls into the interval [-1,1]. Two parallel vectors have a cosine similarity of 1, two orthogonal (perpendicular to each other) vectors have a cosine similarity of 0, while two opposite vectors have a cosine similarity of -1.

$$s_{cos}(A, B) := cos(\theta) = \frac{A \cdot B}{||A|| \cdot ||B||} = \frac{\sum_{i=1}^{n} A_i B_i}{\sqrt{\sum_{i=1}^{n} A_i^2 \sqrt{\sum_{i=1}^{n} B_i^2}}}$$

This method was chosen to simplify the process of comparing similarities between vector pairs. Where the Euclidean distance provides an absolute value, the cosine similarity provids a fraction.

2.1.3 Curse of dimensionality

The curse of dimensionality refers to the phenomena that arise when organising data in high-dimensional spaces.

In the context of distributional models, dimensionality is determined by how many word relationships are accounted for by the model.

As the dimensionality of representations increases, the volume of the space they take up increases so fast that the available data becomes sparse. In other words, it becomes hard to make sense of the data as it becomes spread too thinly across the multi-dimensional space [Venkat 2018].

A common solution to this is dimensionality reduction.

2.2 Notable implementations

2.2.1 Count vector model

The simplest implementations of distributional modeles feature counting algorithms. "<...> these models just record other words that have been observed in the vicinity of a target word in large text corpora, and form some sort of aggregate over the recorded context items. They then estimate the semantic

similarity between words based on contextual similarity [Erk 2016]". These models are referred to as count models.

"Context items are counted only if they appear close to the target word, that is, if they are within the relevant context [Erk 2016]".

The count models operate on window-based context. The window size is typically narrow (2-4 words). The window can be allowed to cross the boundaries of sentences or not [Baroni, Dinu, Kruszewski 2014].

2.2.2 Neural probabilistic language model

In the recent years, the distributional model architecture has seen as notable shift to machine learning algorithms. With the improvements of hardware performance, the training of complex neural networks on corpora of larger sizes has become possible.

The earlier machine learning based models were plagued by the curse of dimensionality. This problem was solved in the model proposed by [Bengio, Ducharme, Vincent 2000]. The proposed neural network model learns distributional representations and the generalisation function at the same time. The generalisation function is based on the estimates of probablity of a word appearing in the given context.

The architecture of this model "consists of input, projection, hidden and output layers. At the input layer, N previous words are encoded using 1-of-V coding, where V is size of the vocabulary. The input layer is then projected to a projection layer P that has dimensionality $N \times D$, using a shared projection matrix. As only N inputs are active at any given time, composition of the projection layer is a relatively cheap operation [Mikolov, Chen, Corrado 2013]".

The training complexity of this model is

$$Q = N \times D + N \times D \times H + H \times V$$

where *H* is the size of the hidden layer.

2.2.3 Recurrent neural net language model

This model articecture contains recurrent neural networks, meaning that as the model learns from the input, it produces output that is fed back into the model as input. The recurrent matrix connects hidden layers to itself using time-delayed connections. "This allows the recurrent model to form some kind of short term memory, as information from the past can be represented by the hidden layer state that gets updated based on the current input and the state of the hidden layer in the previous time step [Mikolov, Chen, Corrado 2013]".

This model architecture consists of only input, hidden, and output layers, thus allowing for a reduction of complexity when compared to the neural probabilistic language model [Mikolov, Chen, Corrado 2013].

The training complexity of this model is

$$Q = H \times H + H \times V$$

2.2.4 Continuous bag-of-words model

The first architecture of Word2vec proposed by Mikolov removes the non-linear hidden layer, further reducing complexity. The projection layer is shared for all words [Mikolov, Chen, Corrado 2013].

The continuous bag-of-words model is not ifluenced by history like the previous one. In a continuous bag-of-words model not only the words preceding the current word are used for context, but also the words that follow it.

This model attempts to predict the current word from the sum of the context vectors. This sum of vectors is referred to as a "bag of words", giving the name to the model. If the prediction of the word is correct after comparing

it with the current word, its distributional representation is reinforced. If the prediction is wrong, the distributional representation is corrected.

The training complexity of this model is

$$Q = N \times D + D \times \log_2 V$$

Because this model architecture produces the prediction as output, the learned weights of the hidden layer is what represents the word vectors.

2.2.5 Continuous skip-gram model

The second architecture of Word2vec proposed by Mikolov has the opposite objective of the continuous bag-of-words model. The continuous skip-gram model predicts the surrounding context from the current word. Similar to the continuous bag-of-words model, when the continuous skip-gram model succeedes in predicting the context words, the semantic representation of the current word is reinforced. When it fails, it is corrected [Mikolov, Chen, Corrado 2013].

The training complexity of this model is

$$Q = N \times D + N \times D \times log_2 V$$

While the complexity of this model is greater, the accuracy is also much greater [Mikolov, Chen, Corrado 2013]. Similar to a continuous bag-of-words model, the weights of the hidden layer are the distributional representations.

2.3 Applications

The data provided by the distributional model can be used directly to analyse the semantics of a language:

1. **Semantic similarity.** By definition, distributional models provide data that quantifies semantic relatedness between individual words or expressions.

- This data can be interpreted by humans to draw conclusions about the meanings of words or used in other areas of natural language processing.
- 2. **Word clustering.** Semantic representations tend to form groups in the multi-dimensional space. Word clustering refers to the ways and means by which these groups can be extracted as formal clusters [Bekkerman, El-Yaniv, Tishby 2003].
- 3. **Automatic creation of thesauri.** The semantic similarity data can be further processed to produce lists of homonyms, synonyms, or even antonyms [Henestroza Anguiano, Denis 2011].
- 4. **Word sense disambiguation.** This refers to a problem in computational linguities that is conserned with identifying which sense of a word is used in a particular sentence [Musto, Narducci, Basile 2011].
- 5. **Information retrieval.** Distributional models can be used to access semantically similar words to those of a query, expanding the retrieved results from exact word matching to semantically fuzzy matching [Silva, Maia 2019].
- 6. **Data mining.** In data mining, namely text mining, distributional models can provide means of identifying similar documents, thus narrowing the scope of a search [Dalianis 2018, p. 89].
- 7. **Paraphrasing.** The data provided by distributional models can supply paraphrasing algorithms with vocabulary, or aid in judging the relative semantic similarity between two paraphrases on a sentence level basis [El Desouki, Gomaa 2019].
- 8. **Sentiment analysis.** Given a small list of words manually tagged with emotive potentials, distributional models can propagate these potentials

through a corpus based on the semantic similarity between the tagged words [Alshari, Azman, Doraisamy 2017].

3 Artificial languages

The term 'artificial' is used to broadly refer to all languages that have been created through deliberate and conscious planning [Stria 2016, p. 41]. Under the broad umbreall of the term 'artificial' reside predicate calculus and programming languages such as Lisp and C++.

"In the interlinguistic literature the term 'artificial' as opposed to 'natural' is regarded as 'crudely misleading' (Schubert 1989) because it suggests that languages created to facilitate international communication are in fact identical to machine or formulaic languages [Stria 2016, p. 45]".

In an effort to avoid confusion with artifical languages of technical nature, the currently popular term 'constructed' will be used throughout the rest of this paper.

It should be noted that the abbreviation 'conlang' is also widely spread among the members of the community surrounding constructed languages.

3.1 The notion of a constructed language

Constructed languages are languages that have been purposely created to be similar or comparable in function to natural languages. The purpose behind the creation of constructed languages tends to vary greatly, ranging from the aim to create an auxiliary means of international communication, to artistic and philosophical expression.

3.2 Notable constructed languages throughout history

"The dream of a perfect language did not only obsess European culture. The story of the confusion of tongues, and of the attempt to redeem its loss through the rediscovery or invention of a language common to all humanity, can be found in every culture [Eco 1995, p. 1]".

Antiquity

The concept of a constructed language was first mentioned in writing by Athenaeus of Naucratis in his *Deipnosophistae* (*circa* AD 230). The languages he presented were not full languages, but languages of rudimentary type known as a naming language. These languages were collections of neologisms that could be used to replace existing vocabulary or to refer to things that otherwise had no name. Athenaeus further writes of other people who invented their own words [Sanders 2020].

Linguistic mysticism

Irish myths of the seventh century described the origin of Gaelic. According to *Auraicept na n-Éces*, King Fénius Farsaid of Scythia traveled to the Tower of Babel after God fragmented human language. King Fénius and his many scholars studied the remains of the human language and combined its best fragments into a new and more perfect language, Gaelic [Williams 2016].

The earliest attempt at language creation was Lingua Ignota by Hildegard of Bingen, a German Benedictine abbess and polymath, in the eleventh century. The underlying structure of the language was Latin, but the spelling was significantly altered. "She did compose one macaronic antiphon, "O orzchis Ecclesia," in which Latin and Lingua Ignota vocabulary alternate <...> Alternatively, if the Lingua had a second use as a secret language (possibly in the presence of outsiders) for Hildegard and her nuns, as some have suggested,

this reviewer submits that verbs are not always needed for the achievement of communication: "Enpholianz warinz nascutil" (bishop / wart / nose) provides, if not exactly a sentence, an entirely understandable lexical string [Straubhaar 2008]".

"Hildegard also created Litteraæ Ignotæ 'unknown letters', a constructed writing system or *neography*, which she used to represent Lingua Ignota [Sanders 2020]". Despite the lack in grammatical degth by comparison to modern constructed languages, Lingua Ignota is widely praised as the first constructed language ever created.

From the belief in the connection between language creation and the divine arose the notion that languages inherited by humans from gods had become corrupted and now were causing confusion among the scholars and philosophers, impeding scientific progress. At the same time, by the 1600s, "Latin, which was the sole language of education and the only language taught, experienced a decline, and there was no other language to replace it anytime soon [Stria 2016, p. 51]". This caused a search for a new language to replace Latin, and the subsequent creation of many philosopical constructed languages. These languages were centered around the idea of providing a top-down categorical view of the universe.

In his essay, Wilkins proposed one such universal philosopical language to replace Latin. This language was to be unambiguous and to encompass every concept in the universe, to overcome the curse of Babel [Wilkins 1668, ch. 2, p. 1].

Wilkins constructed a table of 40 major genera, which he then divided further into 251 characteristic differences. From them he derived 2030 species, which appear in pairs. For example, "starting from the major genus of Beasts, after having divided them into viviparous and oviparous, and after having subdivided the viviparous ones into whole footed, cloven footed and clawed, Wilkins arrives at the species Dog/Wolf [Eco 1995, p. 239]".

Despite the initial acclaim and the interest it received from the king, the language soon fell into obscurity [Okrent 2010, p. 25]. This style of language creation continued into the seventeenth century and then was abandoned.

Early artistic languages

The sixteenth century also saw the beginning of artistic constructed languages. These languages "are designed to suit a creative goal, usually as flavorful adornment in a work of fiction [Sanders 2020]".

The prominent example of one of the earliest artistic constructed languages is the language of the fictional country Utopia (itself an invented word) from the 1516 novel by Sir Thomas More. The language was more than a naming language, though still mostly a relexification of Latin. It appears in the book only as a few isolated words in the text, as well as a four-line poem in the addendum written by More's friend Peter Giles [Sanders 2020].

The main focus constructed languages of this period was vocabulary, giving rise to many naming languages.

Early modern constructed languages

After a considerable decline of interest in philosophical languages, the efforts shifted towards a search for an idea auxiliarly language, which could be used as a lingua franca for people of different backgrounds.

The primary aim of the auxiliary constructed languages of this period was to become an international means of communication. Such languages are often referred to as international auxiliary languages.

One of the first fully fledged auxiliary languages of this time was Jean Pirro's Universalglot (1868), it is notable for incorporating linguistic features from multiple other languages. The other notable language was Johann Martin Schleyer's Volapük, the most successful auxiliary language until it was

surpassed by Esperanto [Sanders 2020].

Esperanto was created by Ludwik Lejzer Zamenhof in 1887 and remains the most widely spoken auxiliary constructed language. It still hovewer, fell short of Zamenhof's expectations.

"Volapük and Esperanto spurred the creation of many auxiliary languages, especially by those who sought to improve upon previous auxlangs. The first offshoot of Esperanto was Jacob Braakman's Mundolinco (1888), but the most successful was Ido, the result of a battle amongo Esperanto enthusiasts over whether Esperanto should be, or could even be allowed to be, improved [Sanders 2020]". The modern critiques of Esperanto as an international auxiliary language note the irregularities of its grammar and prominent influences of Slavic languages on its design.

The artistic constructed languages of this time saw an increase in sophistication. The focus for still mainly on vocabulary, but the quantity and quality of the vocabulary have noticeably increased.

J. R. R. Tolkien

Tolkien saw language invention and myth-making as two interconnected forms of art. In a 1955 letter, Tolkien regarded his work as "fundamentally linguistic in inspiration [J. Tolkien, Carpenter, C. Tolkien 2000, p. 233]".

In a 1958 letter to his son, Tolkien wrote about *The Lord of the Rings*: "Nobody believes me when I say that my long book is an attempt to create a world in which a form of language agreeable to my personal aesthetic might seem real. But it is true [J. Tolkien, Carpenter, C. Tolkien 2000, p. 285]".

In a draft of a letter from 1967, Tolkien summed up his language invention: "It must be emphasized that this process of invention was/is a private enterprise undertaken to give pleasure to myself by giving expression to my personal linguistic 'aesthetic' or taste and its fluctuations [J. Tolkien,

Carpenter, C. Tolkien 2000, p. 411]".

The constructed languages of the time were reflected their intended practical use. Artistic languages were akin to flourishes added to a larger work of fiction, while auxiliary languages were conceived to support the full range of human communication. "Tolkien bridged the gap between these two extremes by creating fully formed languages, but without any larger functionality or purpose beyond the sheer intellectual you of doing so. However, he believed that his 'secret vice' would not be taken seriously on its own, so he wrote his Middle-earth novels as a way to showcase them. Thus, while other writers created conlangs for their fiction, Tolkien created fiction for his conlangs [Sanders 2020]".

Tolkien first revealed his love for language invention to the public in a 1931 essay entitled 'A secret vice'. The essay concludes with poems in Qenya and a fragment in Noldorin (which later became known as Quenya and Sildarin), [J. R. R. Tolkien, C. Tolkien 1983].

Tolkien was a prolific language inventor. In his time, he created at least fifteen languages and dialects. His work did not stop merely at language creation but involved establishing both the detailed histories and the intricate interconnections between the languages of the Middle-earth. To an extent that Tolkien's 'Tree of Tongues' was meant to reproduce a Indo-European genealogical tree model [Fimi 2009, p. 101].

It is worth mentioning that within the lore of Middle-earth, the Black Speech was created by Sauron in mockery of the Elvish languages [J. Tolkien, Fimi, Higgins 2019, p. 20], "to unite the forces of Morder, making it one of the most notable examples of a conlang designed to be understood within its associated fictional setting as an actual conlang [Sanders 2020]," rather than a natural language.

Modern constructed languages

Tolkien's work shaped the further history of constructed languages. Long viewed as a mere pasttime, language invention has become a subject of academic study within linguistics.

From the 70s and well into the 2000s, the world saw the airing of many television series that featured constructed languages. Some of the most notable of them are *Star Trek III*: *The Search for Spock* (1984, featuring Klingon) and *Game of Thrones* (2011, featuring Dothraki).

"Aided by the expansion of the Internet in the 1990s, and especially the cration of the Conlang email list in 1991, modern conlangers have developed robust community for exchanging ideas, critiques, and tools, allowing them to develop increasingly sophisticated and experimental conlangs [Sanders 2020]".

3.3 Classification

3.3.1 Traditional: structure and source material

The classification proposed by Couturat and Leau groups constructed languages based on their relationship with source material or a lack there of [Couturat, Leau 2014]:

- A priori. Constructed languaget that are not based on the elements of natural languages. "A priori languages start from scratch with new symbols, signs or other elements devised to represent essential concepts [Lo Bianco 2004]".
- A posteriori. Constructed languages are based on the elements of natural languages. "A posteriori languages draw their building blocks from existing languages [Lo Bianco 2004]".
- **Mixed.** A combination of the two.

Several linguists have adopted this classification, most notably Janton, who provided several additions [Janton, Tonkin, Edwards 1993, p. 5]:

- 1. **A priori.** Metalanguages, schematic languages. These constructed languages are "characterized by largely artificial, nonethnic word roots, schematic derivation, and fixed word categories (i.e., philosophical languages) [Janton, Tonkin, Edwards 1993, p. 6]".
- 2. **A posteriori.** Naturalistic languages, pseudolanguages. "These languages consciously imitate, in varying degrees, natural languages [Janton, Tonkin, Edwards 1993, p. 5]".
 - Minimal languages. Simplified natural languages, living or dead.
 - Mixed languages. Languages that use natural and non-natural roots.
 - Languages that were schematically derived with natural word roots in distorted form (Volapük, 1880) or with both artistic and natural word roots (Perio, 1904).
 - Languages that are partly schematic and partly naturalistic.
 Natural word roots in this group are rarely distorted (Esperanto, 1887).

• Naturalistic languages.

- Languages with some schematic traits (Unial, 1903; Novial, 1928)
- Languages with natural derivation (Interlingua, 1940s).

This classification presents a scale of artificiality, with languages derived from natural languages on one end and deliberately designed languages on the other. It is also primarily concerned with morphological and syntactic natures of derivation, not the intention with which the language was created.

3.3.2 Traditional: purpose

"Another type of classification categorises artificial languages according to the purpose of creation [Stria 2016, p. 93]". Kennaway provides the following division: universal languages (from a strive for perfection), international languages, languages of fiction, languages as recreation [Kennaway 2013].

The primary concern with this way of classifying constructed languages this way lies in the fact that purpose is rarely binary. The prominent example are the languages which were constructed as recreation and later served as a tool in fictional worldbuilding.




Figure .3: Federico Gobbo's coordinate system

What followed were classifications that took a far more granular approach. "A detailed typology is proposed by Albani and Buonarotti (1994), where a division is made into sacred and non-sacred languages. Sacred languages are further divided into structured (Bālaibalan) and non-structured

with six subdivisions. Nonsacred languages split into languages with communicative and expressive goals both with further detailed subdivisions [Stria 2016, p. 93]".

The classifications that followed saw a decrease in complexity and a shift to a more visual approach. Gobbo proposed a coordinate system which placed constructed languages between the "secret" and "public" extremes on the *x axis* and "auxiliary purposes" and "fictional purposes" on the *y axis* [Gobbo 2012]. This however, is also not ideal, as the publicity of languages tends to shift greatly over time.




Figure .4: The modified Gnoli triangle

"One of the newest propositions widely spread on the Internet is the so-called Gnoli triangle. Claudio Gnoli, dissatisfied with the fact that his constructed language Liva was not easily classified, came up with an idea of a triangle whose vertices were labelled 'artlang' (artistic language), 'auxlang' (auxiliary language) and 'loglang' (logical language; the term 'engelang' was proposed later by And Rosta, apparently in 2001) [Stria 2016, p. 97]".

Constructed languages placed on the Gnoli triangle can be characterised as a gradient between three distinct purposes, depending on where on the triangle they are located.

• Auxlang. An international auxiliary language, that is, a language which

was devised with the intention of beaing a means of international communication. The majority of international auxiliary languages are meant to be second languages and not to replace native languages [Libert 2018].

- Artlang. A language created as a form of artistic expression or to fill an artistic role. Artistic languages often have irregular grammar systems, much like natural languages.
- **Engelang.** A language whose grammar or other feature is based on logic (a loglang) or a language which was created to as an experiment or to prove a hypothesis of how languages function.

3.3.3 Blanke's functional classification

The classification proposed by Blanke divides artificial languages into into invented projects and fully-fledged languages [Stria 2016]:

- International auxiliary languages. Languages intended to be used as a means of international communication.
- Artistic languages. Languages created for aesthetic reasons.
- Constructed languages. Languages invented to exercise the limits of language.
- Exerimental languages. Languages created to exercise a philosophical idea.

Final note on classifications

Within the conlanging community, the terms from the above classifications are used by the principles of compositionality. Individual

constructed languages are often described by having particular qualities borrowed from multiple classification systems.

4 Summary

LANGUAGE MODELLING AND TOKI PONA

1 Toki Pona

Toki Pona is an a priori philosophical artistic language created by Sonja Lang, a Canadian linguist and translator. The core vocabulary of Toki Pona consists of around 120 words and focuses on simple, near-universal concepts. Although Lang herself never planned the language as an international auxiliary language, it might indeed be considered as such [Stria 2016, p. 100].

Lang has published two official books on Toki Pona. The first one, *Toki Pona: The Language of Good* was published in May 2014 and is known as *pu*. The second one, *Toki Pona Dictionary* was published in July 2021 and is known as *ku*.

1.1 History

1.1.1 Pre-pu

In the early days of Toki Pona, Lang experimented with both grammr and vocabulary. Numerous words from this period would be discarded before the online publication of the first draft of Toki Pona [Pake 2019].

Lang first revealed the language to the public in a 2001 draft [Lang 2001]. Multiple words are removed, replaced, and added. Toki Pona gains a small online following. The "community primarily meets to discuss the language on Yahoo Groups, experimenting with and fleshing out the language [Pake 2019]".

Around this time, Lang performs the first grammatical reform of Toki Pona. "The words 'en', 'kin', 'kan' and the concept of 'and' have been relatively unstable and confusing in Toki Pona, as I have been experimenting to find the best system <...> There is no longer a way to divide between modifiers. This is

no longer necessary. A 'tall and good' person is simply a tall 'good person' or a good 'tall person', as you will. [Lang 2002]".

The community surrounding Toki Pona grows, as well its corpus. This times sees the appearance of many early translations.

After more words are removed, for a while "the total word count stabilises at 118 [Pake 2019]". "The word *pu* makes its first appearance but remains undefined until the publishing of *Toki Pona: The Language of Good* [Pake 2019]".

The preface of the book reads: "Toki Pona is my philosopical attempt to understand the meaning of life in 120 words [Lang 2014]". Lang continues to further outline the primary characteristics of the language:

- "Toki Pona is semantically, lexically, and phonetically minimalist".
- "In many ways, Toki Pona resembles a pidgin. When people from different cultures need to communicated, they must focus on the elements that are most universal to our human experience".
- "Toki Pona offers a path for semantic reduction. <...> we can distill our thoughts to their most fundamental units to discover what things really mean. We can understand complex ideas in terms of their smaller parts".
- "An inherent idea of goodness is transparent throughout the language."

1.1.2 Post-pu

After the publication of the first book, a few new words become official. Some portions of the grammar undergo significant changes, and many words receive new or altered definitions [Pake 2019].

As the Toki Pona community rapidly grows, many idiolects permeate the way the language is spoken. Over a hundred of new words is invented by the community. Most of them are relatively well adopted.

The first issue of the *lipu tenpo* magazine is published online [Sonatan 2021]. The second official Toki Pona book *Toki Pona Dictionary* is published [Lang, Sartirani 2021]. Toki Pona is officially recognised by the ISO 639-3 registry under the code *tok* [SIL International 2022].

The official Toki Pona subreddit sees an influx of members, reaching almost 11.000 subscribers at the time of writing. The largest Discord server has over 8.000 members. While longer directly influencing the language, Lang remains an active member of the community.

- 1.2 Phonology
- 1.3 Grammar
- 1.4 Vocabulary
- 1.5 Tokiponidos
- 2 Vector space model
- 2.1 Text tokenisation
- 2.2 Text normalisation
- 2.3 Model construction
- 2.4 Projection
- 2.5 Visualisation
- 2.6 Observations
- 3 Summary

CONCLUSION

NIMI MUTE LI PINI LA

REFERENCES

- 1. Ahire J. B. Introduction to Word Vectors // Retrieved March. 2018. Vol. 12. P. 2018.
- 2. Alshari E. M., Azman A., Doraisamy S. Improvement of sentiment analysis based on clustering of Word2Vec features // 2017 28th international workshop on database and expert systems applications (DEXA). IEEE. 2017. P. 123–126.
- 3. Baroni M., Dinu G., Kruszewski G. Don't count, predict! A systematic comparison of context-counting vs. context-predicting semantic vectors //.

 Vol. 1. 06/2014. P. 238–247. DOI: 10.3115/v1/P14-1023.
- 4. Bekkerman R., El-Yaniv R., Tishby N. Distributional Word Clusters vs. Words for Text Categorization // Journal of Machine Learning Research. 2003. Mar. Vol. 3. P. 1183–1208. DOI: 10.1162/153244303322753625.
- 5. Bengio Y., Ducharme R., Vincent P. A Neural Probabilistic Language Model //. Vol. 3. 01/2000. P. 932–938. DOI: 10.1162/153244303322533223.
- 6. Couturat L., Leau L. Histoire de La Langue Universelle (1903). Literary Licensing, LLC, 2014. ISBN 9781498147248. URL: https://books.google.ru/books?id=s2%5C_poQEACAAJ.
- 7. Dalianis H. Clinical text mining: Secondary use of electronic patient records. Springer Nature, 2018.
- 8. Eco U. The search for the perfect language. Search, 1995.

- 9. El Desouki M. I., Gomaa W. H. Exploring the recent trends of paraphrase detection // International Journal of Computer Applications. 2019. Vol. 975, S 8887.
- 10. Emerson G. What are the Goals of Distributional Semantics? 2020. DOI: 10.48550/ARXIV.2005.02982. URL: https://arxiv.org/abs/2005.02982.
- 11. Erk K. What do you know about an alligator when you know the company it keeps // Semantics and Pragmatics. 2016. Vol. 9.
- 12. Fimi D. Tolkien, race, and cultural history: from fairies to Hobbits. Vol. 146. Springer, 2009.
- 13. Firth J. A Synopsis of Linguistic Theory, 1930-1955. 1957. URL: https://books.google.ru/books?id=T8LDtgAACAAJ.
- 14. *Gobbo F.* Alan Turing creator of Artificial Languages // InKoj. 2012. Sept. Vol. 3. DOI: 10.13130/2037-4550/2385.
- 15. Hagiwara M. Real-World Natural Language Processing: Practical Applications with Deep Learning. Manning, 2021. ISBN 9781617296420. URL: https://books.google.ru/books?id=0k5NEAAAQBAJ.
- 16. Harris Z. S. Distributional Structure // WORD. 1954. Vol. 10,
 no. 2/3. P. 146-162. DOI: 10.1080/00437956.1954.11659520. —
 eprint: https://doi.org/10.1080/00437956.1954.11659520. URL:
 https://doi.org/10.1080/00437956.1954.11659520.
- 17. Henestroza Anguiano E., Denis P. FreDist: Automatic construction of distributional thesauri for French. 2011. June.
- 18. Janton P., Tonkin H., Edwards J. Esperanto: Language, Literature, and Community. State University of New York Press, 1993. ISBN 9781438407807. URL: https://books.google.sk/books?id=R%5C_ZGfG2a1tIC.
- 19. Kennaway R. Artificial Languages //. 05/2013. ISBN 978-0-415-42432-5.

- 20. Lang S. Toki Pona: The Language of Good. Sonja Lang, 2014. ISBN 9780978292300. URL: https://books.google.ru/books?id=5P0ZjwEACAAJ.
- 21. Lang S., Sartirani V. Toki Pona Dictionary. Amazon Digital Services LLC KDP Print US, 2021. (Official Toki Pona). ISBN 9780978292362. URL: https://books.google.ru/books?id=ybqPzgEACAAJ.
- 22. Lenci A. Distributional Models of Word Meaning // Annual Review of Linguistics. 2018. Feb. Vol. 4. DOI: 10.1146/annurev-linguistics-030514-125254.
- 23. Libert A. R. Artificial Languages. 06/2018. DOI: 10.1093/acrefore/9780199384655.013.11. URL: https://oxfordre.com/linguistics/view/10.1093/acrefore/9780199384655.001.0001/acrefore-9780199384655-e-11.
- 24. Lo Bianco J. Invented languages and new worlds // English Today. 2004. Vol. 20, no. 2. P. 8–18. DOI: 10.1017/S0266078404002032.
- 25. *Mcdonald S.* Testing the distributional hypothesis: The influence of context on judgements of semantic similarity. 2008. July.
- 26. Meulen S. v. d. Request for New Language Code Element in ISO 639-3 // ISO 639-3 Registration Authority. 2021. Aug. Vol. 2021. P. 15.
- 27. Mikolov T., Chen K., Corrado G. Efficient Estimation of Word Representations in Vector Space // Proceedings of Workshop at ICLR. 2013. Jan. Vol. 2013.
- 28. *Musto C., Narducci F., Basile P.* Cross-Language Information Filtering: Word Sense Disambiguation vs. Distributional Models //. Vol. 6934. 09/2011. P. 250–261. ISBN 978-3-642-23953-3. DOI: 10.1007/978-3-642-23954-0 24.

- 29. Oduntan O., Adeyanju O. A Comparative Analysis of Euclidean Distance and Cosine Similarity Measure for Automated Essay-Type Grading // Journal of Engineering and Applied Sciences. 2018. July. Vol. 13. P. 4198–4204. DOI: 10.3923/jeasci.2018.4198.4204.
- 30. Okrent A. In the Land of Invented Languages: Adventures in Linguistic Creativity, Madness, and Genius. Random House Publishing Group, 2010. (Spiegel & Grau trade paperbacks). ISBN 9780812980899. URL: https://books.google.ru/books?id=3anWeY@G2moC.
- 31. Sanders N. A primer on constructed languages //. 08/2020. P. 6-26.ISBN 9780198829874. DOI: 10.1093/oso/9780198829874.003.0002.
- 32. Silva F. T. da, Maia J. E. Query Expansion in Text Information Retrieval with Local Context and Distributional Model. // J. Digit. Inf. Manag. 2019. Vol. 17, no. 6. P. 313.
- 33. Straubhaar S. B. Sarah Higley, Hildegard of Bingen's Unknown Language: An Edition, Translation and Discussion.(The New Middle Ages series.)
 Palgrave Macmillan, 2007 // Medieval Feminist Forum: A Journal of Gender and Sexuality. Vol. 44. Society for Medieval Feminist Scholarship. 2008. P. 158–161.
- 34. Stria I. Inventing languages, inventing worlds. Towards a linguistic worldview for artificial languages. 01/2016. ISBN 978-83-947609-1-5. DOI: 10.14746/9788394760915.
- 35. Tolkien J. R. R., Tolkien C. The Monsters and the Critics, and Other Essays //. 1983.
- 36. Tolkien J., Carpenter H., Tolkien C. The Letters of J.R.R. Tolkien:

 A Selection. Houghton Mifflin Company, 2000. ISBN 9780618056996. URL: https://books.google.ru/books?id=pw4nlr1ieVEC.

- 37. Tolkien J., Fimi D., Higgins A. A Secret Vice: Tolkien on Invented Languages. HarperCollins Publishers, 2019. ISBN 9780008348090. URL: https://books.google.ru/books?id=iRokwQEACAAJ.
- 38. Tsujii J. Natural Language Processing and Computational Linguistics // Computational Linguistics. 2021. Dec. Vol. 47, no. 4. P. 707—727. ISSN 0891-2017. DOI: 10.1162/coli_a_00420. eprint: https://direct.mit.edu/coli/article-pdf/47/4/707/1979478/coli_a_00420.pdf. URL: https://doi.org/10.1162/coli%5C_a%5C_00420.
- 39. Vajjala S., Majumder B. Practical Natural Language Processing: A Comprehensive Guide to Building Real-World NLP Systems. O'Reilly Media, 2020. ISBN 9781492054009. URL: https://books.google.ru/books?id=hPrrDwAAQBAJ.
- 40. *Venkat N.* The Curse of Dimensionality: Inside Out. 09/2018. DOI: 10.13140/RG.2.2.29631.36006.
- 41. Wilkins J. An Essay Towards a Real Character, and a Philosophical Language. Sa: Gellibrand, for John Martyn printer to the Royal Society, 1668. URL: https://books.google.ru/books?id=BCCtZjBtiEYC.
- 42. Williams M. Ireland's Immortals: A History of the Gods of Irish Myth. Princeton University Press, 2016. ISBN 9781400883325. URL: https://books.google.ru/books?id=o5cTDAAAQBAJ.
- 43. Yarlett D., Ramscar M., Dye M. Language Learning Through Similarity-Based Generalization. 2008. Jan.

ONLINE RESOURCES

- 44. Lang S. Toki Pona Word List. 2001. URL: https://web.archive.org/web/20070818031155/http://bknight0.myweb.uga.edu/toki/about/olddict.html (visited on 05/10/2022).
- 45. Lang S. the words "en", "kin" and "kan". 2002. URL: http://forums. tokipona.org/viewtopic.php?f=33&t=81&sid=2a993bc8cd0daccec16ca43739ad5c89 (visited on 05/10/2022).
- 46. Pake k. The Evolution of Toki Pona. 2019. URL: https:
 //www.reddit.com/r/tokipona/comments/iw2xp6/the_evolution_of_toki_pona/
 (visited on 05/10/2022).
- 47. SIL International. ISO 639 Code Tables. 2022. URL: https://iso639-3.sil.org/code_tables/639/data/t?title=tok&field_iso639_cd_st_mmbrshp_639_1_tid=All&name_3=&field_iso639_element_scope_tid=All&field_iso639_language_type_tid=All&items_per_page=200 (visited on O5/10/2022).
- 48. Sonatan j. lipu tenpo li lon. 2021. URL: https://www.reddit.com/r/tokipona/comments/laθowt/lipu_tenpo_li_lon/(visited on 05/10/2022).

SUPPLEMENTARY MARTERIAL

1 Model vectors

The two-dimensional projection of the semantic model constructed as a result of this reseach.

2 Toki Pona dictionary

The dictionary of Toki Pona as it appears in Toki Pona: The Language of Good [Lang 2014, p. 125–134]. This dictionary is licensed under public domain.

Wor	'd	Definition
a or kin	particle	(emphasis, emotion or confirmation)
akesi	noun	non-cute animal; reptile, amphibian
ala	adjective	no, not, zero
alasa	verb	to hunt, forage
ale or ali	adjective	all; abundant, countless, bountiful, every,
		plentiful
	noun	abundance, everything, life, universe
	number	100
anpa	adjective	bowing down, downward, humble, lowly,
		dependent
ante	adjective	different, altered, changed, other
anu	particle	or
awen	adjective	enduring, kept, protected, safe, waiting,
		staying
	pre-verb	to continue to

Table .1: nimi pu

Word		Definition
e	particle	(before the direct object)
en	particle	(between multiple subjects)
esun	noun	market, shop, fair, bazaar, business
		transaction
ijo	noun	thing, phenomenon, object, matter
ike	adjective	bad, negative; non-essential, irrelevant
ilo	noun	tool, implement, machine, device
insa	noun	centre, content, inside, between; internal
		organ, stomach
jaki	adjective	disgusting, obscene, sickly, toxic, unclean,
		unsanitary
jan	noun	human being, person, somebody
jelo	adjective	yellow, yellowish
jo	verb	to have, carry, contain, hold
kala	noun	fish, marine animal, sea creature
kalama	verb	to produce a sound; recite, utter aloud
kama	adjective	arriving, coming, future, summoned
	pre-verb	to become, manage to, succeed in
kasi	noun	plant, vegetation; herb, leaf
ken	pre-verb	to be able to, be allowed to, can, may
	adjective	possible
kepeken	preposition	to use, with, by means of
kili	noun	fruit, vegetable, mushroom
kiwen	noun	hard object, metal, rock, stone
ko	noun	clay, clinging form, dough, semi-solid, paste,
		powder

Table .1: nimi pu

Word		Definition
kon	noun	air, breath; essence, spirit; hidden reality,
		unseen agent
kule	adjective	colourful, pigmented, painted
kulupu	noun	community, company, group, nation, society,
		tribe
kute	noun	ear
	verb	to hear, listen; pay attention to, obey
la	particle	(between the context phrase and the main
		sentence)
lape	adjective	sleeping, resting
laso	adjective	blue, green
lawa	noun	head, mind
	verb	to control, direct, guide, lead, own, plan,
		regulate, rule
len	noun	cloth, clothing, fabric, textile; cover, layer of
		privacy
lete	adjective	cold, cool; uncooked, raw
li	particle	(between any subject except mi alone or sina
		alone and its verb; also to introduce a new
		verb for the same subject)
lili	adjective	little, small, short; few; a bit; young
linja	noun	long and flexible thing; cord, hair, rope,
		thread, yarn
lipu	noun	flat object; book, document, card, paper,
		record, website
loje	adjective	red, reddish

Table .1: nimi pu

Word		l	Definition
	lon	preposition	located at, present at, real, true, existing
	luka	noun	arm, hand, tactile organ
		number	five
	lukin or oko	noun	eye
		verb	to look at, see, examine, observe, read, watch
		pre-verb	to seek, look for, try to
	lupa	noun	door, hole, orifice, window
	ma	noun	earth, land; outdoors, world; country, territory;
			soil
	mama	noun	parent, ancestor; creator, originator; caretaker,
			sustainer
	mani	noun	money, cash, savings, wealth; large
			domesticated animal
	meli	noun	woman, female, feminine person; wife
	mi	noun	I, me, we, us
	mije	noun	man, male, masculine person; husband
	moku	verb	to eat, drink, consume, swallow, ingest
	moli	adjective	dead, dying
	monsi	noun	back, behind, rear
	mu	particle	(animal noise or communication)
	mun	noun	moon, night sky object, star
	musi	adjective	artistic, entertaining, frivolous, playful,
			recreational
	mute	adjective	many, a lot, more, much, several, very
		noun	quantity
	nanpa	particle	-th (ordinal number)

Table .1: nimi pu

Word		Definition
	noun	numbers
nasa	adjective	unusual, strange; foolish, crazy; drunk,
		intoxicated
nasin	noun	way, custom, doctrine, method, path, road
nena	noun	bump, button, hill, mountain, nose,
		protuberance
ni	adjective	that, this
nimi	noun	name, word
noka	noun	foot, leg, organ of locomotion; bottom, lower
		part
0	particle	hey! O! (vocative or imperative)
olin	verb	to love, have compassion for, respect, show
		affection to
ona	noun	he, she, it, they
open	verb	to begin, start; open; turn on
pakala	adjective	botched, broken, damaged, harmed, messed
		up
pali	verb	to do, take action on, work on; build, make,
		prepare
palisa	noun	long hard thing; branch, rod, stick
pan	noun	cereal, grain; barley, corn, oat, rice, wheat;
		bread, pasta
pana	verb	to give, send, emit, provide, put, release
pi	particle	of
pilin	noun	heart (physical or emotional)
	adjective	feeling (an emotion, a direct experience)

Table .1: nimi pu

Word	l	Definition
pimeja	adjective	black, dark, unlit
pini	adjective	ago, completed, ended, finished, past
pipi	noun	bug, insect, ant, spider
poka	noun	hip, side; next to, nearby, vicinity
poki	noun	container, bag, bowl, box, cup, cupboard,
		drawer, vessel
pona	adjective	good, positive, useful; friendly, peaceful;
		simple
pu	adjective	interacting with the official Toki Pona book
sama	adjective	same, similar; each other; sibling, peer, fellow
	preposition	as, like
seli	adjective	fire; cooking element, chemical reaction, heat
		source
selo	noun	outer form, outer layer; bark, peel, shell, skin;
		boundary
seme	particle	what? which?
sewi	noun	area above, highest part, something elevated
	adjective	awe-inspiring, divine, sacred, supernatural
sijelo	noun	body (of person or animal), physical state,
		torso
sike	noun	round or circular thing; ball, circle, cycle,
		sphere, wheel
	adjective	of one year
sin <i>or</i> namako	adjective	new, fresh; additional, another, extra
sina	noun	you
sinpin	noun	face, foremost, front, wall

Table .1: nimi pu

Word		Definition
sitelen	noun	image, picture, representation, symbol, mark,
		writing
sona	verb	to know, be skilled in, be wise about, have
		information on
	pre-verb	to know how to
soweli	noun	animal, beast, land mammal
suli	adjective	big, heavy, large, long, tall; important; adult
suno	noun	sun; light, brightness, glow, radiance, shine;
		light source
supa	noun	horizontal surface, thing to put or rest
		something on
suwi	adjective	sweet, fragrant; cute, innocent, adorable
tan	preposition	by, from, because of
taso	particle	but, however
	adjective	only
tawa	preposition	going to, toward; for; from the perspective of
	adjective	moving
telo	noun	water, liquid, fluid, wet substance; beverage
tenpo	noun	time, duration, moment, occasion, period,
		situation
toki	verb	to communicate, say, speak, say, talk, use
		language, think
tomo	noun	indoor space; building, home, house, room
tu	number	two
unpa	verb	to have sexual or marital relations with
uta	noun	mouth, lips, oral cavity, jaw

Table .1: nimi pu

Word		Definition
utala	verb	to battle, challenge, compete against, struggle
		against
walo	adjective	white, whitish; light-coloured, pale
wan	adjective	unique, united
	number	one
waso	noun	bird, flying creature, winged animal
wawa	adjective	strong, powerful; confident, sure; energetic,
		intense
weka	adjective	absent, away, ignored
wile	pre-verb	must, need, require, should, want, wish