

Week 9 coding assignment

HTML & Bootstrap code Screen shots

```
<!DOCTYPE html>

<html lang="eng">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Week9Project</title>

    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="/Users/spiceworks/Documents/Promineo/node_modules/bootstrap/dist/css/bootstrap.c
ss">
    </head>
    <body class="container-fluid">

      <script
src="/Users/spiceworks/Documents/Promineo/node_modules/jquery/dist/jquery.js"></script
>

      <script
src="/Users/spiceworks/Documents/Promineo/node_modules/bootstrap/dist/js/bootstrap.bun
dle.js"></script>

      <nav class="navbar navbar-expand-sm navbar-dark bg-dark">
        <a class="navbar-brand" href="index.html">Week9Project</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNavDropdown"
        aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavDropdown">
          <ul class="navbar-nav">
            <li class="nav-item active">
              <a class="nav-link" href="index.html">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="Page2.html">Table Page</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="#">Request Info</a>
            </li>
            <li class="nav-item dropdown">
```



```

        <td>James</td>
        <td>Smith</td>
        <td>Jsmith@gmail.com</td>
    </tr>
    <tr>
        <th scope="row">2</th>
        <td>Jean</td>
        <td>Picard</td>
        <td>JLPicard@gmail.com</td>
    </tr>
    <tr>
        <th scope="row">3</th>
        <td>Hahn</td>
        <td>Solo</td>
        <td>Wookiee1@gmail.com</td>
    </tr>
</tbody>
</table>

    <script
src="/Users/spiceworks/Documents/Promineo/node_modules/jquery/dist/jquery.js" async
defer></script>
    <script
src="/Users/spiceworks/Documents/Promineo/node_modules/bootstrap/dist/js/bootstrap.bundle.js"></script>
    </body>
</html>

```

```

<!DOCTYPE html>

<html>
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title></title>
        <meta name="description" content="">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <link rel="stylesheet"
href="/Users/spiceworks/Documents/Promineo/node_modules/bootstrap/dist/css/bootstrap.c
ss">
    </head>
    <body class="container-fluid">
        <form>
            <div class="form-group">
                <label for="emailInput">Email Address</label>
                <input type="email" class="form-control" id="emailInput" aria-
describedby="emailHelp" placeholder="Email Address">

```

```

        </div>
        <div class="form-group">
            <label for="inputPassword">Enter Password</label>
            <input type="password" class="form-control" id="inputPassword"
placeholder="Enter Password">
        </div>
        <div>
            <button type="submit" class="btn btn-primary">Submit</button>
        </div>
        <button type="button" class="btn btn-secondary" href="Page2.html" >Page
2</button>
        <button type="link" class="btn btn-secondary" href="index.html">Page
1</button>
    </form>

    <script
src="/Users/spiceworks/Documents/Promineo/node_modules/jquery/dist/jquery.js" async
defer></script>
    <script
src="/Users/spiceworks/Documents/Promineo/node_modules/bootstrap/dist/js/bootstrap.bun
dle.js"></script>
    </body>
</html>

```

Running code

Week9Project Home Table Page Request Info Dropdown ▼

#	First Name	Last Name	Email
1	James	Smith	Jsmith@gmail.com
2	Jean	Picard	JLPicard@gmail.com
3	Hahn	Solo	Wookie1@gmail.com

Email Address

Enter Password