```
Building configuration...
Current configuration: 3465 bytes
! Last configuration change at 01:03:33 UTC Mon Mar 1 1993
version 15.0
no service pad
service timestamps debug datetime msec
service timestamps log datetime msec
no service password-encryption
hostname A2
boot-start-marker
boot-end-marker
Ţ
no aaa new-model
system mtu routing 1500
Ţ
no ip domain-lookup
crypto pki trustpoint TP-self-signed-2645771520
 enrollment selfsigned
 subject-name cn=IOS-Self-Signed-Certificate-2645771520
 revocation-check none
 rsakeypair TP-self-signed-2645771520
crypto pki certificate chain TP-self-signed-2645771520
 certificate self-signed 01
  3082022B 30820194 A0030201 02020101 300D0609 2A864886 F70D0101
05050030
  31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D
43657274
  69666963 6174652D 32363435 37373135 3230301E 170D3933 30333031
30303031
  30315A17 0D323030 31303130 30303030 305A3031 312F302D 06035504
03132649
  4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D32
36343537
  37313532 3030819F 300D0609 2A864886 F70D0101 01050003 818D0030
81890281
  8100B348 1052BDFA 98D099A1 2333D5CF CE22F1EA A307C556 BC370D52
8E01836A
  4827B5C5 4DCF0E16 6DF2C109 0782FFFC BB3DE50D 5F503802 16D10900
976E972C
  9B6839A0 45D2DA97 07BD36FD B70DDB9B 3B637CDB 8C7E2F8A 0EE1BCC9
F163C723
  797B78A0 D957B9C7 DF65B1AA A45F4D5D 4F2485D9 04469E04 BBAC9AD8
7E22C7D0
```

```
84550203 010001A3 53305130 0F060355 1D130101 FF040530 030101FF
301F0603
  551D2304 18301680 14040C89 3C6EC960 EFD9FBB3 778A59F1 19A91960
CD301D06
  03551D0E 04160414 040C893C 6EC960EF D9FBB377 8A59F119 A91960CD
300D0609
  2A864886 F70D0101 05050003 81810072 B270DE70 08319944 44B14D3E
856AD5C8
  6951EDAE 5428714B E5CA9716 4320291C A7D2EAC2 2DBAEC61 909146EF
D4C8ACFC
  39A34F1A 8627619A 9499F303 3F23DEC5 E93DB7F7 C5075E89 7DD12EB1
5762887A
  F4BD6256 2BC07BF4 3148F385 C63A3015 0284E2CD C16C9C5B F68ED06A
4C6103E3
  2582AF84 47785907 8E639A9A DC6327
        quit
Ţ
Ţ
spanning-tree mode pvst
spanning-tree extend system-id
vlan internal allocation policy ascending
interface Port-channel4
 switchport trunk native vlan 35
interface FastEthernet0/1
 switchport access vlan 10
 switchport mode access
interface FastEthernet0/2
 switchport access vlan 20
 switchport mode access
interface FastEthernet0/3
 switchport access vlan 30
 switchport mode access
interface FastEthernet0/4
interface FastEthernet0/5
interface FastEthernet0/6
interface FastEthernet0/7
```

```
interface FastEthernet0/8
interface FastEthernet0/9
interface FastEthernet0/10
interface FastEthernet0/11
interface FastEthernet0/12
interface FastEthernet0/13
interface FastEthernet0/14
interface FastEthernet0/15
interface FastEthernet0/16
interface FastEthernet0/17
interface FastEthernet0/18
interface FastEthernet0/19
interface FastEthernet0/20
interface FastEthernet0/21
interface FastEthernet0/22
interface FastEthernet0/23
interface FastEthernet0/24
interface GigabitEthernet0/1
 switchport trunk native vlan 35
channel-group 4 mode passive
interface GigabitEthernet0/2
 switchport trunk native vlan 35
channel-group 4 mode passive
interface Vlan1
no ip address
interface Vlan10
no ip address
interface Vlan20
no ip address
interface Vlan30
no ip address
```

```
interface Vlan35
  no ip address
!
interface Vlan99
  ip address 10.1.99.20 255.255.255.0
  ipv6 address 2001:620:3101:1099::21/64
!
ip default-gateway 10.1.99.1
ip http server
ip http secure-server
!
!
!
line con 0
line vty 0 4
login
line vty 5 15
login
!
end
```