

SQL Fundamentals.

01 -> SELECT *
FROM employees;

ID	First-Name	Last-Name	Department	Salary	Hire-Date	City
1	Alice	Green	IT	70000	2020-01-10	Johannesburg
2	Brian	Lee	HR	45000	2014-03-20	Cape Town
3	Cathy	Zulu	Finance	65000	2018-07-18	Durban
4	David	Mokoena	Marketing	50000	2021-11-05	Pretoria
5	Eva	Naidoo	IT	72000	2017-04-03	Johannesburg

02 SELECT DISTINCT department
FROM employees;

Department
IT
HR
Finance
Marketing

03 -> SELECT first_name, last_name
FROM employees
ORDER BY salary DESC

First-name	Last-name
Eva	Naidoo
Alice	Green
Cathy	Zulu
David	Mokoena
Brian	Lee

04 → SELECT id, first-name, last-name, salary
 FROM employees
 ORDER BY salary DESC
 LIMIT 3;

id	First-name	Last-name	salary
5	Eva	Naidoo	72 000
1	Alice	Green	70 000
3	Cathy	Zulu	65 000

05 → SELECT id, first-name, last-name, department
 FROM employees
 WHERE department = 'IT';

id	First-name	Last-name	department
1	Alice	Green	IT
5	Eva	Naidoo	IT

06 → SELECT id, first-name, last-name, department, salary.
 FROM employees
 WHERE department = 'Finance'
 AND salary > 60 000;

id	first-name	last-name	department	salary
3	Cathy	Zulu	Finance	65 000

01 → SELECT id, first-name, last-name, department
 FROM employees
 WHERE department = 'HR'
 OR department = 'Marketing';

id	First-name	Last-name	department
2	Brian	Lee	HR
4	David	Mokoena	Marketing.

08 → SELECT id, first-name, last-name, department
 FROM employees
 WHERE NOT department = 'IT';

id	First-name	Last-name	department
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
4	David	Mokoena	Marketing

09 → SELECT id, first-name, last-name, department
 FROM employees
 WHERE department IN ('IT', 'HR', 'Finance');

id	first-name	last-name	department
1	Alice	Green	IT
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
5	Eva	Naido	IT

10 -> SELECT id, first name, last-name, department, salary
city
FROM employees
WHERE department = 'IT'
AND salary > 65 000
AND city = 'Johannesburg';

id	first-name	last-name	department	salary	city
1	Alice	Green	IT	70 000	Johannesburg
5	Eva	Naïdoo	IT	72 000	Johannesburg