




Experian KYC V2 Service

Know Your Customer V2

Integration API Specification

Version: 2.7





Contents

1.	Change Control	2
2.	Definitions	3
3.	Additional Documents	3
4.	Introduction.....	3
5.	Service Overview	4
6.	Web Service	7
7.	Service Input	8
	7.1 Service Input Examples	11
8.	Service Outputs	13
	8.1 Service Output Examples	37
9.	Country of Birth Codes for IDV	61
10.	IDV 3rd party successful results including errors inside response:.....	71
11.	Error Codes	72
12.	Appendix 1: Base64.....	73
	Decoding	73



1. Change Control

Version	Date	Status	Change Description
0.1	27/09/2017	Draft Created	Draft document created
1.0	12/03/2018	Created	Signed off version
2.0	11/12/2018	Updated	KYC_200 error description changed from "Input Request Malformed" changed to "Malformed data or escape sequences use like /n /t /r"
2.1	13/12/2018	Updated	Subscriber Code return field set to Optional.
2.2	21/06/2019	Updated	Added the "Want Email" field and removed two non-existing error codes (KYC_102/103).
2.3	09/07/2019	Updated	Added the Additional Datasets • IDV Service • Deeds • Directors • Judgements • Notices
2.4	14/10/2021	Updated	ContactData: ContactNumber from Numeric to String SafpsData: IdNumber from Numeric to String
2.5	08/04/2022	Update	Below Output fields definitions updated from Mandatory to Optional - Smart Card Issued - IDN Blocked - On HANIS - On NPR - Birth Place Country Code New IDV Person Found status U: Unavailable
2.6	01/09/2022	Update	Updated service to include optional input field flag and new error codes: - WantIDVPhoto - KYC_204 – Identity Type can only be SID when using WantIDVService - KYC_205 – WantIDVService flag must be set to Y when using WantIDVPhoto



2.7	27/10/2023	Updated	Updated to the Teraco URL Domain
-----	------------	---------	----------------------------------

2. Definitions

Term	Definition
Json	JavaScript Object Notation
XML	Extensible markup language
KYC	Know Your Customer
API	Application Programming Interface
HANIS	Home Affairs National Identification System
NPR	National Population Register
WrkStn	3rd Party internal "authentication", if it is not included from their side or if there is an issue with the Workstation ID, this will produce an error relating to WrkStn/WrkStnID
DoHA	Department of Home Affairs
IDNR	Identity Number
IDV	Identity Verification Service (Real-Time)

3. Additional Documents

Document Name	Document Description
Fraud Categories Mapping	This document contains the complete breakdown of all fraud categories and sub categories linked to fraud category and fraud sub category numbers.

4. Introduction

This document serves as technical guide to allow 3rd parties to access Experian KYC Service by means of SOAP Service passed through a secure HTTPS tunnel.

The aim of this document is to define the Soap services that will be required to exchanging data to and from Experian.



Note that this is not a free service and all transactions must be considered billable. To activate the service please contact Experian Integration for more information.

5. Service Overview

The Know Your Customer Service provides an efficient and fast way for a business to verify their customers. In addition to the verification check this service will also return contact information and a SAFPS fraud section. Note for the fraud section to return your branch must be activated to receive fraud information.

The service will return the following additional contact information based on the input request.

- Address Data
- Contact (Telephone) Data
- Employment Data
- Person Data (Definite Match)
- SAFPS Summary Data

The new additional datasets will include the following optional datasets in the output:

- IDV Service (Real-Time)
- Deeds
- Directors
- Judgements
- Notices

Kindly note the following;

- All mandatory input want tags will produce null values in the output if no data is found.
 - All optional input want tags will produce empty results in the output if no data is found.
1. Any Optional Want search criteria tags will only be visible when asked for.
 2. Any Optional Want stats tag's will only be visible when asked for.
 3. Any Optional Want tag's return data block will only be visible if populated with data.



The KYC Service offers the following enquiry selections;

Data Element	Basic KYC Enquiry	Basic KYC Enquiry (With IDV Real-Time)	Standard KYC Enquiry	Standard KYC Enquiry (With IDV Real-Time)	Full KYC Enquiry (Only available with IDV Real-Time)	Notes
ID Verification (Standard Bureau)	YES		YES		-	Verifies if Identity number exists on the Bureau by default, no selection is required for the Standard Bureau Identity number Verification.
ID Verification in Real-Time		YES		YES	YES	IDV verifies Identity number in Real-Time with Home Affairs.
Contact Number (5 _ No Source)	YES (optional)	YES (optional)			-	Up to 5 Contact numbers will be returned without sources
Contact Number (10 _ with Source)			YES (optional)	YES (optional)	YES	Up to 10 Contact numbers will be returned with most sources
Address (5 _ No Source)	YES (optional)	YES (optional)			-	Up to 5 Address numbers will be returned without sources
Address (10 _ with Source)			YES (optional)	YES (optional)	YES	Up to 10 Address numbers will be returned with most sources
Employer (5 _ No Source)	YES (optional)	YES (optional)			-	Up to 5 Employer numbers will be returned without sources



Employer (10 _ with Source)			YES (optional)	YES (optional)	YES	Up to 10 Employer numbers will be returned with most sources
SAFPS (if activated for Fraud)	*YES	*YES	*YES	*YES	*YES	Summarised Fraud information registered against ID number will be returned.
Deeds					YES	Property information linked to an individual Identity Number. No specific or additional activation should be required for Deeds
Directors/CIPC					YES	Directors/CIPC information linked to an individual Identity Number. No specific or additional activation should be required for Directors/CIPC Data
Email	YES (optional)	YES (optional)	YES (optional)	YES (optional)	YES	Email linked to Identity Number
Judgements					YES	Judgement information linked to an individual Identity Number. No specific or additional activation should be required for Judgements
Notices					YES	Notices information linked to an individual Identity Number. No specific or additional activation should be required for Notices



6. Web Service

Connection details	URL
SOAP: UAT Server	https://apis-uat.experian.co.za/KycService?wsdl
SOAP: Live Server	https://apis.experian.co.za/KycService?wsdl
REST: UAT Server	https://apis-uat.experian.co.za:9443/KycService/ (add_function_name)
REST: Live Server	https://apis.experian.co.za:9443/KycService/ (add_function_name)

Methods exposed via the SOAP web service

Function	Field name	Type	Length	Required	Description/Example
RequestNewKYC	Request New KYC	-	-	-	Overall Request Root. XML Only
	Auth	-	-	-	Root for auth details.
	Username	Alphanumeric	30	Y	Experian user name. 1234-1
	Password	Alphanumeric	30	Y	Experian user password. devtest
	Version	Numeric	4	Y	Version of the input request. Current version = 1.0
	Origin	Alphanumeric	20	Y	Name of the originating application. SOAP_UI_TEST



PingServer	None	-	-		This function can be used to test if the service is up. - True result = Service is up - False result = Service is not up or cannot be reached.
Bureau Response	Response Status	Boolean			The parameter is used to indicate result of the request: - True = Successful - False = not completed/error
	Error Code	Alphanumeric	7		Error description. See error codes for more detail.
	Error Description	Alphanumeric	255		Error code. See error codes for more detail.
	Return Data	Alphanumeric	Variable		String containing request result. The result type is dependent on the ret_Format set via the input string.

7. Service Input

The below matrix defines the service input search criteria.

Field Name	Type	Length	Required	Description/Example
Search Criteria	-	-	-	Root for input details
Identity Number	Alphanumeric	13	Y	South African ID Number or passport on person being searched on. Note: Identity is dictated by the Identity type below.
Identity Type	Alphanumeric	8	Y	Identity Number type. Currently = SID or PASSPORT Note: SA ID Validation will only apply when SID was selected as Identity type.



Forename	Alphanumeric	35	N	Forename of person being searched on.
Surname	Alphanumeric	35	N	Surname of person being searched on.
Want Sources	Alphanumeric	1	N	Whether Source data must be returned, and will only for the following: • Addresses • Employment • Contact
Want PDF	Alphanumeric	1	N	Whether a PDF of the output must be returned or not.
Want IDV Service	Alphanumeric	1	N	Whether the ID Verification Service will be used to verify an ID in real time. If "N" Standard Bureau Data will be used. If "Y", 3 rd party service is used to verify ID in Real Time against Home Affairs.
Want Search Criteria	Alphanumeric	1	Y	Whether the client's search criteria must be echoed back or not. • Y = Yes • N = No
Want Addresses	Alphanumeric	1	Y	Whether Address data must be returned or not. • Y = Yes • N = No
Want Contact	Alphanumeric	1	Y	Whether Contact data must be returned or not. • Y = Yes • N = No
Want Employment	Alphanumeric	1	Y	Whether Employment data must be returned or not. • Y = Yes • N = No
Want SAFPS	Alphanumeric	1	Y	Whether SAFPS data should be returned or not. • Y = Yes



				N = No Note: A subscriber must be activated for this service to be able to get SAFPS data returned. Else a not activated error will be generated.
Want Email	Alphanumeric	1	N	Whether Email data must be returned or not. - Y = Yes - N = No
Want Deeds	Alphanumeric	1	N	Whether Deeds data must be returned. - Y = Yes - N = No
Want Directors	Alphanumeric	1	N	Whether Directors/CIPC data must be returned. - Y = Yes - N = No
Want Judgements	Alphanumeric	1	N	Whether Judgements data must be returned. - Y = Yes - N = No
Want Notices	Alphanumeric	1	N	Whether Notices data must be returned. - Y = Yes - N = No
Want IDV Photo	Alphanumeric	1	N	Whether the ID Verification Service must return an ID photo in real time. - Y = Yes - N = No



7.1 Service Input Examples

7.1.1 Soap XML Input Example

```
<BureauRequest>
  <Auth>
    <Username>xxxxxx</Username>
    <Password>xxxxxxx</Password>
    <Version>1.0</Version>
    <Origin>SOUP_UI</Origin>
  </Auth>
  <SearchCriteria>
    <IdentityNumber>xxxxxxxxxxxx</IdentityNumber>
    <IdentityType>SID</IdentityType>
    <Forename>Test</Forename>
    <Surname>Test</Surname>
    <!--Optional:-->
    <WantSources>Y</WantSources>
    <!--Optional:-->
    <WantPDF>Y</WantPDF>
    <!--Optional:-->
    <WantIDVService>Y</WantIDVService>
    <WantSearchCriteria>Y</WantSearchCriteria>
    <WantAddresses>Y</WantAddresses>
    <WantEmployment>Y</WantEmployment>
    <WantContact>Y</WantContact>
    <WantSafps>Y</WantSafps>
    <!--Optional:-->
    <WantEmail>Y</WantEmail>
    <!--Optional:-->
    <WantDeeds>Y</WantDeeds>
    <!--Optional:-->
    <WantDirectors>Y</WantDirectors>
    <!--Optional:-->
    <WantJudgements>Y</WantJudgements>
    <!--Optional:-->
    <WantNotices>Y</WantNotices>
    <!--Optional:-->
    <WantIDVPhoto>Y</WantIDVPhoto>
  </SearchCriteria>
</BureauRequest>
```



7.1.2 Rest JSON input Example

```
{
  "auth":{
    "username": "xxxxxx",
    "password": "xxxxxx",
    "version": "1.0",
    "origin": "SOAP_UI"
  },
  "search_criteria":{
    "identity_number":"xxxxxxxxxxxxx",
    "identity_type":"SID",
    "forename":"Test",
    "surname":"Test",
    "want_sources":"Y",
    "want_pdf":"Y",
    "want_idv_service":"Y",
    "want_search_criteria":"Y",
    "want_addresses":"Y",
    "want_employment":"Y",
    "want_contact":"Y",
    "want_safps":"Y",
    "want_email":"Y",
    "want_deeds":"Y",
    "want_directors":"Y",
    "want_judgements":"Y",
    "want_notices":"Y",
    "want_idv_photo": "Y"
  }
}
```



8. Service Outputs

The below matrix defines the service output return data.

Field Name	Type	Length	Required	Description/Example
Response Status	Alphanumeric	7	Y	Either a Success or Failure
Error Code	Alphanumeric	7	N	Error code when transaction failed.
Error Description	Alphanumeric	255	N	Error message when transaction failed.
Return Data	-	-	N	Root Tag
Enquiry ID	Numeric	10	Y	Unique Enquiry ID for reference.
Date Created	Alphanumeric	23	Y	Date the enquiry was created Format: ccyy-mm-dd hh:mm:ss:SSS
Search Criteria Data Block	-	-	N	Search Criteria Echo Root Tag
Identity Number	Alphanumeric	13	Y	South African ID Number or passport on person being searched on.
Identity Type	Alphanumeric	8	Y	Identity Number type. SID or PASSPORT
Forename	Alphanumeric	35	N	Forename of person being searched on.
Surname	Alphanumeric	35	N	Surname of person being searched on.
Want Sources	Alphanumeric	1	N	Whether Source data must be returned - Y = Yes - N = No
Want PDF	Alphanumeric	1	N	Whether the PDF must be returned - Y = Yes - N = No
Want IDV Service	Alphanumeric	1	N	Whether IDV Service data must be returned - Y = Yes - N = No
Want Search Criteria	Alphanumeric	1	Y	Whether the client's search criteria must be echoed back.



				• Y = Yes • N = No
Want Addresses	Alphanumeric	1	Y	Whether Address data must be returned. • Y = Yes • N = No
Want Contact	Alphanumeric	1	Y	Whether Contact data must be returned. • Y = Yes • N = No
Want Employment	Alphanumeric	1	Y	Whether Employment data must be returned. • Y = Yes • N = No
Want SAFPS	Alphanumeric	1	Y	Whether SAFPS data should be returned. • Y = Yes • N = No
Want Email	Alphanumeric	1	N	Whether Email data should be returned. • Y = Yes • N = No
Want Deeds	Alphanumeric	1	N	Whether Deeds data must be returned. • Y = Yes • N = No
Want Directors	Alphanumeric	1	N	Whether Directors data must be returned. • Y = Yes • N = No
Want Judgements	Alphanumeric	1	N	Whether Judgements data must be returned. • Y = Yes • N = No
Want Notices	Alphanumeric	1	N	Whether Notices data must be returned. • Y = Yes



				N = No
Want IDV Photo	Alphanumeric	1	N	Whether the ID Verification Service must return an ID photo in real time. - Y = Yes - N = No
Stats Block	-	-	N	Stats Root Tag Containing List
Person Found	Alphanumeric	1	Y	Whether the person was found or not. - Y = Yes - N = No
IDV Person Found	Alphanumeric	1	Y	Whether the person was found or not on IDV - Y = Yes - N = No - U = Unavailable *If IDV is not selected then the standard bureau verification is used by default.
Address Count	Numeric	2	N	Summary of Addresses linked to consumer.
Employment Count	Numeric	2	N	Summary of Employers linked to consumer.
Contact Count	Numeric	2	N	Summary of Contact records linked to consumer.
SAFPS Count	Numeric	2	N	Summary of SAFPS records linked to consumer.
Email Count	Numeric	2	N	Summary of Email records linked to consumer.
Deeds Property Count	Numeric	2	N	Summary of Deeds Property records linked to consumer.
Deeds Prop Details Count	Numeric	2	N	Summary of Deeds Prop Details records linked to consumer.
Deeds Bond Count	Numeric	2	N	Summary of Deeds Bond records linked to consumer.
Director Count	Numeric	2	N	Summary of Directorship linked to consumer.



Judgements Count	Numeric	2	N	Summary of Judgements linked to consumer.
Notices Count	Numeric	2	N	Summary of Notices linked to consumer.
Definite Match Data Block	-	-	N	Definite Match Root Tag
Identity Number	Alphanumeric	13	Y	South African ID Number or Passport matched on the Bureau
Identity Type	Alphanumeric	8	Y	Identity Number Type SID or PASSPORT
Forename 1	Alphanumeric	35	Y	First name of person
Forename 2	Alphanumeric	35	N	Second name of person
Forename 3	Alphanumeric	35	N	Third name of person
Surname	Alphanumeric	35	Y	Surname of person
Date of Birth	Alphanumeric	10	Y	Date the person was born. Format: ccyy-mm-dd
Verified	Alphanumeric	1	Y	Whether the person identity number is verified or not. - Y = Yes - N = No
Date Verified	Alphanumeric	10	N	Date the last time the identity number was verified. Format: ccyy-mm-dd
Deceased	Alphanumeric	1	N	Whether the person is deceased or not. - Y = Yes - N = No
Deceased Date	Alphanumeric	10	N	Date the person was deceased Format: ccyy-mm-dd
IDV Data Block	-	-	N	IDV Root Tag Containing List
Trans No	Alphanumeric	36	Y	Transaction ID
Identity Number	Alphanumeric	13	Y	South African ID Number or passport on person being searched on.



Name	Alphanumeric	100	N	Citizen's Name
Surname	Alphanumeric	100	N	Citizen's surname
Smart Card Issued	Boolean	3	N	True if smart card issued, else false
Date Of Id Issued	Alphanumeric	10	N	yyyy-mm-dd (If smart card issued then smart card issued date, else ID book issue date)
ID Seq No	Alphanumeric	255	N	If smart card issued then smart card sequence number, else ID sequence no.
Deceased	Boolean	3	Y	True if dead status, else false
Date Of Deceased	Alphanumeric	10	N	yyyy-mm-dd (If deceased indicator is set to false, no date returned)
IDN Blocked	Boolean	3	N	True if blocked on NPR, else false
Marital Status	Alphanumeric	10	N	MARRIED, DIVORCED, SINGLE, WIDOW, WIDOWER
Date Of Marriage	Alphanumeric	10	N	yyyy-mm-dd (If "MARRIED" status)
On HANIS	Boolean	3	N	True if IDN on HANIS, else false
On NPR	Boolean	3	N	True if IDN on NPR, else false
Birth Place Country Code	Alphanumeric	3	N	See Country of Birth Codes
Error	Numeric	5	N	See list of returned errors
Photo	Alphanumeric	Byte Array Base64	N	Photo in jpeg format if available Note: Due to Data Compliance rules the storage of the Photo is not allowed.
Address Data	-	-	N	Address Root Tag Containing List
Address Data Record	-	-	XML Only	Address Tag for Each Element
Line 1	Alphanumeric	100	Y	Address line 1
Line 2	Alphanumeric	100	N	Address line 2
Line 3	Alphanumeric	100	N	Address line 3
Line 4	Alphanumeric	100	N	Address line 4



Postal Code	Alphanumeric	5	N	Postal code of set address	
Address Type	Alphanumeric	1	Y	Address Types:	
				Code	Description
				R	Residential
				W	Work
				P	Postal
				O	Other
Address Type Description	Alphanumeric	15	Y	Description of address mapped to code as per table above.	
First date created	Alphanumeric	10	Y	Date address was created on the system. Format: ccyy-mm-dd	
Last date updated	Alphanumeric	10	Y	Date the address was last updated on the system. Format: ccyy-mm-dd	
Number of sources	Numeric	2	Y	Number of data sources that supplied the address data	
Address Sources	-	-	-	Root Tag Containing List	
Address Source Record	-	-	XML Only	Address Sources Tag For Each Element	
Subscriber Code	Alphanumeric	8	N	Subscriber code linked to data supplier	
Subscriber Name	Alphanumeric	100	Y	Name of subscriber	
First Date Created	Alphanumeric	10	Y	Date the address was last created on the system by the data source. Format: ccyy-mm-dd	
Last Date Updated	Alphanumeric	10	Y	Date the address was last updated on the system by the data source. Format: ccyy-mm-dd	
Employment Data	-	-	N	Employment Root Tag Containing List	
Employment Data Record	-	-	XML Only	Employment Tag For Each Element	



Employer Name	Alphanumeric	100	Y	Name of the consumers employer.					
Occupation	Alphanumeric	50	N	Occupation of the consumer.					
First Date Created	Alphanumeric	10	Y	Date the employer was last created on the system. Format: ccyy-mm-dd					
Last Date Created	Alphanumeric	10	Y	Date the employer was last updated on the system. Format: ccyy-mm-dd					
Number of Sources	Numeric	2	Y	Number of data sources that supplied the address data					
Employment Sources	-	-	-	Root Tag Containing List					
Employment Source Record	-	-	XML Only	Employment Tag For Each Element					
Subscriber Code	Alphanumeric	8	N	Subscriber code linked to data supplier					
Subscriber Name	Alphanumeric	100	Y	Name of subscriber					
First Date Created	Alphanumeric	10	Y	Date the employer was last created on the system by the data source. Format: ccyy-mm-dd					
Last Date Updated	Alphanumeric	10	Y	Date the employer was last updated on the system by the data source. Format: ccyy-mm-dd					
Contact Data	-	-	N	Contact Root Tag					
Contact Data Record	-	-	XML Only	Contact Tag For Each Element					
Contact Number	Alphanumeric	20	Y	Consumer telephone number					
Area Code	Numeric	5	Y	Area code of telephone number					
Country Code	Numeric	5	Y	Country code of telephone number					
Contact Type	Alphanumeric	1	Y	Type of telephone number <table><tr><th>Code</th><th>Description</th></tr><tr><td>C</td><td>Cell</td></tr></table>		Code	Description	C	Cell
Code	Description								
C	Cell								



				H	Home
				W	Work
				O	Other
Contact Type Description	Alphanumeric	5	Y	Description of contact type mapped to code as per table above.	
First Date Created	Alphanumeric	10	Y	Date the contact type was last created on the system by the data source. Format: ccyy-mm-dd	
Last Date Updated	Alphanumeric	10	Y	Date the contact type was last updated on the system by the data source. Format: ccyy-mm-dd	
Number of Sources	Alphanumeric	2	Y	Number of data sources that supplied the address data	
Contact Sources	-	-	-	Root tag	
Contact Source Record	-	-	XML Only	Contact Tag for Each Element	
Subscriber Code	Alphanumeric	8	N	Subscriber code linked to data supplier	
Subscriber Name	Alphanumeric	100	Y	Name of subscriber	
First Date Created	Alphanumeric	10	Y	Date the contact record was last created on the system by the data source. Format: ccyy-mm-dd	
Last Date Updated	Alphanumeric	10	Y	Date the contact record was last created on the system by the data source. Format: ccyy-mm-dd	
SAFPS Data Block	-	-	N	SAFPS Root Tag	
Subject Number	Numeric	10	Y	Fraud Subject Number (Internal ID of the Subject record – one subject number can be linked to multiple incident numbers)	
Category Number	Numeric	2	N	Fraud category number	
Category Description	Alphanumeric	100	N	Fraud category description	



Sub Category Number	Numeric	2	N	Fraud sub category number												
Sub Category Description	Alphanumeric	100	N	Fraud sub category description												
Subject	Alphanumeric	255	N	Individual First name and Surname combined.												
Id Number	Alphanumeric	13	N	Individual Id Number												
Passport	Alphanumeric	64	N	Individual Passport number												
Incident Date	Alphanumeric	10	N	Format: yyyy-MM-dd												
Victim	Alphanumeric	1	Y	Whether the person is a Victim or a Perpetrator. - Y = Victim - N = Perpetrator												
<i>Email Data</i>	-	-	<i>N</i>	<i>Email Root Tag Containing List</i>												
<i>Email Data Record</i>	-	-	<i>XML ONLY</i>	<i>EMAIL Tag For Each Element</i>												
Email	Alphanumeric		N	Email address data found on Bureau												
Ranking Code	Numeric	1	N	The below matrix defines the ranking code and description:<table><tr><th>Ranking Code</th><th>Description</th></tr><tr><td>1</td><td>BEST</td></tr><tr><td>3</td><td>OK</td></tr><tr><td>4</td><td>BAD</td></tr><tr><td>5</td><td>WORSE</td></tr><tr><td>6</td><td>EXCLUDE</td></tr></table>	Ranking Code	Description	1	BEST	3	OK	4	BAD	5	WORSE	6	EXCLUDE
Ranking Code	Description															
1	BEST															
3	OK															
4	BAD															
5	WORSE															
6	EXCLUDE															
Ranking Description	Alphanumeric	7	N	Description mapped to code when returning data as per above table.												
<i>Deeds Data</i>	-	-	<i>N</i>	<i>Deeds Root Tag Containing List</i>												
<i>Properties Data</i>	-	-	<i>N</i>	<i>Properties Root Tag Containing List</i>												
<i>Properties Data Record</i>	-	-	<i>XML ONLY</i>	<i>Properties Tag For Each Element</i>												



ERF No	Alphanumeric	15	N	The registered number of the property at the deeds office	
Property Type Code	Numeric	1	Y	The below matrix defines the property type codes and descriptions:	
				Property Type Code	Description
				1	Garage
				2	Farm
				3	Free Holding
				4	Sectional Title
5	Estate				
Property Type	Alphanumeric	15	Y	Description mapped to code when returning data as per above table.	
Township	Alphanumeric	50	N	Greater area classification of the property	
Portion	Numeric	3	N	The percentage of the property owned by that individual or entity.	
Unit	Numeric	6	N	Unit number of the property	
Sect Scheme Name	Alphanumeric	60	N	Where applicable, the scheme name will be provided	
Prop Details Data Block	-	-	N	Prop Details Root tag: Contains all the additional details for the linked properties for the individual.	
Prop Details Data Block Record	-	-	XML ONLY	Prop Details Tag For Each Element	
ERF No	Alphanumeric	15	N	The registered number of the property at the Deeds Office	
Registration Date	Alphanumeric	8	Y	Format: CCYY-MM-DD Date when property was registered.	
Purchase Date	Alphanumeric	8	N	Format: CCYY-MM-DD Date when property was purchased.	
Purchase Price	Numeric	10	N	Purchase price of the property at time of purchase	



Title Share	Decimal	3.2	N	Ownership percentage of the owner linked to the property. Percentage character removed in return string.	
Title Deed No	Alphanumeric	20	Y	The title deed number of the property	
Bond Details Data Block	-	-	N	Bond Details Root tag: Contain all the bond details for the linked properties for the individual.	
Bond Details Data Block Record	-	-	XML ONLY	Bond Details Tag For Each Element	
ERF No	Alphanumeric	15	N	The registered number of the property at the Deeds Office based on when the property was bought and sold	
Institution	Alphanumeric	60	N	Bank at which the bond is registered	
Bond Amount	Numeric	10	N	Amount of the bond	
Bond Number	Alphanumeric	40	Y	Registration number assigned to the bond	
Bond Registration date	Alphanumeric	8	Y	Format: CCYY-MM-DD Date when bond was registered	
No Prop	Numeric	10	N	No if properties linked to bond.	
Directors Data Block	-	-	N	Directors Data Root Tag Containing List	
Directors Details Data Block Record	-	-	XML ONLY	Directors Details Tag For Each Element	
ENT Type Code	Numeric	2	N	The below matrix defines the enterprise type codes and descriptions:	
				ENT Type Code	Description
				1	INC
				2	External Company External Profit Company
				3	External Company Under section 21A External Non-Profit Company



				4	Unlimited
				5	Tertiary Co-operative Limited
				6	Limited by Guarantee (Limited by Guarantee)
				7	Transvaal Ordinance
				8	Private Company (PTY) LTD
				9	Primary Co-operative Limited
				10	Secondary Co-operative Limited
				11	Statutory Body
				12	Close Corporation CC
				13	Non-Profit Company NPC
				14	Public Company LTD
				15	State Owned Company SOC LTD
				Changes or additions to lookup lists are to be managed through a change control process	
ENT Type	Alphanumeric	70	N	Description mapped to code when returning data as per table above.	
Company Reg Number	Alphanumeric	15	Y	Business registration number	
Company Name	Alphanumeric	120	Y	Business name	
Reg Date	Alphanumeric	8	N	Format: CCYY-MM-DD Business date of registration with Companies and Intellectual Property Commission (CIPC) as received from data supplier.	
Buss Strt Date	Alphanumeric	8	N	Format: CCYY-MM-DD Business trading start date.	



Status Code	Alphanumeric	2	N	The below matrix defines the Business status codes and descriptions:																																										
				<table><tr><th>Status Codes</th><th>Description</th></tr><tr><td>00</td><td>No Status</td></tr><tr><td>01</td><td>Defensive Name</td></tr><tr><td>02</td><td>Suspended</td></tr><tr><td>03</td><td>In Business</td></tr><tr><td>04</td><td>Transferred to A</td></tr><tr><td>05</td><td>Provisional Liquidation</td></tr><tr><td>06</td><td>Voluntary Liquidation</td></tr><tr><td>07</td><td>Final Liquidation</td></tr><tr><td>08</td><td>Deregistration Process</td></tr><tr><td>09</td><td>Deregistration Final</td></tr><tr><td>11</td><td>Transvaal Ordinance</td></tr><tr><td>12</td><td>Judical Management Preliminary</td></tr><tr><td>13</td><td>Co-operative</td></tr><tr><td>14</td><td>Dissolved</td></tr><tr><td>16</td><td>Name Unconditionally Reserved</td></tr><tr><td>17</td><td>Judicial Management Final</td></tr><tr><td>18</td><td>Defensive Name Extended</td></tr><tr><td>19</td><td>Cancelled</td></tr><tr><td>20</td><td>Conversion CO/CC or CC/CO</td></tr><tr><td>21</td><td>Duplicate Name</td></tr></table>	Status Codes	Description	00	No Status	01	Defensive Name	02	Suspended	03	In Business	04	Transferred to A	05	Provisional Liquidation	06	Voluntary Liquidation	07	Final Liquidation	08	Deregistration Process	09	Deregistration Final	11	Transvaal Ordinance	12	Judical Management Preliminary	13	Co-operative	14	Dissolved	16	Name Unconditionally Reserved	17	Judicial Management Final	18	Defensive Name Extended	19	Cancelled	20	Conversion CO/CC or CC/CO	21	Duplicate Name
				Status Codes	Description																																									
				00	No Status																																									
				01	Defensive Name																																									
				02	Suspended																																									
				03	In Business																																									
				04	Transferred to A																																									
				05	Provisional Liquidation																																									
				06	Voluntary Liquidation																																									
				07	Final Liquidation																																									
				08	Deregistration Process																																									
				09	Deregistration Final																																									
				11	Transvaal Ordinance																																									
				12	Judical Management Preliminary																																									
				13	Co-operative																																									
				14	Dissolved																																									
				16	Name Unconditionally Reserved																																									
				17	Judicial Management Final																																									
				18	Defensive Name Extended																																									
				19	Cancelled																																									
20	Conversion CO/CC or CC/CO																																													
21	Duplicate Name																																													



				22	Co Converted to Co-operative
				23	AR Deregistration Process
				24	AR Restoration Process
				25	AR Final Deregistration
				28	Re-instatement process
				29	AR Final Deregistration
				38	Deregistration Process
				39	Deregistered - Transfer
				49	Deregistered - Merger
				GG	Send to GG A-List
Changes or additions to lookup lists are to be managed through a change control process					
Status Desc	Alphanumeric	35	N	Description mapped to code when returning data as per table above.	
Status Date	Alphanumeric	8	N	Format: CCYY-MM-DD The date when status was last updated on Experian database as received from data supplier.	
SIC Code	Numeric	6	N	Standard Industry Classification code. Refer to section: SIC Codes - Division and SIC Codes – Sub Class.	
SIC Desc	Alphanumeric	225	N	Description mapped to code when returning data as per SIC Codes – division or SIC codes – sub class tables above.	
App Date	Alphanumeric	8	N	Format: CCYY-MM-DD Director date of appointment.	
Status Desc	Alphanumeric	35	N	Description mapped to code when returning data as per table above.	



Member Type Code	Numeric	2	N	The below table defines the directors member type codes and descriptions:	
				Member Type Codes	Description
				1	AUDITOR
				2	BOTH DIRECTOR/OFFICER
				3	SECRETARY COMPANY/CLOSE CORPORATION
				4	DIRECTOR
				5	EXTERNAL / OVERSEAS
				6	DIRECTOR (COMPANIES AND CC'S)
				7	LOCAL MANAGERS
				8	TESTAMENTARY TRUST
				9	MANAGER
				10	REPRESENTATIVE TRUSTEE
				11	NON EXECUTIVE DIRECTOR
				12	LEGAL REPRESENTATIVE
				13	MEMBER
				14	ALTERNATE DIRECTOR
				15	OFFICER
16	PARTNERSHIP				
17	REPRESENTATIVE				



				18	COMPANY SECRETARY (NATURAL PERSON)	
				19	TRUST	
				20	JOINT EXECUTOR	
				21	EXECUTOR	
				22	OTHER TRUSTEE	
				23	FOUNDING MEMBER	
				24	PRIMARY/SECONDARY FOUNDING MEMBER	
				25	INCORPORATOR	
				26	AUDIT COMMITTEE MEMBER	
				27	NON EXECUTIVE INDEPENDENT DIRECTOR	
				28	FINANCIAL DIRECTOR	
				30	CHIEF EXECUTIVE OFFICER	
				31	CHAIRMAN OF THE BOARD	
Member Type	Alphanumeric	100	N	Description mapped to code when returning data as per table above.		
Member Contribution	Numeric	16	N	The member's contribution in rand value.		
Member Contribution Type	Alphanumeric	11	N	The number of shares		
Member Status Code	Alphanumeric	1	N	The below matrix defines the director's member status codes and descriptions:		
				Member Type Codes	Description	



				A	ACTIVE
				B	DECEASED
				C	RESIGNED
				D	DISQUALIFIED
				E	REHABILITATED
				F	REMOVE
				I	INVALID CODE
				N	RESIGNATION NOTICE RECEIVED
Changes or additions to lookup lists are to be managed through a change control process					
Member Status Desc	Alphanumeric	30	N	Description mapped to code when returning data as per table above.	
Member Status Date	Alphanumeric	8	N	Format: CCYY-MM-DD Date of last status update on Experian database.	
Member Size	Numeric	3	N	Percentage of member – adds up to 100%.	
Tax Number	Alphanumeric	10	N	The member tax number	
Judgements Data Block	-	-	N	Judgements Data Root Tag Containing List	
Judgements Data Block Record	-	-	XML ONLY	Judgements Details Tag For Each Element	
Date Issued	Alphanumeric	8	Y	Format: CCYY-MM-DD Date the judgement was granted in a court of law.	
Case No	Alphanumeric	30	Y	Unique number associated to the judgement as allocated by the court to keep track of the case.	
Court Type Code	Numeric	1	Y	Court type code linked to the court where the judgement was granted.	



				<table><tr><th>Court Type Codes</th><th>Description</th></tr><tr><td>1</td><td>Magistrate Court</td></tr><tr><td>2</td><td>High Court</td></tr></table>	Court Type Codes	Description	1	Magistrate Court	2	High Court																						
				Court Type Codes	Description																											
				1	Magistrate Court																											
				2	High Court																											
Changes or additions to lookup lists are to be managed through a change control process																																
Court Type	Alphanumeric	30	Y	The type of court where the judgement was granted. Description mapped to code when returning data as per above table.																												
Court Name	Alphanumeric	30	Y	Name of the court where the judgement was granted.																												
Court Province Code	Numeric	2	N	Province code of the court where the judgement was granted. <table><tr><th>Province Code</th><th>Description</th></tr><tr><td>1</td><td>EASTERN CAPE</td></tr><tr><td>2</td><td>FREE STATE</td></tr><tr><td>3</td><td>GAUTENG</td></tr><tr><td>4</td><td>KWAZULU-NATAL</td></tr><tr><td>5</td><td>LIMPOPO</td></tr><tr><td>6</td><td>MPUMALANGA</td></tr><tr><td>7</td><td>NORTHERN CAPE</td></tr><tr><td>8</td><td>NORTH WEST</td></tr><tr><td>9</td><td>WESTERN CAPE</td></tr><tr><td>10</td><td>INTERNATIONAL</td></tr><tr><td>11</td><td>GAUTENG_SOUTH</td></tr><tr><td>12</td><td>SOUTHERN CAPE</td></tr><tr><td>13</td><td>LAWTRANSFERS</td></tr></table>	Province Code	Description	1	EASTERN CAPE	2	FREE STATE	3	GAUTENG	4	KWAZULU-NATAL	5	LIMPOPO	6	MPUMALANGA	7	NORTHERN CAPE	8	NORTH WEST	9	WESTERN CAPE	10	INTERNATIONAL	11	GAUTENG_SOUTH	12	SOUTHERN CAPE	13	LAWTRANSFERS
				Province Code	Description																											
				1	EASTERN CAPE																											
				2	FREE STATE																											
				3	GAUTENG																											
				4	KWAZULU-NATAL																											
				5	LIMPOPO																											
				6	MPUMALANGA																											
				7	NORTHERN CAPE																											
				8	NORTH WEST																											
				9	WESTERN CAPE																											
				10	INTERNATIONAL																											
				11	GAUTENG_SOUTH																											
				12	SOUTHERN CAPE																											
13	LAWTRANSFERS																															



				14	NOT YET SPECIFIED										
				Changes or additions to lookup lists are to be managed through a change control process											
Court Province	Alphanumeric	30	N	Province of the court where the judgement was granted. Description mapped to code when returning data as per above table.											
Attorney	Alphanumeric	40	N	The attorney appointed to handle the legal matters of the case for the plaintiff.											
JType Code	Numeric	1	N	The type of judgement code that is linked to the description.<table><tr><th>JType Code</th><th>Judgement Type</th></tr><tr><td>1</td><td>Judgement by Consent</td></tr><tr><td>2</td><td>Judgement by Default</td></tr><tr><td>3</td><td>Maintenance Judgement</td></tr></table> Changes or additions to lookup lists are to be managed through a change control process.		JType Code	Judgement Type	1	Judgement by Consent	2	Judgement by Default	3	Maintenance Judgement		
JType Code	Judgement Type														
1	Judgement by Consent														
2	Judgement by Default														
3	Maintenance Judgement														
JType	Alphanumeric	30	N	The type of Judgement. Description mapped to code when returning data as per above table.											
Amount	Numeric	10	Y	The judgement amount.											
Reason Code	Numeric	2	Y	The code linked to the reason for the judgement.<table><tr><th>Reason Code</th><th>Judgement Reason</th></tr><tr><td>1</td><td>AGREEMENT</td></tr><tr><td>2</td><td>ARREAR MAINTENANCE</td></tr><tr><td>3</td><td>ARREARS</td></tr><tr><td>4</td><td>BOND</td></tr></table>		Reason Code	Judgement Reason	1	AGREEMENT	2	ARREAR MAINTENANCE	3	ARREARS	4	BOND
Reason Code	Judgement Reason														
1	AGREEMENT														
2	ARREAR MAINTENANCE														
3	ARREARS														
4	BOND														



				5	CONSENT TO JUDGEMENT
				6	DEFAULT
				7	EJECTMENT
				8	EMOLUMENT ORDER
				9	BOND
				10	GARNISHING ORDER
				11	GOODS DAMAGED
				12	GOODS DELIVERED
				13	GOODS DELIVERED AND SOLD
				14	HIRE PURCHASE
				15	INCOME TAX
				16	LEASE AGREEMENT
				17	LEVIES
				18	LOAN AGREEMENT
				19	MONEY
				20	MONIES LENT
				21	OTHER
				22	POSTPONED
				23	R/D CHEQUE
				24	RATES AND TAXES
				25	RENTAL AGREEMENT
				26	RETURN OF GOODS
				27	SALARY LEAVE PAY
				29	SERVICES RENDERED
				30	SUMMARY JUDGEMENT



				31	SURETYSHIP
				32	SURRENDER OF ESTATE
				33	UNKNOWN
				35	VAT
				36	VERBAL AGREEMENT
Changes or additions to lookup lists are to be managed through a change control process.					
Reason	Alphanumeric	30	Y	Reason for judgement. Description mapped to code when returning data as per above table.	
Plaintiff	Alphanumeric	40	Y	The entity filing for the complaint and opened the case.	
Notices Data Block	-	-	N	Notices Root Tag Containing List	
Notices Data Block Record	-	-	N	Notices Details Tag For Each Element	
Date Issued	Alphanumeric	8	Y	Format: CCYY-MM-DD The date the court issued the notice against the consumer.	
Case No	Alphanumeric	30	Y	Unique number associated with the notice as allocated by the court to keep track of the case.	
Court Type Code	Numeric	1	N	Court type code linked to the court where the notice was granted:	
				Court Type Codes	Description
				1	Magistrate Court
				2	High Court
Changes or additions to lookup lists are to be managed through a change control process.					



Court Type	Alphanumeric	30	N	Type of court where the notice was granted: Description mapped to code when returning data as per above table. This field is conditional due to the field historical notices that do not always contain the court type.																														
Court Name	Alphanumeric	30	Y	Name of the court where the notice was granted.																														
Court Province Code	Numeric	2	N	Province code of the court where the judgement was granted. <table><tr><th>Province Code</th><th>Description</th></tr><tr><td>1</td><td>EASTERN CAPE</td></tr><tr><td>2</td><td>FREE STATE</td></tr><tr><td>3</td><td>GAUTENG</td></tr><tr><td>4</td><td>KWAZULU-NATAL</td></tr><tr><td>5</td><td>LIMPOPO</td></tr><tr><td>6</td><td>MPUMALANGA</td></tr><tr><td>7</td><td>NORTHERN CAPE</td></tr><tr><td>8</td><td>NORTH WEST</td></tr><tr><td>9</td><td>WESTERN CAPE</td></tr><tr><td>10</td><td>INTERNATIONAL</td></tr><tr><td>11</td><td>GAUTENG_SOUTH</td></tr><tr><td>12</td><td>SOUTHERN CAPE</td></tr><tr><td>13</td><td>LAWTRANSFERS</td></tr><tr><td>14</td><td>NOT YET SPECIFIED</td></tr></table> Changes or additions to lookup lists are to be managed through a change control process.	Province Code	Description	1	EASTERN CAPE	2	FREE STATE	3	GAUTENG	4	KWAZULU-NATAL	5	LIMPOPO	6	MPUMALANGA	7	NORTHERN CAPE	8	NORTH WEST	9	WESTERN CAPE	10	INTERNATIONAL	11	GAUTENG_SOUTH	12	SOUTHERN CAPE	13	LAWTRANSFERS	14	NOT YET SPECIFIED
Province Code	Description																																	
1	EASTERN CAPE																																	
2	FREE STATE																																	
3	GAUTENG																																	
4	KWAZULU-NATAL																																	
5	LIMPOPO																																	
6	MPUMALANGA																																	
7	NORTHERN CAPE																																	
8	NORTH WEST																																	
9	WESTERN CAPE																																	
10	INTERNATIONAL																																	
11	GAUTENG_SOUTH																																	
12	SOUTHERN CAPE																																	
13	LAWTRANSFERS																																	
14	NOT YET SPECIFIED																																	
Court Province	Alphanumeric	30	N	Province of the court where the notice was granted.																														



				Description mapped to code when returning data as per above table.												
Attorney	Alphanumeric	40	N	The attorney appointed to handle the legal matters of the case for the plaintiff.												
NType Code	Numeric	1	N	The type of notice id code that is link to the description.												
				<table><tr><th>Notice Type Code</th><th>Notice Type</th></tr><tr><td>1</td><td>ADMINISTRATION ORDER</td></tr><tr><td>2</td><td>JUDICIAL MANAGEMENT</td></tr><tr><td>3</td><td>LIQUIDATION</td></tr><tr><td>4</td><td>NOTARIAL BOND</td></tr><tr><td>5</td><td>SEQUESTRATION</td></tr></table>	Notice Type Code	Notice Type	1	ADMINISTRATION ORDER	2	JUDICIAL MANAGEMENT	3	LIQUIDATION	4	NOTARIAL BOND	5	SEQUESTRATION
				Notice Type Code	Notice Type											
				1	ADMINISTRATION ORDER											
				2	JUDICIAL MANAGEMENT											
				3	LIQUIDATION											
				4	NOTARIAL BOND											
5	SEQUESTRATION															
Changes or additions to lookup lists are to be managed through a change control process.																
NType	Alphanumeric	30	N	The type of notice.												
Amount	Numeric	10	Y	The notice amount.												
Reason Code	Numeric	2	Y	The reason code linked to the reason for the notice.												
				<table><tr><th>Reason Code</th><th>Reasons</th></tr><tr><td>1</td><td>ADMIN ORDER</td></tr><tr><td>2</td><td>ADMIN ORDER APPLICATION</td></tr><tr><td>3</td><td>FINAL LIQUIDATION</td></tr><tr><td>5</td><td>LIQUIDATION</td></tr><tr><td>6</td><td>MONIES LENT</td></tr></table>	Reason Code	Reasons	1	ADMIN ORDER	2	ADMIN ORDER APPLICATION	3	FINAL LIQUIDATION	5	LIQUIDATION	6	MONIES LENT
				Reason Code	Reasons											
				1	ADMIN ORDER											
				2	ADMIN ORDER APPLICATION											
				3	FINAL LIQUIDATION											
5	LIQUIDATION															
6	MONIES LENT															



				7	POSTPONED
				8	PROVISIONAL SEQUESTRATION
				9	REHABILITATION
				10	RULE NISI
				11	SEQUESTRATION
				12	SEQUESTRATION POSTPONED
				13	UNDER JUDICIAL MANAGEMENT
Changes or additions to lookup lists are to be managed through a change control process					
Reason	Alphanumeric	30	Y	The reason for the notice. Description mapped to code when returning data as per above table.	
Plaintiff	Alphanumeric	40	Y	The entity filing for the complaint and opened the case.	
PDF Data	Alphanumeric	-	N	PDF is Base64 type	



8.1 Service Output Examples

8.1.1 SOAP XML Output Example without IDV Photo

```
<BureauResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <ResponseStatus>Success</ResponseStatus>
  <ErrorCode xsi:nil="true"/>
  <ErrorDescription xsi:nil="true"/>
  <ReturnData>
    <EnquiryID>6246509255222578175</EnquiryID>
    <DateCreated>2019-07-10 14:44:12:865</DateCreated>
    <SearchCriteriaData>
      <IdentityNumber>xxxxxxxxxxxx</IdentityNumber>
      <IdentityType>SID</IdentityType>
      <Forename>John</Forename>
      <Surname>Doe</Surname>
      <WantSources>Y</WantSources>
      <WantPDF>Y</WantPDF>
      <WantIDVService>Y</WantIDVService>
      <WantSearchCriteria>Y</WantSearchCriteria>
      <WantAddresses>Y</WantAddresses>
      <WantContact>Y</WantContact>
      <WantEmployment>Y</WantEmployment>
      <WantSAFPS>Y</WantSAFPS>
      <WantEMAIL>Y</WantEMAIL>
      <WantDeeds>Y</WantDeeds>
      <WantDirectors>Y</WantDirectors>
      <WantJudgements>Y</WantJudgements>
      <WantNotices>Y</WantNotices>
    </SearchCriteriaData>
    <Stats>
      <PersonFound>N</PersonFound>
    </Stats>
  </ReturnData>
</BureauResponse>
```



```
<IDVPersonFound>N</IDVPersonFound>

<AddressCount>2</AddressCount>

<EmploymentCount>1</EmploymentCount>

<ContactCount>2</ContactCount>

<SafpsCount>1</SafpsCount>

<EmailCount>1</EmailCount>

<DeedsPropertyCount>2</DeedsPropertyCount>

<DeedsPropDetailsCount>2</DeedsPropDetailsCount>

<DeedsBondCount>2</DeedsBondCount>

<DirectorCount>1</DirectorCount>

<JudgementsCount>1</JudgementsCount>

<NoticesCount>1</NoticesCount>

</Stats>

<DefiniteMatchData xsi:nil="true"/>

<IDVData>

  <TransNo>1361f4c3-6b71-404d-ac5c-f6b1b4831e79</TransNo>

  <IdentityNumber>xxxxxxxxxxxx</IdentityNumber>

  <Name xsi:nil="true"/>

  <Surname xsi:nil="true"/>

  <SmartCardIssued>false</SmartCardIssued>

  <DateOfIdIssued xsi:nil="true"/>

  <IdSeqNo xsi:nil="true"/>

  <Deceased>false</Deceased>

  <DateOfDeceased xsi:nil="true"/>

  <IdnBlocked>false</IdnBlocked>

  <MaritalStatus xsi:nil="true"/>

  <DateOfMarriage xsi:nil="true"/>

  <OnHanis>false</OnHanis>

  <OnNpr>false</OnNpr>

  <BirthPlaceCountryCode xsi:nil="true"/>
```



```
<Error>800</Error>

</IDVData>

<AddressData>

  <AddressDataRecord>

    <Line1>6 BOESAK SINGEL</Line1>

    <Line2>LOWS</Line2>

    <Line3>BEAUFORT WEST</Line3>

    <Line4>Block 4</Line4>

    <PostalCode>6970</PostalCode>

    <AddressType>R</AddressType>

    <AddressTypeDescription>RESIDENTIAL</AddressTypeDescription>

    <FirstDateCreated>2013-12-31</FirstDateCreated>

    <LastDateUpdated>2018-12-31</LastDateUpdated>

    <NumberOfSources>1</NumberOfSources>

    <AddressSources>

      <AddressSourceRecord>

        <SubscriberCode>9</SubscriberCode>

        <SubscriberName>MTM BUSINESS ENTERPRISE CC</SubscriberName>

        <FirstDateCreated>2010-10-31</FirstDateCreated>

        <LastDateUpdated>2018-11-30</LastDateUpdated>

      </AddressSourceRecord>

    </AddressSources>

  </AddressDataRecord>

  <AddressDataRecord>

    <Line1>5 MURRY STREET</Line1>

    <Line2>HIGHTS</Line2>

    <Line3>BEAUFORT WEST</Line3>

    <Line4>Block 3</Line4>

    <PostalCode>6970</PostalCode>

    <AddressType>R</AddressType>
```




```
<AddressTypeDescription>RESIDENTIAL</AddressTypeDescription>
<FirstDateCreated>2013-12-31</FirstDateCreated>
<LastDateUpdated>2013-12-31</LastDateUpdated>
<NumberOfSources>2</NumberOfSources>
<AddressSources>
  <AddressSourceRecord>
    <SubscriberCode>8</SubscriberCode>
    <SubscriberName>ACKERMAN SWZ</SubscriberName>
    <FirstDateCreated>2010-10-31</FirstDateCreated>
    <LastDateUpdated>2018-12-31</LastDateUpdated>
  </AddressSourceRecord>
  <AddressSourceRecord>
    <SubscriberCode>7</SubscriberCode>
    <SubscriberName>ATLAS FINANCE</SubscriberName>
    <FirstDateCreated>2010-10-31</FirstDateCreated>
    <LastDateUpdated>2013-12-31</LastDateUpdated>
  </AddressSourceRecord>
</AddressSources>
</AddressDataRecord>
</AddressData>
<EmploymentData>
  <EmploymentDataRecord>
    <EmpName>Mars</EmpName>
    <Occupation>Pretender</Occupation>
    <FirstDateCreated>2013-06-05</FirstDateCreated>
    <LastDateUpdated>2013-06-05</LastDateUpdated>
    <NumberOfSources>1</NumberOfSources>
    <EmploymentSources>
      <EmploymentSourceRecord>
        <SubscriberCode>1808</SubscriberCode>
```



```
<SubscriberName>NEW WORLD CASH LOANS CC</SubscriberName>

<FirstDateCreated>2012-04-08</FirstDateCreated>

<LastDateUpdated>2013-03-31</LastDateUpdated>

</EmploymentSourceRecord>

</EmploymentSources>

</EmploymentDataRecord>

</EmploymentData>

<ContactData>

  <ContactDataRecord>

    <ContactNumber>827287904</ContactNumber>

    <AreaCode>012</AreaCode>

    <CountryCode>27</CountryCode>

    <ContactType>C</ContactType>

    <ContactTypeDescription>CELL</ContactTypeDescription>

    <FirstDateCreated>2018-07-15</FirstDateCreated>

    <LastDateUpdated>2018-07-16</LastDateUpdated>

    <NumberOfSources>1</NumberOfSources>

    <ContactSources>

      <ContactSourceRecord>

        <SubscriberCode>239</SubscriberCode>

        <SubscriberName>NEW WORLD ORDER</SubscriberName>

        <FirstDateCreated>2018-07-15</FirstDateCreated>

        <LastDateUpdated>2018-07-16</LastDateUpdated>

      </ContactSourceRecord>

    </ContactSources>

  </ContactDataRecord>

  <ContactDataRecord>

    <ContactNumber>123191001</ContactNumber>

    <AreaCode>012</AreaCode>

    <CountryCode>27</CountryCode>
```



```
<ContactType>W</ContactType>
<ContactTypeDescription>WORK</ContactTypeDescription>
<FirstDateCreated>2016-02-09</FirstDateCreated>
<LastDateUpdated>2016-03-24</LastDateUpdated>
<NumberOfSources>1</NumberOfSources>
<ContactSources>
  <ContactSourceRecord>
    <SubscriberCode>1345</SubscriberCode>
    <SubscriberName>THE UNLIMITED WORLD</SubscriberName>
    <FirstDateCreated>2014-02-28</FirstDateCreated>
    <LastDateUpdated>2014-08-31</LastDateUpdated>
  </ContactSourceRecord>
</ContactSources>
</ContactDataRecord>
</ContactData>
<SafpsData>
  <SafpsDataRecord>
    <SubjectNumber>2</SubjectNumber>
    <CategoryNumber>10</CategoryNumber>
    <CategoryDescription>BUSINESS FRAUD/PERSON UNKNOWN</CategoryDescription>
    <SubCategoryNumber>5</SubCategoryNumber>
    <SubCategoryDescription>THEFT (PERSONA UNKNOWN)</SubCategoryDescription>
    <Subject>KOOS VAN DER MERWE</Subject>
    <IdNumber>7204155999189</IdNumber>
    <Passport xsi:nil="true"/>
    <IncidentDate>2010-11-10</IncidentDate>
    <Victim>Y</Victim>
  </SafpsDataRecord>
</SafpsData>
<EmailData>
```



```
<EmailDataRecord>
  <Email>BOY.MTSWENI@DPW.GOV.ZA</Email>
  <RankingCode>4</RankingCode>
  <RankingDesc>BAD</RankingDesc>
</EmailDataRecord>
</EmailData>
<DeedsData>
  <PropertyData>
    <PropertyDataRecord>
      <ErfNo>519</ErfNo>
      <PropertyTypeCode>3</PropertyTypeCode>
      <PropertyType>FREE HOLDING</PropertyType>
      <Township>HIGHTS</Township>
      <Portion>0</Portion>
      <Unit>5</Unit>
      <SectSchemeName>MARINE TOWERS</SectSchemeName>
    </PropertyDataRecord>
    <PropertyDataRecord>
      <ErfNo>617</ErfNo>
      <PropertyTypeCode>3</PropertyTypeCode>
      <PropertyType>FREE HOLDING</PropertyType>
      <Township>BRACKENFELL</Township>
      <Portion>0</Portion>
      <Unit>8</Unit>
      <SectSchemeName>VILLA TEREZINA</SectSchemeName>
    </PropertyDataRecord>
  </PropertyData>
  <PropDetailsData>
    <PropDetailsDataRecord>
      <ErfNo>519</ErfNo>
```



```
<RegistrationDate>2006-03-31</RegistrationDate>

<PurchaseDate>2006-03-31</PurchaseDate>

<PurchasePrice>150000</PurchasePrice>

<TitleShare xsi:nil="true"/>

<TitleDeedNo>SY8637/2006</TitleDeedNo>

</PropDetailsDataRecord>

<PropDetailsDataRecord>

  <ErfNo>617</ErfNo>

  <RegistrationDate>2010-04-25</RegistrationDate>

  <PurchaseDate>2010-04-25</PurchaseDate>

  <PurchasePrice>2000000</PurchasePrice>

  <TitleShare xsi:nil="true"/>

  <TitleDeedNo>SR8625/2010</TitleDeedNo>

</PropDetailsDataRecord>

</PropDetailsData>

<BondDetailsData>

  <BondDetailsDataRecord>

    <ErfNo>519</ErfNo>

    <Institution>FNB</Institution>

    <BondAmount>131320</BondAmount>

    <BondNumber>SY8637/2006</BondNumber>

    <BondRegistrationDate>2006-03-31</BondRegistrationDate>

    <NoProp>1</NoProp>

  </BondDetailsDataRecord>

  <BondDetailsDataRecord>

    <ErfNo>617</ErfNo>

    <Institution>ABSA</Institution>

    <BondAmount>2500000</BondAmount>

    <BondNumber>SR8625/2010</BondNumber>

    <BondRegistrationDate>2010-04-25</BondRegistrationDate>
```



```
<NoProp>1</NoProp>

</BondDetailsDataRecord>

</BondDetailsData>

</DeedsData>

<DirectorData>
  <DirectorDataRecord>
    <ENTTypeCode>8</ENTTypeCode>
    <ENTType>PRIVATE COMPANY (PTY) LTD</ENTType>
    <CompanyRegNumber>1998/151746/08</CompanyRegNumber>
    <CompanyName>WAYNE ENTERPRISES INC</CompanyName>
    <RegDate>1998-11-03</RegDate>
    <BussStrtDate>1998-11-03</BussStrtDate>
    <StatusCode>03</StatusCode>
    <StatusDesc>In Business</StatusDesc>
    <StatusDate>2018-12-12</StatusDate>
    <SICCode>86</SICCode>
    <SICDesc>COMPUTER AND RELATED ACTIVITIES</SICDesc>
    <AppDate>2016-02-12</AppDate>
    <MemberTypeCode>4</MemberTypeCode>
    <MemberType>Director</MemberType>
    <MemberContribution>4</MemberContribution>
    <MemberContributionType>4</MemberContributionType>
    <MemberStatusCode>A</MemberStatusCode>
    <MemberStatusDesc>Active</MemberStatusDesc>
    <MemberStatusDate>2018-02-12</MemberStatusDate>
    <MemberSize>10</MemberSize>
    <TaxNumber>4534999238</TaxNumber>
  </DirectorDataRecord>
</DirectorData>

<JudgementsData>
```



```
<JudgementsDataRecord>
  <DateIssued>2018-01-10</DateIssued>
  <CaseNo>29356/2014</CaseNo>
  <CourtTypeCode>1</CourtTypeCode>
  <CourtType>MAGISTRATE COURT</CourtType>
  <CourtName>BLOEMFONTEIN M</CourtName>
  <CourtProvinceCode>1</CourtProvinceCode>
  <CourtProvince>EASTERN CAPE</CourtProvince>
  <Attorney>MATSEPES INC</Attorney>
  <JTypeCode>2</JTypeCode>
  <JType>JUDGEMENT BY DEFAULT</JType>
  <Amount>42743</Amount>
  <ReasonCode>21</ReasonCode>
  <Reason>OTHER</Reason>
  <PlainTiff>ABC Cash Loans</PlainTiff>
</JudgementsDataRecord>
</JudgementsData>
<NoticesData>
  <NoticesDataRecord>
    <DateIssued>2014-03-14</DateIssued>
    <CaseNo>6095/2014</CaseNo>
    <CourtTypeCode>2</CourtTypeCode>
    <CourtType>HIGH COURT</CourtType>
    <CourtName>SOUTH GAUTENG HIGH COURT H</CourtName>
    <CourtProvinceCode>6</CourtProvinceCode>
    <CourtProvince>MPUMALANGA</CourtProvince>
    <Attorney xsi:nil="true"/>
    <NTypeCode>2</NTypeCode>
    <NType>SEQUESTRATION</NType>
    <Amount>0</Amount>
```



```
<ReasonCode>11</ReasonCode>

<Reason>SEQUESTRATION</Reason>

<PlainTiff>EX PARTE</PlainTiff>

</NoticesDataRecord>

</NoticesData>

<PdfData>HelloImPDF</PdfData>

</ReturnData>

</BureauResponse>
```

8.1.2 SOAP XML Output Example with IDV Photo

```
<BureauResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">

  <ResponseStatus>Success</ResponseStatus>

  <ErrorCode xsi:nil="true"/>

  <ErrorDescription xsi:nil="true"/>

  <ReturnData>

    <EnquiryID>3111230491929382827</EnquiryID>

    <DateCreated>2022-09-01 14:38:48:656</DateCreated>

    <SearchCriteriaData>

      <IdentityNumber>xxxxxxxxxxxx</IdentityNumber>

      <IdentityType>SID</IdentityType>

      <Forename>John</Forename>

      <Surname>Doe</Surname>

      <WantSources>Y</WantSources>

      <WantPDF>N</WantPDF>

      <WantIDVService>Y</WantIDVService>

      <WantSearchCriteria>Y</WantSearchCriteria>

      <WantAddresses>Y</WantAddresses>

      <WantContact>Y</WantContact>

      <WantEmployment>Y</WantEmployment>

      <WantSAFPS>Y</WantSAFPS>
```




```
<WantEMAIL>Y</WantEMAIL>

<WantDeeds>Y</WantDeeds>

<WantDirectors>Y</WantDirectors>

<WantJudgements>Y</WantJudgements>

<WantNotices>Y</WantNotices>

<WantIDVPhoto>Y</WantIDVPhoto>

</SearchCriteriaData>

<Stats>

  <IDVPersonFound>Y</IDVPersonFound>

  <AddressCount>0</AddressCount>

  <EmploymentCount>0</EmploymentCount>

  <ContactCount>0</ContactCount>

  <SafpsCount>0</SafpsCount>

  <EmailCount>0</EmailCount>

  <DeedsPropertyCount>0</DeedsPropertyCount>

  <DeedsPropDetailsCount>0</DeedsPropDetailsCount>

  <DeedsBondCount>0</DeedsBondCount>

  <DirectorCount>0</DirectorCount>

  <JudgementsCount>0</JudgementsCount>

  <NoticesCount>0</NoticesCount>

</Stats>

<DefiniteMatchData xsi:nil="true"/>

<IDVData>

  <TransNo>851211d2-01b1-45bc-9aa7-181da858bf51</TransNo>

  <IdentityNumber>xxxxxxxxxxxx</IdentityNumber>

  <Name>John</Name>

  <Surname>Doe</Surname>

  <SmartCardIssued>true</SmartCardIssued>

  <DateOfIdIssued>2018-04-18</DateOfIdIssued>

  <IdSeqNo>1</IdSeqNo>
```



```
<Deceased>>false</Deceased>
<DateOfDeceased xsi:nil="true"/>
<IdnBlocked>>false</IdnBlocked>
<MaritalStatus>SINGLE</MaritalStatus>
<DateOfMarriage>2018-03-20</DateOfMarriage>
<OnHanis>>true</OnHanis>
<OnNpr>>true</OnNpr>
<BirthPlaceCountryCode>ZAR</BirthPlaceCountryCode>
<Error xsi:nil="true"/>
<Photo>iVBORw0KGgoAAAANSUgAAAlgAA.....=</Photo>
</IDVDData>
<AddressData xsi:nil="true"/>
<EmploymentData xsi:nil="true"/>
<ContactData xsi:nil="true"/>
<SafpsData xsi:nil="true"/>
<EmailData/>
<DeedsData>
  <PropertyData xsi:nil="true"/>
  <PropDetailsData xsi:nil="true"/>
  <BondDetailsData xsi:nil="true"/>
</DeedsData>
<DirectorData/>
<JudgementsData/>
<NoticesData/>
</ReturnData>
</BureauResponse>
```



8.1.3 REST JSON Output Example without Photo

```
{
  "response_status": "Success",
  "error_code": null,
  "error_description": null,
  "return_data": {
    "enquiry_id": 5055728859990000622,
    "enquiry_date": "2019-07-12 07:43:36:639",
    "search_criteria_data": {
      "identity_number": "xxxxxxxxxxxxx",
      "identity_type": "SID",
      "forename": "John",
      "surname": "Doe",
      "want_sources": "Y",
      "want_pdf": "Y",
      "want_idv_service": "Y",
      "want_search_criteria": "Y",
      "want_addresses": "Y",
      "want_contact": "Y",
      "want_employment": "Y",
      "want_safps": "Y",
      "want_email": "Y",
      "want_deeds": "Y",
      "want_directors": "Y",
      "want_judgements": "Y",
      "want_notices": "Y"
    },
    "stats": {
      "person_found": "N",
      "idv_person_found": "N",
      "address_count": 2,
      "employment_count": 1,
      "contact_count": 2,
      "safps_count": 2,
      "email_count": 1,
      "deeds_property_count": 2,
      "deeds_prop_details_count": 2,
      "deeds_bond_count": 2,
      "director_count": 1,
      "judgements_count": 1,
      "notices_count": 1
    }
  },
}
```



```
"definite_match_data": null,
"idv_data": {
  "trans_no": "4dc7694e-32bc-480e-bba4-9d183f4f22e6",
  "identity_number": "xxxxxxxxxxxx",
  "name": null,
  "surname": null,
  "smart_card_issued": false,
  "date_of_id_issued": null,
  "idSeqNo": null,
  "deceased": false,
  "date_of_deceased": null,
  "idn_blocked": false,
  "marital_status": null,
  "date_of_marriage": null,
  "on_hanis": false,
  "on_npr": false,
  "birth_place_country_code": null,
  "error": 800
},
"address_data": [
  {
    "line_1": "6 BOESAK SINGEL",
    "line_2": "LOWS",
    "line_3": "BEAUFORT WEST",
    "line_4": "Block 4",
    "postal_code": "6970",
    "address_type": "R",
    "address_type_description": "RESIDENTIAL",
    "first_date_created": "2013-12-31",
    "last_date_updated": "2018-12-31",
    "number_of_sources": 1,
    "address_sources": [
      {
        "subscriber_code": "9",
        "subscriber_name": "MTM BUSINESS ENTERPRISE CC",
        "first_date_created": "2010-10-31",
        "last_date_updated": "2018-11-30"
      }
    ]
  },
  {
    "line_1": "5 MURRY STREET",
```



```
"line_2": "HIGHTS",
"line_3": "BEAUFORT WEST",
"line_4": "Block 3",
"postal_code": "6970",
"address_type": "R",
"address_type_description": "RESIDENTIAL",
"first_date_created": "2013-12-31",
"last_date_updated": "2013-12-31",
"number_of_sources": 2,
"address_sources": [
  {
    "subscriber_code": "8",
    "subscriber_name": "ACKERMAN SWZ",
    "first_date_created": "2010-10-31",
    "last_date_updated": "2018-12-31"
  },
  {
    "subscriber_code": "7",
    "subscriber_name": "ATLAS FINANCE",
    "first_date_created": "2010-10-31",
    "last_date_updated": "2013-12-31"
  }
]
},
],
"employment_data": [
  {
    "emp_name": "Mars",
    "occupation": "Pretender",
    "first_date_created": "2013-06-05",
    "last_date_updated": "2013-06-05",
    "number_of_sources": 1,
    "employment_sources": [
      {
        "subscriber_code": "1808",
        "subscriber_name": "NEW WORLD CASH LOANS CC",
        "first_date_created": "2012-04-08",
        "last_date_updated": "2013-03-31"
      }
    ]
  }
],
```



```
"contact_data": [  
  {  
    "contact_number": "827287904",  
    "area_code": "012",  
    "country_code": "27",  
    "contact_type": "C",  
    "contact_type_description": "CELL",  
    "first_date_created": "2018-07-15",  
    "last_date_updated": "2018-07-16",  
    "number_of_sources": 1,  
    "contact_sources": [  
      {  
        "subscriber_code": "239",  
        "subscriber_name": "NEW WORLD ORDER",  
        "first_date_created": "2018-07-15",  
        "last_date_updated": "2018-07-16"  
      }  
    ]  
  },  
  {  
    "contact_number": "123191001",  
    "area_code": "012",  
    "country_code": "27",  
    "contact_type": "W",  
    "contact_type_description": "WORK",  
    "first_date_created": "2016-02-09",  
    "last_date_updated": "2016-03-24",  
    "number_of_sources": 1,  
    "contact_sources": [  
      {  
        "subscriber_code": "1345",  
        "subscriber_name": "THE UNLIMITED WORLD",  
        "first_date_created": "2014-02-28",  
        "last_date_updated": "2014-08-31"  
      }  
    ]  
  }  
],  
"safps_data": [  
  {  
    "subject_number": 2,  
    "category_number": 10,
```



```
        "category_description": "BUSINESS FRAUD/PERSON UNKNOWN",
        "sub_category_number": 5,
        "sub_category_description": "ADVANCE FEE FRAUD",
        "subject": "KOOS VAN DER MERWE",
        "id_number": "7204155999189",
        "passport": null,
        "incident_date": "2010-11-10",
        "victim": "Y"
    },
    {
        "subject_number": 2,
        "category_number": 10,
        "category_description": "BUSINESS FRAUD/PERSON UNKNOWN",
        "sub_category_number": 5,
        "sub_category_description": "THEFT (PERSONA UNKNOWN)",
        "subject": "KOOS VAN DER MERWE",
        "id_number": "7204155999189",
        "passport": null,
        "incident_date": "2010-11-10",
        "victim": "Y"
    }
],
"email_data": [
    {
        "email": "BOY.MTSWENI@DPW.GOV.ZA",
        "ranking_code": "4",
        "ranking_description": "BAD"
    }
],
"deeds_data": {
    "property_data": [
        {
            "erf_no": "519",
            "property_type_code": 3,
            "property_type": "FREE HOLDING",
            "township": "HIGHTS",
            "portion": 0,
            "unit": 5,
            "sect_scheme_name": "MARINE TOWERS"
        },
        {
            "erf_no": "617",
```



```
        "property_type_code": 3,  
        "property_type": "FREE HOLDING",  
        "township": "BRACKENFELL",  
        "portion": 0,  
        "unit": 8,  
        "sect_scheme_name": "VILLA TEREZINA"  
    },  
],  
"prop_details_data": [  
    {  
        "erf_no": "519",  
        "registration_date": "2006-03-31",  
        "purchase_date": "2006-03-31",  
        "purchase_price": 150000,  
        "title_share": null,  
        "title_deed_no": "SY8637/2006"  
    },  
    {  
        "erf_no": "617",  
        "registration_date": "2010-04-25",  
        "purchase_date": "2010-04-25",  
        "purchase_price": 2000000,  
        "title_share": null,  
        "title_deed_no": "SR8625/2010"  
    }  
],  
"bond_details_data": [  
    {  
        "erf_no": "519",  
        "institution": "FNB",  
        "bond_amount": 131320,  
        "bond_number": "SY8637/2006",  
        "bond_registration_date": "2006-03-31",  
        "no_prop": 1  
    },  
    {  
        "erf_no": "617",  
        "institution": "ABSA",  
        "bond_amount": 2500000,  
        "bond_number": "SR8625/2010",  
        "bond_registration_date": "2010-04-25",  
        "no_prop": 1  
    }  
]
```




```
    }
  ],
},
"director_data": [
  {
    "ent_type_code": 8,
    "ent_type": "PRIVATE COMPANY (PTY) LTD",
    "company_reg_number": "1998/151746/08",
    "company_name": "WAYNE ENTERPRISES INC",
    "reg_date": "1998-11-03",
    "buss_strt_ate": "1998-11-03",
    "status_code": "03",
    "status_desc": "In Business",
    "status_date": "2018-12-12",
    "sic_code": 86,
    "sic_desc": "COMPUTER AND RELATED ACTIVITIES",
    "app_date": "2016-02-12",
    "member_type_code": 4,
    "member_type": "Director",
    "member_contribution": 4,
    "member_contribution_type": "4",
    "member_status_code": "A",
    "member_status_desc": "Active",
    "member_status_date": "2018-02-12",
    "member_size": 10,
    "tax_number": "4534999238"
  }
],
"judgements_data": [
  {
    "date_issued": "2018-01-10",
    "case_no": "29356/2014",
    "court_type_code": 1,
    "court_type": "MAGISTRATE COURT",
    "court_name": "BLOEMFONTEIN M",
    "court_province_code": 1,
    "court_province": "EASTERN CAPE ",
    "attorney": "MATSEPES INC",
    "j_type_code": 2,
    "j_type": "JUDGEMENT BY DEFAULT",
    "amount": 42743,
    "reason_code": 21,
```



```
        "reason": "OTHER",
        "plaintiff": "ABC Cash Loans"
    },
],
"notices_data": [
    {
        "date_issued": "2014-03-14",
        "case_no": "6095/2014",
        "court_type_code": 2,
        "court_type": "HIGH COURT",
        "court_name": "SOUTH GAUTENG HIGH COURT H",
        "court_province_code": 6,
        "court_province": "MPUMALANGA",
        "attorney": null,
        "n_type_code": 2,
        "n_type": "SEQUESTRATION",
        "amount": 0,
        "reason_code": 11,
        "reason": "SEQUESTRATION",
        "plaintiff": "EX PARTE"
    }
],
"pdf_data": "HelloImPDF"
}
```



8.1.3 REST JSON Output Example without Photo

```
"BureauResponse": {
  "ResponseStatus": "Success",
  "ErrorCode": "",
  "ErrorDescription": "",
  "ReturnData": {
    "EnquiryID": 3111230491929383000,
    "DateCreated": "2022-09-01 14:38:48:656",
    "SearchCriteriaData": {
      "IdentityNumber": "xxxxxxxxxxxxx",
      "IdentityType": "SID",
      "Forename": "John",
      "Surname": "Doe",
      "WantSources": "Y",
      "WantPDF": "N",
      "WantIDVService": "Y",
      "WantSearchCriteria": "Y",
      "WantAddresses": "Y",
      "WantContact": "Y",
      "WantEmployment": "Y",
      "WantSAFPS": "Y",
      "WantEMAIL": "Y",
      "WantDeeds": "Y",
      "WantDirectors": "Y",
      "WantJudgements": "Y",
      "WantNotices": "Y",
      "WantIDVPhoto": "Y"
    },
    "Stats": {
      "IDVPersonFound": "Y",
      "AddressCount": 0,
      "EmploymentCount": 0,
      "ContactCount": 0,
      "SafpsCount": 0,
      "EmailCount": 0,
      "DeedsPropertyCount": 0,
      "DeedsPropDetailsCount": 0,
      "DeedsBondCount": 0,
      "DirectorCount": 0,
      "JudgementsCount": 0,
      "NoticesCount": 0
    }
  }
},
```



```
"DefiniteMatchData": "",
"IDVData": {
  "TransNo": "851211d2-01b1-45bc-9aa7-181da858bf51",
  "IdentityNumber": "xxxxxxxxxxxx",
  "Name": "John",
  "Surname": "Doe",
  "SmartCardIssued": true,
  "DateOfIdIssued": "2018-04-18",
  "IdSeqNo": 1,
  "Deceased": false,
  "DateOfDeceased": "",
  "IdnBlocked": false,
  "MaritalStatus": "SINGLE",
  "DateOfMarriage": "2018-03-20",
  "OnHanis": true,
  "OnNpr": true,
  "BirthPlaceCountryCode": "ZAR",
  "Error": "",
  "Photo": "iVBORw0KGgoAAAANSUhEUgAAAlgAAAJYCAYAA...="
},
"AddressData": "",
"EmploymentData": "",
"ContactData": "",
"SafpsData": "",
"EmailData": "",
"DeedsData": {
  "PropertyData": "",
  "PropDetailsData": "",
  "BondDetailsData": ""
},
"DirectorData": "",
"JudgementsData": "",
"NoticesData": ""
}
}
}
```



8.1.3 Error Output Examples

XML

```
<BureauResponse>
  <ResponseStatus>Failure</ResponseStatus>
  <ErrorCode>IMS_606</ErrorCode>
  <ErrorDescription>Username or Password is incorrect for this Branch</ErrorDescription>
  <ReturnData xsi:nil="true" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"/>
</BureauResponse>
```

JSON

```
{
  "response_status": "Failure",
  "error_code": "KYC_104",
  "error_description": "Invalid version number supplied",
  "return_data": null
}
```



9. Country of Birth Codes for IDV

Code	Country
AFG	AFGHANISTAN
AGO	ANGOLA
AIA	ANGUILLA
ALB	ALBANIA
AND	ANDORRA
ANT	NETHERLANDS ANTILLES
ARE	UNITED ARAB EMIRATES
ARG	ARGENTINA
ARM	ARMENIA
ASM	AMERICAN SAMOA
ATA	ANTARCTICA
ATF	FRENCH SOUTHERN TERRITORIES
ATG	ANTIGUA AND BARBUDA
AUS	AUSTRALIA
AUT	AUSTRIA
AZE	AZERBAIJAN
BDI	BURUNDI
BEL	BELGIUM
BEN	BENIN
BFA	BURKINA FASO
BGD	BANGLADESH
BGR	BULGARIA
BHR	BAHRAIN
BHS	BAHAMAS



BIH	BOSNIA HERZEGOVINA
BLR	BELARUS
BLZ	BELIZE
BMU	BERMUDA
BOL	BOLIVIA
BRA	BRAZIL
BRB	BARBADOS
BRN	BRUNEI DARUSSALAM
BTN	BHUTAN
BVT	BOUVET ISLAND
BWA	BOTSWANA
CAF	CENTRAL AFRICAN REPUBLIC
CAN	CANADA
CCK	COCOS (KEELING) ISLANDS
CHE	SWITZERLAND
CHL	CHILE
CHN	CHINA
CIV	COTE D' IVOIRE
CMR	CAMEROON
COD	CONGO, DEMOCRATIC REPUBLIC OF (WAS ZAIRE)
COG	CONGO, PEOPLE'S REPUBLIC OF
COK	COOK ISLANDS
COL	COLOMBIA
COM	COMOROS
VPV	CABO VERDE (CAPE VERDE)
CRI	COSTA RICA



CUB	CUBA
CXR	CHRISTMAS ISLANDS
CYM	CAYMAN ISLANDS
CYP	CYPRUS
CZE	CZECH REPUBLIC
DEU	GERMANY
DJI	DJIBOUTI
DMA	DOMINICA
DNK	DENMARK
DOM	DOMINICAN REPUBLIC
DZA	ALGERIA
ECU	ECUADOR
EGY	EGYPT
ERI	ERITREA
ESH	WESTERN SAHARA
EST	ESTONIA
ETH	ETHIOPIA
FIN	FINLAND
FJI	FIJI
FLK	FALKLAND ISLANDS (MALVINAS)
FRA	FRANCE
FRO	FAROE ISLANDS
FSM	MICRONESIA, FEDERATED STATES OF
FXX	FRANCE METROPOLITAN
GAB	GABON
GBR	UNITED KINGDOM



GEO	GEORGIA
GHA	GHANA
GIB	GIBRALTAR
GIN	GUINEA
GLP	GUADELOUPE
GMB	GAMBIA
GNB	GUINEA-BISSAU
GNQ	EQUATORIAL GUINEA
GRC	GREECE
GRD	GRENADA
GRL	GREENLAND
GTM	GUATEMALA
GUF	FRENCH GUIANA
GUM	GUAM
GUY	GUYANA
HKG	HONG KONG
HMD	HEARD AND MC DONALD ISLANDS
HND	HONDURAS
HRV	CROATIA (LOCAL NAME HRVATSKA)
HTI	HAITI
HUN	HUNGARY
IDN	INDONESIA
IND	INDIA
IOT	BRITISH INDIAN OCEAN TERRITORY
IRL	IRELAND
IRN	IRAN (ISLAMIC REPUBLIC OF)



IRQ	IRAQ
ISL	ICELAND
ISR	ISRAEL
ITA	ITALY
JAM	JAMAICA
JOR	JORDAN
JPN	JAPAN
KAZ	KAZAKHSTAN
KHM	CAMBODIA
KIR	KIRIBATI
KNA	SAINT KITTS AND NEVIS
KOR	KOREA, REPUBLIC OF
KWT	KUWAIT
LAO	LAO PEOPLE'S DEMOCRATIC REPUBLIC
LBN	LEBANON
LBR	LIBERIA
LBY	LIBYAN ARAB JAMAHIRIYA
LCA	SAINT LUCIA
LIE	LIECHTENSTEIN
LKA	SRI LANKA
LSO	LESOTHO
LTU	LITHUANIA
LUX	LUXEMBOURG
LVA	LATVIA
MAC	MACAU
MAR	MOROCCO



MCO	MONACO
MDA	MOLDOVA, REPUBLIC OF
MDG	MADAGASCAR
MDV	MALDIVES
MEX	MEXICO
MHL	MARSHALL ISLANDS
MKD	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
MLI	MALI
MLT	MALTA
MMR	MYANMAR
MNG	MONGOLIA
MNP	NORTHERN MARIANA ISLANDS
MOZ	MOZAMBIQUE
MRT	MAURITANIA
MSR	MONTSERRAT
MTQ	MARTINIQUE
MUS	MAURITIUS
MWI	MALAWI
MYS	MALAYSIA
MYT	MAYOTTE
NAM	SOUTH WEST AFRICA
NAM	NAMIBIA
NCL	NEW CALEDONIA
NER	NIGER
NFK	NORFOLK ISLANDS
NGA	NIGERIA



NIC	NICARAGUA
NIU	NIUE
NLD	NETHERLANDS
NOR	NORWAY
NPL	NEPAL
NRU	NAURU
NZL	NEW ZEALAND
OMN	OMAN
PAK	PAKISTAN
PAN	PANAMA
PCN	PITCAIRN
PER	PERU
PHL	PHILIPPINES
PLW	PALAU
PNG	PAPUA NEW GUINEA
POL	POLAND
PRI	PUERTO RICO
PRK	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
PRT	PORTUGAL
PRY	PARAGUAY
PSE	STATE OF PALESTINE
PYF	FRENCH POLYNESIA
QAT	QATAR
REU	REUNION
ROU	ROMANIA
RUS	RUSSIAN FEDERATION



RWA	RWANDA
SAU	SAUDI ARABIA
SDN	SUDAN
SEN	SENEGAL
SGP	SINGAPORE
SGS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
SHN	ST HELENA
SJM	SVALBARD AND JAN MAYDEN ISLANDS
SLB	SOLOMON ISLANDS
SLE	SIERRA LEONE
SLV	EL SALVADOR
SMR	SAN MARINO
SOM	SOMALIA
SPM	ST. PIERRE AND MIQUELON
STP	SAO TOME AND PRINCIPE
SUR	SURINAME
SVK	SLOVAKIA (SLOVAK REPUBLIC)
SVN	SLOVENIA
SWE	SWEDEN
SWZ	SWAZILAND
SYC	SEYCHELLES
SYR	SYRIAN ARAB REPUBLIC
TCA	TURKS AND CAICOS ISLANDS
TCD	CHAD
TGO	TOGO
THA	THAILAND



TJK	TAJIKISTAN
TKL	TOKELAU
TKM	TURKMENISTAN
TLS	TIMOR-LESTE
TON	TONGA
TUN	TUNISIA
TUR	TURKEY
TUV	TUVALU
TWN	TAIWAN
TZA	TANZANIA, UNITED REPUBLIC OF
UGA	UGANDA
UKR	UKRAINE
UMI	UNITED STATES MINOR OUTLYING ISLANDS
URY	URUGUAY
USA	UNITED STATES MINOR OUTLYING ISLANDS
UZB	UZBEKISTAN
VAT	VATICAN CITY STATE (HOLY SEE)
VCT	SAINT VINCENT AND THE GRENADINES
VEN	VENEZUELA
VGB	VIRGIN ISLANDS (BRITISH)
VIR	VIRGIN ISLANDS (U.S)
VNM	VIET NAM
VUT	VANUATU
WLF	WALLIS AND FUTUNA ISLANDS
WSM	SAMOA
YEM	YEMEN



YUG	YUGOSLAVIA
ZAF	SOUTH AFRICA
ZMB	ZAMBIA
ZWE	ZIMBABWE
ESP	SPAIN
ABW	ARUBA
TTO	TRINIDAD AND TOBAGO
KEN	KENYA
KGZ	KYRGYZSTAN
ALA	ALAND ISLANDS
BES	BONAIRE, SINT EUSTATIUS AND SABA
CUW	CURACAO
GGY	GUERNSEY
IMN	ISLE OF MAN
JEY	JERSEY
MNE	MONTENEGRO
BLM	SAINT BARTHELEMY
MAF	SAINT MARTIN (FRENCH PART)
SXM	SAINT MAARTEN (DUTCH PART)
SRB	SERBIA
SSD	SOUTH SUDAN



10. IDV 3rd party successful results including errors inside response:

Note these errors are billable:

Code	Description
0	3rd party provided no error
2	Unavailable on HANIS
1056	3rd party invalid transaction date
10004	Invalid identity number not passed on HANIS
10008	3rd party Internal system error
10012	3rd party site ID not supplied
10014	3rd party authentication ID not supplied
10015	3rd party authentication ID length > 20
10016	3rd party Site - ID length > 20
10070	ID not registered on HANIS
10088	NPR not available, only photo is returned
500	IDNR is not currently a valid NPR IDNR
600	IDNR is marked for 'Deletion' on the NPR
800	IDNR is valid, but is not found on the NPR



11. Error Codes

Code	Description
Input Request Errors	
KYC_101	Not all variables filled in.
KYC_104	Invalid version number supplied
KYC_105	Origin Length exceeds 30 characters
KYC_106	Identity Number length exceeds 13 characters
KYC_107	Identity Type can only be SID or PASSPORT
KYC_108	Forename Length exceeds 35 characters
KYC_109	Surname length exceeds 35 characters
KYC_110	All KYC flags can only be Y or N
Process Errors	
IMS_606	Username or Password is incorrect for this Branch
IMS_608	Branch not switched on for the service
KYC_200	Malformed data or escape sequences use like /n /t /r
KYC_201	Invalid SA ID number supplied
KYC_202	WantIDVService flag must be set to Y for input criteria
KYC_203	WantSources flag must be set to Y for input criteria
KYC_204	Identity Type can only be SID when using WantIDVService
KYC_205	WantIDVService flag must be set to Y when using WantIDVPhoto
Critical Errors	
KYC_900 – KYC_999	Internal System Error (Error messages are mapped internally based on the error code)



12. Appendix 1: Base64

What is Base64: <http://en.wikipedia.org/wiki/Base64>

What is PK Zip: <http://en.wikipedia.org/wiki/PKZIP>

Why is Base64 used: This is to ensure that the data remain intact without modification during transport.

Decoding

This will typically be done with XML result files received.

1. Decode the result string via Base64
2. The decode value will be in a PK zip format.
3. To verify that the result is a valid zip file, read the first 2 bytes of the returning stream and ensure that you read the letters "P" and "K". When the length of the returning bytes is less than 5, it is an indication that an error code has been returned. More than 5 bytes indicates that a file has returned containing the requested results.
4. Extract the Zip contents to expose the resulting XML block or file.



Registered office address:
35 BallyClare Drive
Ballyoaks Office Park
Bryanston Ext 7
Johannesburg
www.experian.co.za