Regression + Assignment 1

(Neural Networks Implementation and Application Tutorial)

Vilém Zouhar, Noon Pokaratsiri Goldstein

17th November 2021

Overview

- Assignment 1
- Regression
- Assignment 2

Assignment 1

Organization

- Late submissions (>10mins) will not be accepted unless previously agreed upon
- Other questions?
- How long did it take?
- Tutor cue: go through the assignment
- Questions?
- Did it work?
- Were you able to collaborate?

• What is the difference between classification and regression? **



- What is the difference between classification and regression? ⁹
- What is regression in terms of functions? ⁽⁹⁾



- What is the difference between classification and regression?
- What is regression in terms of functions? ⁹
 - ▶ Any function $f: F \to \mathbb{R}$ (from joint feature space to numbers)

- What is the difference between classification and regression?

- What is regression in terms of functions? ⁹
 - ▶ Any function $f: F \to \mathbb{R}$ (from joint feature space to numbers)
- What is *linear* regression?

- What is the difference between classification and regression? ⁽²⁾
- What is regression in terms of functions? ⁽⁹⁾
 - ▶ Any function $f: F \to \mathbb{R}$ (from joint feature space to numbers)
- What is *linear* regression? ⁹
 - $\hat{y} = x^T \cdot \theta + C$ (parameters θ, C)

- What is the difference between classification and regression? ⁽²⁾
- What is regression in terms of functions? ⁽⁹⁾
 - ▶ Any function $f: F \to \mathbb{R}$ (from joint feature space to numbers)
- What is *linear* regression? ⁹
 - $\hat{y} = x^T \cdot \theta + C$ (parameters θ, C)

- What is the difference between classification and regression? ⁽⁹⁾
- What is regression in terms of functions?
 - ▶ Any function $f: F \to \mathbb{R}$ (from joint feature space to numbers)
- What is *linear* regression? ⁽²⁾
 - $\hat{y} = x^T \cdot \theta + C$ (parameters θ, C)

Which of the following are regression (and linear/polynomial) models? 91. 5

- **2** $4 \cdot x_1 + 5$
- $4 \cdot x_1 + 3 \cdot x_1 \cdot x_2 + 5$
- $\begin{cases}
 4 \cdot x_1 + 5 & \text{if } x_2 \ge 10 \\
 3 \cdot x_1 + 4 & \text{if } x_2 < 10
 \end{cases}$

Regression to Classification 👺 🤔



Assume that we have a function that outputs a score for every class, e.g. Predict sentiment into (positive, negative, neutral):

$$(15.0, -2.3, 4.1)$$

• How do we use this for classification?

Regression to Classification 🤔 🤔





Assume that we have a function that outputs a score for every class, e.g. Predict sentiment into (positive, negative, neutral):

$$(15.0, -2.3, 4.1)$$

- How do we use this for classification?
 - Argmax

Regression to Classification 👺 👺



Assume that we have a function that outputs a score for every class, e.g. Predict sentiment into (positive, negative, neutral):

$$(15.0, -2.3, 4.1)$$

- How do we use this for classification?
 - Argmax
- Can we get a probability distribution?

Regression to Classification 🤔 🤔



Assume that we have a function that outputs a score for every class, e.g. Predict sentiment into (positive, negative, neutral):

$$(15.0, -2.3, 4.1)$$

- How do we use this for classification?
 - Argmax
- Can we get a probability distribution?
 - Softmax: $\frac{\exp x_i}{\sum_{i} \exp x_k}$

Assignment 2

• Any questions?

Resources

TODO