

Road Planning for Slums via Deep Reinforcement Learning

Yu Zheng*, Hongyuan Su*, Jingtao Ding, Depeng Jin, Yong Li
Tsinghua University
Beijing, China

ABSTRACT

Millions of slum dwellers suffer from poor accessibility to urban services due to inadequate road infrastructure within slums, and road planning for slums is critical to the sustainable development of cities. Existing re-blocking or heuristic methods are either time-consuming which cannot generalize to different slums, or yield sub-optimal road plans in terms of accessibility and construction costs. In this paper, we present a deep reinforcement learning based approach to automatically layout roads for slums. We propose a generic graph model to capture the topological structure of a slum, and devise a novel graph neural network to select locations for the planned roads. Through masked policy optimization, our model can generate road plans that connect places in a slum at minimal construction costs. Extensive experiments on real-world slums in different countries verify the effectiveness of our model, which can significantly improve accessibility by 14.3% against existing baseline methods. Further investigations on transferring across different tasks demonstrate that our model can master road planning skills in simple scenarios and adapt them to much more complicated ones, indicating the potential of applying our model in real-world slum upgrading.

1 INTRODUCTION

With rapid urbanization, currently about 4 billion people around the world live in cities, while 1 billion of them live in over 200,000 slums [54, 67]. The vast majority of slums suffer from poor accessibility, with internal places not connected to external road systems, and many places not even having addresses [11, 25]. Besides being unreachable by motor vehicles, urban services depending on road systems, such as piped services of water and sanitation buried under roads, cannot be delivered to places in slums, which leads to severe problems in public health, urban environment, etc [54]. To tackle these problems, local upgrading of slums has become the primary approach for the sustainable development of cities, rather than moving all the people to cities, due to the massive number of slum dwellers and the socio-economic costs [4, 25, 47, 66]. Particularly, improving the accessibility by planning roads plays an essential role in slum upgrading [9, 55].

Different from city-level road planning which grows a road network from the top down and arranges land functionalities accordingly [16], road planning for slums is a bottom-up process in which existing houses determine the possible forms of the road network [55]. Therefore, current city-level approaches cannot handle the *micro-level* road planning within a slum. Meanwhile, road planning for slums is challenging due to its large solution space. Take a moderate-size slum as an example, the solution space of planning 40 road segments from 80 candidate locations surpasses 10^{23} , which is too large for exhaustive enumeration. In practical

slum upgrading, re-blocking [25, 41] strategy is adopted. It involves negotiations with multiple stakeholders and usually takes a long time for a specific case, thus it can not generalize globally to different slums. Given the enormous number of slums, it is necessary to develop a computational method that can automatically accomplish road plans with superior connectivity at minimal construction costs [9, 55]. Such a model can significantly benefit slum upgrading and eventually help achieve *cities without slums* [8, 9, 25, 66].

One pioneering work by Breelsford *et al.* [9] formulates road planning for slums as a constrained optimization problem, and proposes a heuristic search method to generate road plans. It makes this problem computationally solvable and has been adopted for slums in South Africa and India. Although the heuristic can be applied to different slums, we empirically show that the quality of the obtained plans is not guaranteed, with the accessibility and construction costs far from optimal. Fortunately, with the rapid development of artificial intelligence (AI), it is promising to leverage AI to solve the problem of road planning for slums. First, data-driven parametric models have strong generalization ability, which can adapt to different scenarios [30, 64, 71]. In addition, AI models, especially deep reinforcement learning (DRL) algorithms, are good at searching in a large action space to optimize various objectives. The action space can be effectively eliminated by predicting rewards with a value network and sampling actions via a policy network [24, 34, 42, 52]. Particularly, DRL has been deployed in similar planning tasks, such as solving the vehicle routing problem [13, 45, 74] and designing circuit chips [3, 40, 48].

Inspired by the success of DRL, we propose a DRL-based method to solve this significant real-world problem, road planning for slums. Since slums are diverse in the original geometric space, e.g., existing houses and paths can be in various irregular shapes, we propose a generic graph model to describe a slum, solving the problem from topology instead of geometry. The topology invariance of the graph model makes our method capable of generalizing to different slums of arbitrary forms. We further develop a policy network to select road locations and a value network to predict the performance of road planning based on a novel graph neural network (GNN), overcoming the difficulty of efficient search in the huge action space. We design a topology-aware message passing mechanism for GNN, which first gathers various topological information to edges from nodes, faces, and edges themselves, then broadcasts edge embeddings back to learn effective representations of roads and places in the slum. Furthermore, we develop a masked policy optimization method and connectivity-priority reward functions to optimize various objectives, including accessibility, travel distance, and construction costs. We conduct experiments on real-world slums to verify the effectiveness of our proposed model.

To summarize, the contributions of this paper are as follows,

- We formulate road planning for slums as a sequential decision-making problem, and propose a DRL-based solution.

*Both authors contributed equally to this research.




Figure 1: (a) A slum in Harare, ZWE. Internal places in the slum are not connected to the external road system, making urban services inaccessible to slum dwellers. (b) Geometric description of the slum. Red polygons are places disconnected to roads, and internal segments (green and red) are candidate locations for new roads. Best viewed in color.

- We develop a novel GNN and a multi-objective optimization method based on a generic graph model for slums. The proposed model can learn effective representations of places and roads in a slum, which enables superior road planning policy.
- We conduct extensive experiments on slums in different countries, and the results demonstrate the advantage of our proposed method against baseline methods. Our model can generate road plans with both higher accessibility and lower construction costs. Moreover, we also show the transferability of our model from small slums to large slums, indicating the potential of applying our method in real-world slum upgrading.

2 PROBLEM STATEMENT

From the perspective of connectivity, a slum can be decomposed into two categories of elements, *places* and *roads* [9]. Specifically, places are the houses and internal facilities of the slum, and roads are the street system that connects various external urban services. In most slums, a large fraction of places are disconnected from roads, as shown in Figure 1. Such poor connectivity makes basic urban services inaccessible, e.g., ambulances and fire fighting trucks cannot reach the disconnected places during emergencies; water and sanitation pipes buried under roads cannot be provided. Therefore, it is crucial to upgrade slums by planning more roads. To deliver basic urban services, a minimal road network needs to make all places directly adjacent to roads, which is called universal connectivity [9]. Besides the minimally necessary accesses, more roads are expected to promote internal transportation and reduce travel distance for slum dwellers. To minimize disruption to the slums, new roads are not allowed to pass through the middle of places, thus the candidate locations are restricted to the spacing between places. It is worth noting that each planned road segment also has a corresponding construction cost.

As illustrated in Figure 1(b), to describe the problem in geometric terms, a slum is a two-dimensional planar surface U whose exterior boundaries E are existing roads. The surface is filled by a tessellation of faces (polygons) P , where each polygon p_i is a place in the slum¹. Polygon boundaries in the interior of the surface represent the spacing between places, which form a collection of segments S

¹A planar surface is a graph which can be drawn in the plane without any edges crossing. When a planar graph is drawn with no crossing edges, it divides the plane into a set of regions, called faces.




Figure 2: Schematic of our approach. At each step, the agent receives states and rewards from the environment and outputs the road locations for the slum. Best viewed in color.

and serve as the candidate locations for new roads. Road planning is to select a subset of these segments for construction as roads. Therefore, it can be formulated as follows:

Input: A planar surface U with exterior boundaries E for the slum, a collection of polygons P for places in the slum, a collection of segments S with their corresponding cost C for road construction, and the road planning budget K .

Output: A subset R of size K from S for construction as roads.

Objective: (1) Connecting all polygons in P to the road system $E \cup R$. (2) Minimizing the travel distance between any pair of polygons p_i and p_j over the road network $E \cup R$. (3) Minimizing the overall construction cost for the road plan $\sum_{i \in R} C_i$.

3 METHOD

3.1 Overall Framework

We formulate the road planning for slums as a sequential decision-making problem (see Section A.1 of the appendix for specific definitions of the Markov Decision Process (MDP)). As illustrated in Figure 3a, given the planning budget, which is the total number of road segments, a road plan is accomplished through a sequence of location selection decisions, where at each step of the sequence, one new road segment is planned at a specific location. The goal of the sequential decision-making problem is to improve the connectivity and accessibility of the slum at minimal costs.

As shown in Figure 2, we develop an agent with a policy network and a value network to take actions and predict returns, respectively, and a shared GNN model as the state encoder. To address the challenge of geometrical diversity, we tackle road planning for slums at the level of topology instead of geometry with a generic graph model (Section 3.2). We then propose a novel GNN model to achieve a decent location selection policy on the graph (Section 3.3). In order to overcome the difficulty of multi-objective optimization in road planning, we further develop a masked policy optimization method with connectivity-priority reward functions (Section 3.4).

3.2 Graph Model

It is challenging to plan roads directly at the geometric level, since slums are very diverse in the original geometric space, e.g., the polygons of places can be in various irregular shapes, and the segments can intersect at almost any angle. In addition, the spatial relationship between different geometries is more important for road planning than the specific shapes of geometries. In contrast




Figure 3: (a) Road planning for slums as a sequential decision-making problem, where one single road segment is planned at each step. In stage I, the agent plan roads (blue) to achieve universal connectivity, i.e., all disconnected places are connected to the road system. In stage II, the agent add road segments (orange) to reduce travel distance. (b) The proposed GNN model. We design rich features for nodes, edges and faces. Topology-aware message passing is proposed, which contains Node2Edge Propagation (N2E), Face2Edge Propagation (F2E), Edge Self-Propagation (E2E) and Edge Embedding Broadcast (EEB). Finally, a edge-ranking policy network is developed to sample actions of edge selection. Best viewed in color.

to the diverse geometries, there exists certain invariance in the topology of places and roads in cities [9, 70], which can support the uniform modeling of different slums. Therefore, we solve the road planning problem from the topological viewpoint instead of the geometric one. Specifically, we construct a planar graph to represent a slum with the contained places and roads, transforming the geometries into elements on the graph, such as nodes, edges, and faces. In this way, we develop a generic graph model which can handle slums of arbitrary geometric forms at different scales with the same logic, solving the challenge of geometrical diversity.

The planar graph is constructed based on the original geometrical descriptions of the slum, including the surface, polygons, and segments. As shown in Figure 4(a), vertices and boundary segments of polygons become nodes and edges on the graph, respectively. Meanwhile, the original polygons naturally become faces surrounded by edges on the planar graph, where each face in the graph represents a place which is usually a house in the slum. Each edge has a *road* attribute indicating whether it is a road segment or not, and a road segment can be either an existing external road or a planned new road. Moreover, we preprocess the transformed planar graph of the slum to remove redundant information, as illustrated in Figure 4(b-c). First, we merge multiple nodes/edges within a threshold distance as one node/edge, since they are supposed to share the same accessibility in the real space. We then delete nodes with degree 2 and merge the corresponding two edges (construction costs are added) to simplify the graph, which have no influence on road planning. Finally, we normalize the length of edges and align the coordinates, in order to support slums in different scales.




Figure 4: (a) The constructed graph transformed from the original geometrical descriptions of the slum. Faces are polygons (places). Nodes are vertices of polygons. Edges are polygon boundary segments. (b) We simplify the graph by merging nearby edges (top) and nodes (middle) within certain threshold, and removing nodes with degree 2 (bottom). (c) The graph after preprocessing. Road planning solutions on the simplified graph can be easily mapped back to the original graph. Best viewed in color.

With the above generic graph model, road planning for slums is transformed into a sequential decision-making problem on a dynamic graph. Specifically, states are the information of the current graph, and actions for a road planning policy are edge selections on the graph. The graph also transits accordingly, i.e., the *road* attribute of the selected edge changes from *False* to *True*, which in turn leads to subsequent changes in accessibility and travel distance of the slum. For example, with the newly planned road, some faces (places) are connected to the road system, and the travel distance between several faces is reduced. These changes are also reflected in the reward, which can be directly computed from the graph itself.

Table 1: Designed features for topological elements.

Topology	Feature	Dimension	Type
Node	Coordinates	2	Static
	Centrality	4	Static
	On Road	1	Dynamic
	Road Ratio	1	Dynamic
	Avg N2N Dis	1	Dynamic
Edge	Cost	1	Static
	Road	1	Dynamic
	Straightness	1	Dynamic
Face	Connected	1	Dynamic
	Avg F2F Dis	1	Dynamic
	F2E Dis	1	Dynamic

3.3 Planning with Graph Neural Networks

With the generic graph model of slums, we now introduce our proposed GNN model which performs road planning on the dynamic graph. As the task is to select edges, a policy needs to decide the probability of choosing different edges at each step. Since the topological information is critical to the effect of road planning, when computing the selection probability of each edge, it is necessary to consider its neighbors and even the whole graph, such as the travel distance of its neighboring faces. Thus, we adopt GNN in our policy because of its strong ability to extract topological information and fuse neighborhood features. As shown in Figure 2, we develop a GNN state encoder, which plays a fundamental role in the road planning agent. The learned representations from GNN are shared between the policy network and the value network, serving as the basis for policy making and return prediction.

Slums exhibit complicated topological structure which can not be well captured by existing GNN models (see discussions in Section A.2 of the appendix). To address the challenge of complex topology in road planning, we propose a novel GNN model which takes nodes, edges and faces into consideration. Figure 3b demonstrates our proposed road planning policy based on GNN. We first design rich features regarding accessibility, travel distance, and construction costs as the input of GNN. We then design a topology-aware message passing mechanism to learn effective representations of topological elements on the graph. Finally, we utilize an edge-ranking policy network to score edges based on the learned edge embeddings, supporting edge selection on the graph.

Input Features for Topological Elements. Topological features reflect the current state of road planning, serving as the original input for GNN to learn representations of topological elements. As illustrated in Table 1, we incorporate rich information about road planning into the designed features for nodes, edges, and faces. Specifically, there are static features that do not change with the actions of the agent, such as the coordinates and construction cost, while most of the features are dynamic and alter according to actions at each step. These meaningful features describe the current accessibility and travel distance of various places in the slum, which helps to decide which edges to plan as road segments. For example, *Connected* means whether a face is connected to the road system, thus building a road to an unconnected face can significantly improve the accessibility of the corresponding place to external urban

services. Similarly, *Straightness* is the ratio of road network distance to the Euclidean distance of an edge, which directly indicates the travel distance between two places, and therefore selecting edges with high *Straightness* can substantially reduce long detours in the slum. These features support effective representation learning and subsequent decision-making, and details of all the designed topological features are introduced in Section A.3 of the appendix.

Topology-aware Message Passing. Since the policy selects edges on the graph to plan roads, we propose an edge-centric GNN to learn representations. We first encode the input topological features to dense embeddings with separate weight matrices as follows,

$$n_i^{(0)} = W_n^{(0)} A_{ni}, \quad e_{ij}^{(0)} = W_e^{(0)} A_{e_{ij}}, \quad f_i^{(0)} = W_f^{(0)} A_{fi}, \quad (1)$$

where A_{ni} , $A_{e_{ij}}$ and A_{fi} are input attributes for nodes, edges and faces, W_n , W_e and W_f are learnable embedding matrices.

To address the challenge of complex topological elements, we design a topology-aware message passing mechanism, which first *pulls* information from diverse topological elements into edges through *node-to-edge propagation*, *face-to-edge propagation*, and *edge self-propagation*, and then *pushes* aggregated topological information back through *edge embedding broadcast*, as shown in Figure 3b. The edge embeddings are obtained as follows.

Node2Edge Propagation. For each edge, we take the embeddings of its two connected nodes and propagate them through a linear transformation layer and a non-linear activation layer. The node-to-edge message is computed as follows,

$$e_{ij,n \rightarrow e}^{(l+1)} = \tanh(W_{n \rightarrow e}^{(l+1)} (n_i^{(l)} \| n_j^{(l)})), \quad (2)$$

where $\|$ means concatenation, and $W_{n \rightarrow e}$ is a transformation layer.

Face2Edge Propagation. For each edge, we propagate the embeddings of its adjacent faces, and the face-to-edge message is computed as follows,

$$e_{ij,f \rightarrow e}^{(l+1)} = \tanh\left(\frac{1}{N_{ij}^f} \sum_{k \in F_{ij}} W_{f \rightarrow e}^{(l+1)} f_k^{(0)}\right), \quad (3)$$

where N_{ij}^f is the number of elements in F_{ij} , the set of adjacent faces for edge e_{ij} , and $W_{f \rightarrow e}$ is a linear transformation layer.

Edge Self-Propagation. Since each edge has its own attributes, we further include the propagation message from the edge itself, which is computed as follows,

$$e_{ij,e \rightarrow e}^{(l+1)} = \tanh(W_{e \rightarrow e}^{(l+1)} e_{ij}^{(0)}), \quad (4)$$

where a linear transformation matrix $W_{e \rightarrow e}$ is adopted.

The edge embedding is obtained by integrating the above three propagated messages as follows,

$$e_{ij}^{(l+1)} = \tanh(W_e^{(l+1)} (e_{ij,n \rightarrow e}^{(l+1)} \| e_{ij,f \rightarrow e}^{(l+1)} \| e_{ij,e \rightarrow e}^{(l+1)})), \quad (5)$$

where the three messages are concatenated and transformed with a linear layer $W_e^{(l+1)}$.

Edge Embedding Broadcast. We then *push* the edge embeddings back to nodes to update their embeddings as follows,

$$n_{i,e \rightarrow n}^{(l+1)} = \frac{1}{N_i} \sum_{j \in N_i} e_{ij}^{(l+1)}, \quad (6)$$

$$n_i^{(l+1)} = n_i^{(l)} + n_{i,e \rightarrow n}^{(l+1)}, \quad (7)$$

where for each node, we average the embeddings of its connected edges and add it to the node embedding.

By stacking multiple layers of the above topology-aware message passing, each node or edge can exchange information with neighbors on the graph. We use the obtained embeddings at the last layer, $e_{ij}^{(L)}$ and $n_i^{(L)}$, as the final representations, where L is a hyper-parameter in our model. Through topology-aware message passing, the obtained edge representations can well capture the information about accessibility, travel distance, and construction costs of places and roads from its neighbors, which can effectively support the road planning policy.

Edge-ranking Policy Network. The policy must generate the probability of selecting different edges at each step. Therefore, we develop an edge-ranking policy network to score each edge, based on the obtained edge embeddings from GNN. The score is calculated with a multi-layer perceptron (MLP) as follows,

$$s_{ij} = \text{MLP}_p(e_{ij}^{(L)}). \quad (8)$$

The action of edge selection is sampled from a probability distribution over different edges according to their corresponding scores s_{ij} estimated by the policy network. Since the obtained edge embeddings contain rich topological information, the road planning action made by the policy network takes into account the accessibility, travel distance, and construction cost of the slum.

3.4 Multi-objective Policy Optimization

Among the three objectives, accessibility, *i.e.*, achieving universal connectivity for all places in the slum, is crucial for residents in the slum to access basic urban services, which is the primary target of road planning. Therefore, it is necessary to prioritize connectivity when optimizing the policy, and further reduce travel distance after universal connectivity is achieved. Meanwhile, for both connectivity and travel distance, it is desirable to optimize them at minimal construction cost. Towards this end, we propose a masked policy optimization method and connectivity-priority reward functions with two stages, as shown in Figure 3a. The optimization method encourages the policy to achieve universal connectivity in stage I, then reduce travel distance in stage II, preferring low construction cost in the whole process.

Stage I. The goal of this stage is to achieve universal connectivity as quickly as possible, making all places in the slum connected to the road system and accessible to urban services. Therefore, each new planned road segment is expected to connect more faces (places) that are not yet connected to any road segments. Meanwhile, since road planning is a gradual extension of the existing road system, a new road segment can not be created as a separate component without touching the already planned roads. We thus design an action mask to indicate feasible actions in this stage for the policy network, and the mask value of each edge is calculated as follows,

$$m_{ij} = \mathbb{1}[\text{On_Road}(n_i)] \wedge \mathbb{1}\left[\sum_{f \in F_{n_j}} (1 - \text{Connected}(f)) \geq 1\right], \quad (9)$$

where F_{n_j} represents all the faces that contain the node n_j . In other words, the action mask requires the selected edge to start from a *road node* and connect at least one *unconnected face*. The mask value




Figure 5: (a) In stage I, the planned roads (blue segments) connect all disconnected places. However, many places, even nearby places, still suffer from high travel distance. In this example, place A and B are next to each other, while it requires a long detour (green path) between them by vehicle. (b) In stage II, roads are planned (orange segments) to reduce travel distance. Now the trip from place A to B (green path) is much shorter. Best viewed in color.

is multiplied over the obtained scores from the policy network in (8), which serves as the selection probability of different edges,

$$\text{Prob}(e_{ij}) = \frac{e^{s_{ij}}}{\sum_{(u,v) \in \mathcal{E}} e^{s_{uv}}} * m_{ij}, \quad (10)$$

where \mathcal{E} denotes all the edges on the graph. With the action mask, only those edges that start from existing roads and connect disconnected faces will be considered by the policy.

Besides the action mask, we also design a corresponding reward function in this stage, which is a weighted sum of the number of newly connected faces and the construction cost of the planned road. Given the action a_k at the k -th step selecting the edge e_{ij} , the reward is calculated as follows,

$$r_k = \alpha_1 \sum_{f \in F_{n_j}} (1 - \text{Connected}(f)) + \alpha_2 C_{e_{ij}}, \quad (11)$$

where $C_{e_{ij}}$ is the construction cost of the road segment specified by e_{ij} , and α_1 and α_2 are hyper-parameters in our model.

Stage II. As shown in Figure 5(a), after the slum becomes universally connected in stage I, the generated road network looks like a tree with many dead-ends, which is undesirable in reality [2, 5]. Meanwhile, the traffic between some places is still poor and requires long detours, even for some nearby places. Therefore, stage II aims to add more roads to reduce travel distance within the slum, as shown in Figure 5(b). We still require the planned road segments to start from existing *road nodes*, and the mask value of different edges are calculated as follows,

$$m_{ij} = \mathbb{1}[\text{On_Road}(n_i)]. \quad (12)$$

The action probability is obtained in the same way as (10).

For the reward function given action a_k selecting edge e_{ij} , we compute the pairwise travel distance reduction of the slum, and combine it with construction cost,

$$D(k) = \frac{|F|(|F| - 1)}{2} \sum_{u=1}^{|F|-1} \sum_{v=u+1}^{|F|} d(f_u, f_v; k), \quad (13)$$

$$r_k = \alpha_1(D(k) - D(k+1)) + \alpha_2 C_{e_{ij}}, \quad (14)$$

where $d(f_u, f_v; k)$ denotes the travel distance between two faces, f_u and f_v , over the road network at the k -th step.

581 **Table 2: Basic information of experimented slums. D.R.**
 582 means the ratio of disconnected places.

583 Location	584 Place	585 Segment	586 D.R.	587 Solution
588 Harare, ZWE	589 32	590 85	591 37.5%	592 4×10^{20}
Cape Town, ZAF	34	91	44.1%	6×10^{25}
Cape Town, ZAF	59	164	59.3%	5×10^{47}
Mumbai, IND	92	208	58.7%	1×10^{60}

590 With the designed action mask and reward functions, the policy
 591 is guided to connect unconnected faces and reduce travel distance
 592 with low construction costs in the two stages, respectively.

593 **Value Network and Optimization.** Besides the policy network,
 594 we follow the actor-critic manner [34] and develop a value network
 595 to predict the effect of road planning. Since places and roads are
 596 captured with a graph, we compute graph-level representations
 597 to summarize the current state of the whole slum. Specifically, we
 598 take the average of all the node embeddings and edges embeddings,
 599 and also include a one-hot encoding of the stage as follows,

$$602 n_{avg} = \frac{1}{|\mathcal{N}|} \sum_{i=1}^{|\mathcal{N}|} n_i^{(L)}, e_{avg} = \frac{1}{|\mathcal{E}|} \sum_{(i,j) \in \mathcal{E}} e_{ij}^{(L)}, \quad (15)$$

$$605 h_g = n_{avg} \| e_{avg} \| \text{one-hot}(stage), \quad (16)$$

606 where \mathcal{N} and \mathcal{E} are the sets of nodes and edges, and h_g is the graph
 607 representation. We utilize an MLP model to predict the return,

$$609 \hat{r} = \text{MLP}_v(h_g). \quad (17)$$

610 Finally, we adopt Proximal Policy Optimization (PPO) [50] to update
 611 the parameters of the policy network and value network, which
 612 encourages the agent to conduct safe and efficient exploration in the
 613 action space. Details of model training and inference are introduced
 614 in Section A.4 of the appendix.

616 4 EXPERIMENTS

617 4.1 Experiment Settings

618 **Slum Data.** We conduct experiments on slums of different scales
 619 from different countries with publicly released data [9]. Table 2
 620 shows the basic information of these slums, where we list the
 621 number of places and segments, as well as the size of the solution
 622 space. Notably, all the slums suffer from poor accessibility, with
 623 over 40% of places disconnected from road systems. More details of
 624 the data are introduced in Section B of the appendix.

626 **Baselines.** We compare our model with the following methods.

- 627 • **Random.** This method selects road segments randomly.
- 628 • **Greedy.** This method selects new road segments greedily according
 629 to accessibility (Greedy-A) and construction cost (Greedy-C).
- 630 • **Masked.** We add our proposed action mask to Random and
 631 Greedy baselines. Masked baselines select road segments that
 632 are True in the mask randomly (greedily).
- 633 • **Minimum Spanning Tree (MST).** A graph is built where nodes
 634 represent slums, edges represent road segments and edge weights
 635 represent road construction costs. We use Kruskal’s algorithm [35]
 636 to grow a minimum spanning tree.

639 • **Genetic Algorithm (GA)** [21]. This type of method is widely
 640 adopted in road planning. We include a generative version (GA-G)
 641 that adopts a linear layer as genes and builds one road at
 642 one step by multiplying edge features with a linear layer as
 643 sampling probability. We also include a swap version (GA-S)
 644 that directly uses the selection of road segments as genes and
 645 performs swapping between different solutions at each step.

646 • **Heuristic Search (HS-MC)** [9]. This recently proposed method
 647 formulates road planning for slums as a constrained optimization
 648 problem. It samples paths from external boundary roads to
 649 unconnected places using the Monte Carlo techniques [6].

650 • **DRL-MLP.** We implement a simplified DRL model by replacing
 651 the proposed GNN with an MLP, thus it ignores topological
 652 information when planning roads.

653 It is worthwhile to notice that Greedy-A, MST, GA, HS-MC and our
 654 DRL models are all with action masks themselves. We also include
 655 two generative models [15, 31], based on Generative Adversarial
 656 Networks (GAN) [23] and Variational Auto-Encoder (VAE) [32],
 657 though manual adjustments are required for these methods. Details
 658 of all the baselines are introduced in Section C.1 of the appendix.

659 **Evaluation Metrics.** As introduced in Section 2, we evaluate a
 660 road plan concerning accessibility, travel distance, and construction
 661 cost. The specific definitions are as follows,

- 663 • For accessibility, it is desired to achieve universal connectivity as
 664 early as possible, thus we calculate the number of road segments
 665 (NR) consumed to achieve universal connectivity.
- 666 • For travel distance, we compute the average distance (AD) be-
 667 tween any pair of places in the slum over the road network.
- 668 • We define the construction cost of each road segment as its length,
 669 and calculate the sum of costs (SC) of all planned roads.

670 It is worth noting that all the metrics are *the lower the better*.

671 **Model Implementation.** We implement the proposed model with
 672 PyTorch [46], and all the codes and data to reproduce the results in
 673 this paper are released at [https://github.com/tsinghua-fib-lab/road-](https://github.com/tsinghua-fib-lab/road-planning-for-slums)
 674 [planning-for-slums](https://github.com/tsinghua-fib-lab/road-planning-for-slums). We implement the greedy and GA baselines
 675 and integrate them into our framework. For the heuristic search
 676 baseline, we use the codes released in [9]. We carefully tune the
 677 hyper-parameters of our model, including learning rate, regu lar-
 678 ization, etc. For each road planning task, we collect millions of
 679 samples and train our model on a single server with an Nvidia
 680 GeForce 2080Ti GPU, which usually takes about 2 hours. A full list
 681 of hyper-parameters is provided in Section C.2 of the appendix.

683 4.2 Performance Comparison

684 We set the planning budget (episode length) as 50% of the number
 685 of candidate segments. Results of our model and baselines are illus-
 686 trated in Table 3, where we also include a reference model (*Build*
 687 *All Roads*) that sets 100% of candidate segments as roads. NR is not
 688 applicable to GA-S since it is not a generative method. From the
 689 results, we have the following observations,

- 691 • **Random and greedy algorithms are ineffective for road**
 692 **planning.** Randomly choosing locations fails to achieve univer-
 693 sal connectivity in all slums except for the smallest one. Greedy-C
 694 achieves the lowest construction cost for all four slums, while it
 695 fails to achieve universal connectivity in the two largest slums.

Table 3: Road planning performance comparison. Lower is better. F and INF means failing to achieve universal connectivity.

Method	Harare, ZWE			Cape Town, ZAF (A)			Cape Town, ZAF (B)			Mumbai, IND		
	NR	AD	SC	NR	AD	SC	NR	AD	SC	NR	AD	SC
Random	29	1.06	6.30	F	INF	10.83	F	INF	20.76	F	INF	26.05
Random (masked)	10	1.00	6.13	14	1.62	10.37	54	2.77	19.95	42	2.50	24.92
Greedy-A (masked)*	8*	0.63	5.04	13*	1.12	10.42	28*	1.66	18.91	29*	1.77	25.42
Greedy-C*	20	0.84	3.85*	35	1.83	7.03*	F	INF	14.10*	F	INF	19.45*
Greedy-C (masked)*	11	0.84	3.85*	14	1.81	7.23*	35	2.22	14.29*	45	2.81	19.28*
GAN (manually adjusted)	-	0.70	5.71	-	1.33	9.52	-	2.05	17.72	-	1.72	24.34
VAE (manually adjusted)	-	0.71	5.14	-	1.31	10.70	-	2.06	17.58	-	1.68	23.84
MST (masked)	11	0.59	5.57	14	1.17	8.75	35	1.54	17.16	45	1.63	22.92
GA-G (masked)	11	0.58	4.60	14	1.14	8.72	34	1.99	18.95	42	1.87	24.26
GA-S (masked)	-	0.58	5.25	-	1.21	8.44	-	1.89	17.72	-	1.88	23.22
HS-MC (masked)	13	0.62	5.31	16	1.09	9.09	37	1.55	16.98	43	1.61	23.00
DRL-MLP (ours, masked)	11	0.52	4.38	14	0.96	8.28	32	1.57	15.66	31	1.52	22.93
DRL-GNN (ours, masked)	9	0.50	4.60	13	0.93	8.24	31	1.51	15.62	29	1.51	22.82
impr% v.s. HS-MC	-25.0%	-19.4%	-17.5%	-18.8%	-14.7%	9.8%	-16.2%	-2.6%	-8.0%	-32.6%	-6.21%	-0.8%
Build All Roads	-	0.47	11.50	-	0.80	19.82	-	1.21	37.55	-	1.36	49.25

* Although they are equal to or even smaller than the **bolded** numbers, these methods exhibit imbalanced results with much worse performance on the other two metrics. Thus, the **bolded** and underlined numbers are assigned to **the lowest** and the second lowest values, *excluding greedy methods*.

Adding action masks can help these methods to achieve universal connectivity, however, the travel distance is still the worst. Similarly, Greedy-A is the earliest to achieve universal connectivity, however, the construction cost is the worst, and the travel distance is also much worse than other methods. Thus we do not consider these trivial methods in the following comparisons.

- **Generative models are not suitable to road planning for slums.** As stated in Section C.1 of the appendix, to obtain road plans for slums with the two generative models [15, 31], much of the work has to be conducted manually by human labor, which betrayed our original intention to automate the process of road planning. Not surprisingly, since they are not suitable to the sequential decision-making task, the performance of GAN and VAE falls far behind our proposed method and the HS-MC baseline. More discussions can be found at Section D of the appendix.
- **DRL-based methods have significant advantages over other approaches.** DRL-MLP and DRL-GNN outperform GA-G, GA-S, and HS-MC on all metrics. The two DRL-based methods achieve much better road planning performance, with average reductions of about 23.2%, 10.7%, and 9.0% in NR, AD, and SC over the four slums. Baselines like GA and HS-MC fail to explore the solution space efficiently, making it difficult to obtain high-quality road plans. The performance gap verifies the strong ability of DRL to optimize multiple objectives in a large action space.
- **Our proposed model achieves the best performance.** Regarding accessibility, our model is the fastest to achieve universal connectivity for all slums, which is critical under tight planning budgets. Compared with HS-MC, our model connects all places with 3 fewer road segments (NR) for slums in Harare and Cape Town, and 14 fewer road segments in the largest slum in Mumbai, IND. Meanwhile, with respect to travel distance and construction cost, our model consistently outperforms baseline methods. Specifically, our method reduces AD by 19.4% and 14.7% for slums in Harare and Cape Town, respectively, and reduces SC by 11.1%




Figure 6: The generated road plans for the slum in Cape Town, ZAF, and their corresponding travel distance matrices of (a) GA (b) HS-MC (c) DRL-GNN. Best viewed in color.

for slums in Cape Town. In particular, the road plan obtained by our method achieves a travel distance very close to that of *Build All Roads* at a much lower cost, making it more economical in real slum upgrading. Our model can capture topological information through the generic graph model and the novel GNN, and perform efficient searches in the large action space via masked policy optimization. These special designs enable our model to achieve superior performance in road planning for slums.

Figure 6 demonstrates the generated road plans of different models for the slum in Cape Town, ZAF, and their corresponding travel distance matrices. Although universal connectivity is achieved in all plans, the travel distance varies significantly across different methods. In the road plans of baselines, slum dwellers in some places have to travel a long detour to reach each other, which corresponds to several *hot* regions in the travel distance matrices as shown in Figure 6(a-b). In contrast, our method utilizes the progress in travel distance as the reward and optimizes it in stage II. Specifically, the proposed GNN model can detect places that suffer from long detours through topology-aware message passing on the graph, and add targeted roads to reduce travel distance effectively. Thus there




Figure 7: Performance of DRL-GNN and its variants that remove different features, including Centrality (F1), Road (F2) and Straightness (F3) for slums in (a) Harare, ZWE (b) Cape Town, ZAF. Best viewed in color.




Figure 8: Performance of DRL-GNN and its variants that remove node2edge propagation (N2E), edge self-propagation (E2E) and face2edge propagation (F2E) for slums in (a) Harare, ZWE (b) Cape Town, ZAF. Best viewed in color.

are much fewer *hot* regions as shown in Figure 6(c). In addition, as demonstrated in Figure 6, our model is able to grow a road network in a less costly way, with the total length of planned roads much shorter than baselines by about 10%. We provide the complete road plans of all methods for all slums in Section E.1 of the appendix.

Our proposed model can reach convergence in less than 100 iterations, which usually takes only about 2 hours. We provide a visual plot of the convergence of our model in Section E.2 of the appendix. One alternative way to accomplish road planning for slums is to set the total construction cost as the planning budget, instead of the number of road segments, and we provide the corresponding results in Section E.3 of the appendix.

4.3 Ablation Study

Graph Modeling. The spatial topological relationships between places and roads in a slum are crucial for road planning. The proposed graph modeling and GNN can capture such topological relationships, enabling decent location selection policies. Table 3 illustrates the performance of our method with and without graph modeling, *i.e.*, DRL-GNN and DRL-MLP. Specifically, it is easier for our graph model to perceive the currently disconnected regions, and layout corresponding road segments to connect them, leading to earlier universal connectivity in all 4 slums. The graph model can also capture the neighborhood information on travel distance and construction costs, leading to a more economical policy to reduce travel distance. As shown in Table 3, DRL-GNN outperforms DRL-MLP in AD and SC for 4 and 3 slums, respectively. Furthermore, the graph modeling can also improve sample efficiency and makes our model converge faster (see Section E.4 of the appendix).

Topological Features. We investigate the role that the designed features for nodes, edges, and faces play in our model. We first obtain a well-trained model, then remove different features, *i.e.*, setting the feature values as 0, and evaluate its performance. Figure 7 demonstrate the performance of removing three features (F1:




Figure 9: The generated road plans for the slum in Cape Town, ZAF, of (a) DRL-GNN with action mask (b) DRL-GNN without action mask. (c) Travel distance and construction cost performance of the the two road plans. (d) The number of remaining disconnected places and travel distance at each step of our DRL-GNN model. Best viewed in color.

Centrality, F2: Road, F3: Straightness) compared with using all features. We can observe that feature Straightness brings the largest performance deterioration in travel distance, with 22.0% and 49.0% increases in Harare and Cape Town, respectively. This result is reasonable since *Straightness* is the ratio of road network distance to the Euclidean distance, which directly indicates long detours in the slum, thus this feature is critical to travel distance. In addition, feature *Road* also plays an important role, and removing it leads to a 20.2% and 13.0% increase in construction cost for the two slums, respectively. Results of removing other features can be found in Section E.5 of the appendix. Our designed rich features describe the topological information of the slum, which is critical when selecting locations for new road segments.

Topology-aware Message Passing. In the proposed GNN model, we design various propagation messages to edges from different sources, including nodes, faces, and edges themselves. In this section, we study the effect of different propagation messages. Specifically, we design multiple variants of our GNN model, each of which blocks one single propagation message. We train these models and evaluate their road planning performance, as shown in Figure 8. We can find that deleting any propagation flow leads to the loss of topological information, and brings about a deterioration in performance. Specifically, deleting Node2Edge propagation makes travel distance worse by 10.2% in Harare and construction cost worse by 8.1% in Cape Town; deleting Edge Self-propagation increases construction cost by 14.8% in Cape Town; and deleting Face2Edge propagation leads to a 3.0% increase in travel distance in Harare. The above results confirm the necessity of topology-aware message passing, which gathers diverse topological information to edges and makes our edge-centric GNN learn meaningful edge representations, enabling decent edge selection policies.

Masked Policy Optimization. We design a two-stage masked policy optimization method, to make our model first achieve universal connectivity and then reduce travel distance, at minimal costs in both stages. In this section, we study the effect of the action mask, and Figure 9(a-c) shows the generated road plans and the corresponding performance of our model with and without the action

mask. We can observe that adding the action mask can guide our model to discover disconnected places, and achieves lower travel distance (-1.4%) with lower cost (-4.8%) than without the mask. Particularly, as in Table 3, even for the simple random model, adding the action mask can make it achieve universal connectivity faster than HS-MC for 3 slums. Meanwhile, we visualize the road planning metrics at each step in Figure 9(d). We can see that in stage I, the number of remaining disconnected places decreases rapidly. The travel distance increases slightly since newly connected places tend to have long travel distances to other places. In stage II, the model adds road segments to places that suffer from long detours, significantly reducing the travel distance. Furthermore, the masked policy optimization design avoids actions of low quality, which helps our model converge faster (see Section E.6 of the appendix). The results verify the effectiveness of the action mask and two-stage design in optimizing multiple objectives of road planning for slums.

We leave hyper-parameter study in Section E.7 of the appendix. In addition, our proposed method is a flexible framework, making it easy to integrate with advanced network structures such as graph transformer (see Section E.8 of the appendix).

4.4 Analysis on Transferability

It is beneficial for a road planning model to generalize across different scenarios. On the one hand, the planning budgets may vary. We set the budget as 50% of candidate segments for training, and directly evaluate our model under different budgets. Figure 10(a) shows that DRL-GNN outperforms HS-MC under all different budgets, with more significant improvements under tight budgets, e.g., 10.3% travel distance reduction under 30% budgets, two times larger than 70% budgets. On the other hand, we study the transferability across different slums. We obtain a pretrained model on a small slum (Harare, ZWE), and finetune it on a large slum (Cape Town, ZAF). We compare the pretrained model with a model that is trained from scratch. Figure 10(b) demonstrates the travel distance at each step for the large slum, where the pretrained model is consistently better than the model trained from scratch in stage II. The above results verify that our model can learn universal road planning skills and successfully transfer them to scenarios of different budgets or different slums, which is crucial for practical slum upgrading.

5 RELATED WORK

Deep Reinforcement Learning for Planning. With the development of deep learning [36], utilizing deep neural networks (DNN) to achieve function approximation in reinforcement learning becomes the new state-of-the-art. Since the proposal of DQN [43, 44], DRL methods have achieved great success in complex planning tasks, such as the game of Go [52, 53], chemical synthesis [51], chip design [3, 40, 48], VRP [13, 45, 74], and solving mathematical problems [17]. Planning tasks usually have a huge action space, which can be effectively reduced by predicting rewards with a value network and sampling actions via a policy network [24, 34, 42, 52]. Recently, several works [14, 37, 39, 65] adopt GNN as policy and value networks to solve planning tasks on the graph [14, 39]. For example, Fan *et al.* [14] combine GNN with DQN to detect key nodes in complex networks. Meirom *et al.* [39] utilize GNN as a state encoder




Figure 10: (a) The travel distance of HSMC and DRL-GNN under different planning budgets. (b) The travel distance at each step of our DRL-GNN model. Best viewed in color.

for DRL to solve the tasks of epidemic control and targeted marketing. In addition, GNN is leveraged to learn representations for road networks [12, 28, 29, 38, 63, 69, 70], and support downstream tasks like homogeneity analysis [70] and traffic prediction [12, 69]. However, they only study tasks on existing built roads, which is quite different from the task of planning new roads. Meanwhile, there have been some works utilizing DRL or generative models to accomplish city configuration and urban planning [15, 22, 31, 58–62], but they ignore the slums in cities which is an important issue regarding billions of population. In this work, we make the first attempt to plan new roads for slum upgrading with DRL and GNN. **Road Planning for Slums.** Given the large number of slum dwellers and the economic costs, upgrading slums in situ has become the primary strategy of urbanization, rather than relocating the population to cities. One primary goal of slum upgrading is to provide service access to every place in a slum by building more roads. The re-blocking method [8, 25, 41, 41, 47, 66] is widely adopted in practice, which reconfigures the space and adds road segments, to make each place connected to the road system. With more streets constructed, re-blocking has been shown to significantly reduce the cost of service provision for slums [1, 18]. However, it is not a computational method and requires negotiation with multiple stakeholders, so it is slow and case-by-case. A recent paper by Brelsford *et al* [9] formulated road planning for slums as a constrained optimization problem, making it computationally solvable. Specifically, they proposed a heuristic search approach, adding one path at a time to the least connected place, with the help of Monte Carlo sampling. Considering the huge solution space of this problem, it is difficult for heuristic methods to achieve optimal road planning performance. Different from heuristic search, in this work, we leverage the powerful DRL algorithm to search for optimal road plans in a data-driven way, improving accessibility at minimal costs.

6 CONCLUSION

In this paper, we investigate the problem of road planning for slums, a critical but little-studied issue in sustainable urban development. We formulate it as a sequential decision-making problem with a generic graph model, and propose a novel graph neural network to select locations for new road segments. The model is optimized to improve accessibility and reduce the travel distance of slum dwellers at minimal construction costs. We demonstrate that planning roads for slums through deep reinforcement learning is viable, effective, and can be migrated to real-world, large-scale scenarios. As for future work, we plan to develop a pre-trained model on a large amount of slum data to enable fast inference of road plans, which is beneficial for practical deployment.

929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044

REFERENCES

- [1] Alex Abiko, Luiz Reynaldo de Azevedo Cardoso, Ricardo Rinaldelli, and Heitor Cesar Riogi Haga. 2007. Basic costs of slum upgrading in Brazil. *Global Urban Development Magazine* 3, 1 (2007), 121–131.
- [2] Christopher Alexander et al. 2019. A city is not a tree.
- [3] Mohammad Amini, Zhanqiang Zhang, Surya Pennetta, Yingxue Zhang, Jianye Hao, and Wulong Liu. 2022. Generalizable Floorplanner through Corner Block List Representation and Hypergraph Embedding. In *Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery & Data Mining*. 2692–2702.
- [4] Deepika Andavarapu, David J Edelman, et al. 2013. Evolution of slum redevelopment policy. *Current urban studies* 1, 04 (2013), 185.
- [5] Marc Barthélémy and Alessandro Flammini. 2008. Modeling urban street patterns. *Physical review letters* 100, 13 (2008), 138702.
- [6] Kurt Binder, Dieter Heermann, Lyle Roelofs, A John Mallinckrodt, and Susan McKay. 1993. Monte Carlo simulation in statistical physics. *Computers in Physics* 7, 2 (1993), 156–157.
- [7] Phillip Bonacich. 1987. Power and centrality: A family of measures. *American journal of sociology* 92, 5 (1987), 1170–1182.
- [8] Somsook Boonyabancha. 2005. Baan Mankong: Going to scale with “slum” and squatter upgrading in Thailand. *Environment and Urbanization* 17, 1 (2005), 21–46.
- [9] Christa Brelsford, Taylor Martin, Joe Hand, and Luís MA Bettencourt. 2018. Toward cities without slums: Topology and the spatial evolution of neighborhoods. *Science advances* 4, 8 (2018), eaar4644.
- [10] Deli Chen, Yankai Lin, Wei Li, Peng Li, Jie Zhou, and Xu Sun. 2020. Measuring and relieving the over-smoothing problem for graph neural networks from the topological view. In *Proceedings of the AAAI conference on artificial intelligence*, Vol. 34. 3438–3445.
- [11] Jason Corburn and Irene Karanja. 2014. Informal settlements and a relational view of health in Nairobi, Kenya: sanitation, gender and dignity. *Health promotion international* 31, 2 (2014), 258–269.
- [12] Austin Derrow-Pinion, Jennifer She, David Wong, Oliver Lange, Todd Hester, Luis Perez, Marc Nunkesser, Seongjae Lee, Xueying Guo, Brett Wiltshire, et al. 2021. Eta prediction with graph neural networks in google maps. In *Proceedings of the 30th ACM International Conference on Information & Knowledge Management*. 3767–3776.
- [13] Lu Duan, Yang Zhan, Haoyuan Hu, Yu Gong, Jiangwen Wei, Xiaodong Zhang, and Yinghui Xu. 2020. Efficiently solving the practical vehicle routing problem: A novel joint learning approach. In *Proceedings of the 26th ACM SIGKDD international conference on knowledge discovery & data mining*. 3054–3063.
- [14] Changjun Fan, Li Zeng, Yizhou Sun, and Yang-Yu Liu. 2020. Finding key players in complex networks through deep reinforcement learning. *Nature machine intelligence* 2, 6 (2020), 317–324.
- [15] Zhou Fang, Ying Jin, and Tianren Yang. 2022. Incorporating planning intelligence into deep learning: A planning support tool for street network design. *Journal of Urban Technology* 29, 2 (2022), 99–114.
- [16] Reza Zanjirani Farahani, Elnaz Miandoabchi, Wai Yuen Szeto, and Hannaneh Rashidi. 2013. A review of urban transportation network design problems. *European journal of operational research* 229, 2 (2013), 281–302.
- [17] Alhussein Fawzi, Matej Balog, Aja Huang, Thomas Hubert, Bernardino Romera-Paredes, Mohammadamin Barekatian, Alexander Novikov, Francisco J R Ruiz, Julian Schriftwieser, Grzegorz Swirszcz, et al. 2022. Discovering faster matrix multiplication algorithms with reinforcement learning. *Nature* 610, 7930 (2022), 47–53.
- [18] Joe Flood. 2004. Cost Estimate for Millennium Development Goal 7, Target 11 on Slums, background report for UN Millennium Project Task Force on Improving the Lives of Slum Dwellers and UN-HABITAT. *Urban Resources, Elsternwick, Australia* (2004).
- [19] Linton C Freeman. 1977. A set of measures of centrality based on betweenness. *Sociometry* (1977), 35–41.
- [20] Linton C Freeman et al. 2002. Centrality in social networks: Conceptual clarification. *Social network: critical concepts in sociology*. Londres: Routledge 1 (2002), 238–263.
- [21] Ahmed Fawzy Gad. 2021. PyGAD: An Intuitive Genetic Algorithm Python Library. *arXiv:2106.06158 [cs.NE]*
- [22] Yuanzhe Geng, Erwu Liu, Rui Wang, Yiming Liu, Weixiong Rao, Shaojun Feng, Zhao Dong, Zhenre Fu, and Yanfen Chen. 2021. Deep reinforcement learning based dynamic route planning for minimizing travel time. In *2021 IEEE International Conference on Communications Workshops (ICC Workshops)*. IEEE, 1–6.
- [23] Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. 2020. Generative adversarial networks. *Commun. ACM* 63, 11 (2020), 139–144.
- [24] Tuomas Haarnoja, Aurick Zhou, Pieter Abbeel, and Sergey Levine. 2018. Soft actor-critic: Off-policy maximum entropy deep reinforcement learning with a stochastic actor. In *International conference on machine learning*. PMLR, 1861–1870.
- [25] UN Habitat. 2012. Streets as tools for urban transformation in slums: a street-led approach to citywide slum upgrading. 17 (2012), 2016.
- [26] Will Hamilton, Zhitao Ying, and Jure Leskovec. 2017. Inductive representation learning on large graphs. *Advances in neural information processing systems* 30 (2017).
- [27] Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yongdong Zhang, and Meng Wang. 2020. Lightgc: Simplifying and powering graph convolution network for recommendation. In *Proceedings of the 43rd International ACM SIGIR conference on research and development in Information Retrieval*. 639–648.
- [28] Jilin Hu, Chenjuan Guo, Bin Yang, and Christian S Jensen. 2019. Stochastic weight completion for road networks using graph convolutional networks. In *2019 IEEE 35th international conference on data engineering (ICDE)*. IEEE, 1274–1285.
- [29] Tobias Skovgaard Jepsen, Christian S Jensen, and Thomas Dyhre Nielsen. 2019. Graph convolutional networks for road networks. In *Proceedings of the 27th ACM SIGSPATIAL international conference on advances in geographic information systems*. 460–463.
- [30] Kenji Kawaguchi, Leslie Pack Kaelbling, and Yoshua Bengio. 2017. Generalization in deep learning. *arXiv preprint arXiv:1710.05468* (2017).
- [31] Kira Kempinska and Roberto Murcio. 2019. Modelling urban networks using Variational Autoencoders. *Applied Network Science* 4, 1 (2019), 1–11.
- [32] Diederik P Kingma and Max Welling. 2013. Auto-encoding variational bayes. *arXiv preprint arXiv:1312.6114* (2013).
- [33] Thomas N Kipf and Max Welling. 2016. Semi-supervised classification with graph convolutional networks. *arXiv preprint arXiv:1609.02907* (2016).
- [34] Vijay Konda and John Tsitsiklis. 1999. Actor-critic algorithms. *Advances in neural information processing systems* 12 (1999).
- [35] Joseph B Kruskal. 1956. On the shortest spanning subtree of a graph and the traveling salesman problem. *Proceedings of the American Mathematical society* 7, 1 (1956), 48–50.
- [36] Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. 2015. Deep learning. *nature* 521, 7553 (2015), 436–444.
- [37] Yu Lei, Hongbin Pei, Hanqi Yan, and Wenjie Li. 2020. Reinforcement learning based recommendation with graph convolutional q-network. In *Proceedings of the 43rd international ACM SIGIR conference on research and development in information retrieval*. 1757–1760.
- [38] Zhenyu Mao, Ziyue Li, Dedong Li, Lei Bai, and Rui Zhao. 2022. Jointly Contrastive Representation Learning on Road Network and Trajectory. In *Proceedings of the 31st ACM International Conference on Information & Knowledge Management*. 1501–1510.
- [39] Eli Meirom, Haggai Maron, Shie Mannor, and Gal Chechik. 2021. Controlling graph dynamics with reinforcement learning and graph neural networks. In *International Conference on Machine Learning*. PMLR, 7565–7577.
- [40] Azalia Mirhoseini, Anna Goldie, Mustafa Yazgan, Joe Wenjie Jiang, Ebrahim Songhori, Shen Wang, Young-Joon Lee, Eric Johnson, Omkar Pathak, Azadeh Nazi, et al. 2021. A graph placement methodology for fast chip design. *Nature* 594, 7862 (2021), 207–212.
- [41] Diana Mitlin and David Satterthwaite. 2012. *Urban poverty in the global south: scale and nature*. Routledge.
- [42] Volodymyr Mnih, Adria Puigdomenech Badia, Mehdi Mirza, Alex Graves, Timothy Lillicrap, Tim Harley, David Silver, and Koray Kavukcuoglu. 2016. Asynchronous methods for deep reinforcement learning. In *International conference on machine learning*. PMLR, 1928–1937.
- [43] Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Alex Graves, Ioannis Antonoglou, Daan Wierstra, and Martin Riedmiller. 2013. Playing atari with deep reinforcement learning. *arXiv preprint arXiv:1312.5602* (2013).
- [44] Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Andrei A Rusu, Joel Veness, Marc G Bellemare, Alex Graves, Martin Riedmiller, Andreas K Fidjeland, Georg Ostrovski, et al. 2015. Human-level control through deep reinforcement learning. *nature* 518, 7540 (2015), 529–533.
- [45] Mohammadreza Nazari, Afshin Oroojlooy, Lawrence Snyder, and Martin Takáć. 2018. Reinforcement learning for solving the vehicle routing problem. *Advances in neural information processing systems* 31 (2018).
- [46] Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, et al. 2019. Pytorch: An imperative style, high-performance deep learning library. *Advances in neural information processing systems* 32 (2019).
- [47] Sheela Patel, Carrie Baptist, and Celine d’Cruz. 2012. Knowledge is power-informal communities assert their right to the city through SDI and community-led enumerations. *Environment and Urbanization* 24, 1 (2012), 13–26.
- [48] Rajarshi Roy, Jonathan Raiman, Neel Kant, Ilyas Elkin, Robert Kirby, Michael Siu, Stuart Oberman, Saad Godil, and Bryan Catanzaro. 2021. Prefixrl: Optimization of parallel prefix circuits using deep reinforcement learning. In *2021 58th ACM/IEEE Design Automation Conference (DAC)*. IEEE, 853–858.
- [49] Michael Schlichtkrull, Thomas N Kipf, Peter Bloem, Rianne Van Den Berg, Ivan Titov, and Max Welling. 2018. Modeling relational data with graph convolutional networks. In *European semantic web conference*. Springer, 593–607.
- [50] John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. 2017. Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347* (2017).

1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160

- 1161 [51] Marwin HS Segler, Mike Preuss, and Mark P Waller. 2018. Planning chemical
1162 syntheses with deep neural networks and symbolic AI. *Nature* 555, 7698 (2018),
1163 604–610.
- 1164 [52] David Silver, Aja Huang, Chris J Maddison, Arthur Guez, Laurent Sifre, George
1165 Van Den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam,
1166 Marc Lanctot, et al. 2016. Mastering the game of Go with deep neural
1167 networks and tree search. *nature* 529, 7587 (2016), 484–489.
- 1168 [53] David Silver, Julian Schrittwieser, Karen Simonyan, Ioannis Antonoglou, Aja
1169 Huang, Arthur Guez, Thomas Hubert, Lucas Baker, Matthew Lai, Adrian Bolton,
1170 et al. 2017. Mastering the game of go without human knowledge. *nature* 550,
1171 7676 (2017), 354–359.
- 1172 [54] UN-Habitat. 2004. The challenge of slums: global report on human settlements
1173 2003. *Management of Environmental Quality: An International Journal* 15, 3 (2004),
1174 337–338.
- 1175 [55] UN-Habitat. 2014. A Practical Guide to Designing, Planning, and Executing
1176 Citywide Slum Upgrading Programmes.
- 1177 [56] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones,
1178 Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all
1179 you need. *Advances in neural information processing systems* 30 (2017).
- 1180 [57] Petar Veličković, Guillem Cucurull, Arantxa Casanova, Adriana Romero, Pietro
1181 Liò, and Yoshua Bengio. 2018. Graph Attention Networks. In *International
1182 Conference on Learning Representations*.
- 1183 [58] Dongjie Wang, Yanjie Fu, Kunpeng Liu, Fanglan Chen, Pengyang Wang, and
1184 Chang-Tien Lu. 2023. Automated urban planning for reimagining city configura-
1185 tion via adversarial learning: quantification, generation, and evaluation. *ACM
1186 Transactions on Spatial Algorithms and Systems* 9, 1 (2023), 1–24.
- 1187 [59] Dongjie Wang, Yanjie Fu, Pengyang Wang, Bo Huang, and Chang-Tien Lu. 2020.
1188 Reimagining city configuration: Automated urban planning via adversarial learning.
1189 In *Proceedings of the 28th international conference on advances in geographic
1190 information systems*. 497–506.
- 1191 [60] Dongjie Wang, Kunpeng Liu, Pauline Johnson, Leilei Sun, Bowen Du, and Yanjie
1192 Fu. 2021. Deep human-guided conditional variational generative modeling for
1193 automated urban planning. In *2021 IEEE international conference on data mining
1194 (ICDM)*. IEEE, 679–688.
- 1195 [61] Dongjie Wang, Pengyang Wang, Kunpeng Liu, Yuanchun Zhou, Charles E
1196 Hughes, and Yanjie Fu. 2021. Reinforced imitative graph representation learning
1197 for mobile user profiling: An adversarial training perspective. In *Proceedings of
1198 the AAAI Conference on Artificial Intelligence*, Vol. 35. 4410–4417.
- 1199 [62] Dongjie Wang, Lingfei Wu, Denghui Zhang, Jingbo Zhou, Leilei Sun, and Yanjie
1200 Fu. 2022. Human-instructed Deep Hierarchical Generative Learning for Auto-
1201 mated Urban Planning. *arXiv preprint arXiv:2212.00904* (2022).
- 1202 [63] Meng-Xiang Wang, Wang-Chien Lee, Tao-Yang Fu, and Ge Yu. 2020. On rep-
1203 resentation learning for road networks. *ACM Transactions on Intelligent Systems
1204 and Technology (TIST)* 12, 1 (2020), 1–27.
- 1205 [64] Song Wang, Kaize Ding, Chuxu Zhang, Chen Chen, and Jundong Li. 2022. Task-
1206 adaptive few-shot node classification. In *Proceedings of the 28th ACM SIGKDD
1207 Conference on Knowledge Discovery and Data Mining*. 1910–1919.
- 1208 [65] Tingwu Wang, Renjie Liao, Jimmy Ba, and Sanja Fidler. 2018. Nervenet: Learning
1209 structured policy with graph neural networks. In *Proceedings of the International
1210 Conference on Learning Representations, Vancouver, BC, Canada*, Vol. 30.
- 1211 [66] Jane Weru. 2004. Community federations and city upgrading: the work of Pamoa
1212 Trust and Muungano in Kenya. *Environment and Urbanization* 16, 1 (2004), 47–62.
- 1213 [67] Amy Wesolowski and Nathan Eagle. 2010. Parameterizing the dynamics of slums.
1214 In *2010 AAAI Spring Symposium Series*.
- 1215 [68] Felix Wu, Amauri Souza, Tianyi Zhang, Christopher Fifty, Tao Yu, and Kilian
1216 Weinberger. 2019. Simplifying graph convolutional networks. In *International
1217 conference on machine learning*. PMLR, 6861–6871.
- 1218 [69] Ning Wu, Xin Wayne Zhao, Jingyuan Wang, and Dayan Pan. 2020. Learning
1219 effective road network representation with hierarchical graph neural networks.
1220 In *Proceedings of the 26th ACM SIGKDD international conference on knowledge
1221 discovery & data mining*. 6–14.
- 1222 [70] Jiawei Xue, Nan Jiang, Senwei Liang, Qiyuan Pang, Takahiro Yabe, Satish V
1223 Ulkusuri, and Jianzhu Ma. 2022. Quantifying the spatial homogeneity of urban
1224 road networks via graph neural networks. *Nature Machine Intelligence* 4, 3 (2022),
1225 246–257.
- 1226 [71] Rui Yang, Jie Wang, Zijie Geng, Mingxuan Ye, Shuiwang Ji, Bin Li, and Feng Wu.
1227 2022. Learning Task-relevant Representations for Generalization via Characteris-
1228 tic Functions of Reward Sequence Distributions. *arXiv preprint arXiv:2205.10218*
1229 (2022).
- 1230 [72] Rex Ying, Ruining He, Kaifeng Chen, Pong Eksombatchai, William L Hamilton,
1231 and Jure Leskovec. 2018. Graph convolutional neural networks for web-scale
1232 recommender systems. In *Proceedings of the 24th ACM SIGKDD international
1233 conference on knowledge discovery & data mining*. 974–983.
- 1234 [73] Seongjun Yun, Minbyul Jeong, Raehyun Kim, Jaewoo Kang, and Hyunwoo J Kim.
1235 2019. Graph transformer networks. *Advances in neural information processing
1236 systems* 32 (2019).
- 1237 [74] Zefang Zong, Hansen Wang, Jingwei Wang, Meng Zheng, and Yong Li. 2022.
1238 RBG: Hierarchically Solving Large-Scale Routing Problems in Logistic Systems
1239 via Reinforcement Learning. In *Proceedings of the 28th ACM SIGKDD Conference
1240 on Knowledge Discovery and Data Mining*. 4648–4658.
- 1241 [75] 1242
- 1242 [76] 1243
- 1243 [77] 1244
- 1244 [78] 1245
- 1245 [79] 1246
- 1246 [80] 1247
- 1247 [81] 1248
- 1248 [82] 1249
- 1249 [83] 1250
- 1250 [84] 1251
- 1251 [85] 1252
- 1252 [86] 1253
- 1253 [87] 1254
- 1254 [88] 1255
- 1255 [89] 1256
- 1256 [90] 1257
- 1257 [91] 1258
- 1258 [92] 1259
- 1259 [93] 1260
- 1260 [94] 1261
- 1261 [95] 1262
- 1262 [96] 1263
- 1263 [97] 1264
- 1264 [98] 1265
- 1265 [99] 1266
- 1266 [100] 1267
- 1267 [101] 1268
- 1268 [102] 1269
- 1269 [103] 1270
- 1270 [104] 1271
- 1271 [105] 1272
- 1272 [106] 1273
- 1273 [107] 1274
- 1274 [108] 1275
- 1275 [109] 1276
- 1276 [110] 1277
- 1277 [111] 1278
- 1278 [112] 1279
- 1279 [113] 1280
- 1280 [114] 1281
- 1281 [115] 1282
- 1282 [116] 1283
- 1283 [117] 1284
- 1284 [118] 1285
- 1285 [119] 1286
- 1286 [120] 1287
- 1287 [121] 1288
- 1288 [122] 1289
- 1289 [123] 1290
- 1290 [124] 1291
- 1291 [125] 1292
- 1292 [126] 1293
- 1293 [127] 1294
- 1294 [128] 1295
- 1295 [129] 1296
- 1296 [130] 1297
- 1297 [131] 1298
- 1298 [132] 1299
- 1299 [133] 1300
- 1300 [134] 1301
- 1301 [135] 1302
- 1302 [136] 1303
- 1303 [137] 1304
- 1304 [138] 1305
- 1305 [139] 1306
- 1306 [140] 1307
- 1307 [141] 1308
- 1308 [142] 1309
- 1309 [143] 1310
- 1310 [144] 1311
- 1311 [145] 1312
- 1312 [146] 1313
- 1313 [147] 1314
- 1314 [148] 1315
- 1315 [149] 1316
- 1316 [150] 1317
- 1317 [151] 1318
- 1318 [152] 1319
- 1319 [153] 1320
- 1320 [154] 1321
- 1321 [155] 1322
- 1322 [156] 1323
- 1323 [157] 1324
- 1324 [158] 1325
- 1325 [159] 1326
- 1326 [160] 1327
- 1327 [161] 1328
- 1328 [162] 1329
- 1329 [163] 1330
- 1330 [164] 1331
- 1331 [165] 1332
- 1332 [166] 1333
- 1333 [167] 1334
- 1334 [168] 1335
- 1335 [169] 1336
- 1336 [170] 1337
- 1337 [171] 1338
- 1338 [172] 1339
- 1339 [173] 1340
- 1340 [174] 1341
- 1341 [175] 1342
- 1342 [176] 1343
- 1343 [177] 1344
- 1344 [178] 1345
- 1345 [179] 1346
- 1346 [180] 1347
- 1347 [181] 1348
- 1348 [182] 1349
- 1349 [183] 1350
- 1350 [184] 1351
- 1351 [185] 1352
- 1352 [186] 1353
- 1353 [187] 1354
- 1354 [188] 1355
- 1355 [189] 1356
- 1356 [190] 1357
- 1357 [191] 1358
- 1358 [192] 1359
- 1359 [193] 1360
- 1360 [194] 1361
- 1361 [195] 1362
- 1362 [196] 1363
- 1363 [197] 1364
- 1364 [198] 1365
- 1365 [199] 1366
- 1366 [200] 1367
- 1367 [201] 1368
- 1368 [202] 1369
- 1369 [203] 1370
- 1370 [204] 1371
- 1371 [205] 1372
- 1372 [206] 1373
- 1373 [207] 1374
- 1374 [208] 1375
- 1375 [209] 1376
- 1376 [210] 1377
- 1377 [211] 1378
- 1378 [212] 1379
- 1379 [213] 1380
- 1380 [214] 1381
- 1381 [215] 1382
- 1382 [216] 1383
- 1383 [217] 1384
- 1384 [218] 1385
- 1385 [219] 1386
- 1386 [220] 1387
- 1387 [221] 1388
- 1388 [222] 1389
- 1389 [223] 1390
- 1390 [224] 1391
- 1391 [225] 1392
- 1392 [226] 1393
- 1393 [227] 1394
- 1394 [228] 1395
- 1395 [229] 1396
- 1396 [230] 1397
- 1397 [231] 1398
- 1398 [232] 1399
- 1399 [233] 1400
- 1400 [234] 1401
- 1401 [235] 1402
- 1402 [236] 1403
- 1403 [237] 1404
- 1404 [238] 1405
- 1405 [239] 1406
- 1406 [240] 1407
- 1407 [241] 1408
- 1408 [242] 1409
- 1409 [243] 1410
- 1410 [244] 1411
- 1411 [245] 1412
- 1412 [246] 1413
- 1413 [247] 1414
- 1414 [248] 1415
- 1415 [249] 1416
- 1416 [250] 1417
- 1417 [251] 1418
- 1418 [252] 1419
- 1419 [253] 1420
- 1420 [254] 1421
- 1421 [255] 1422
- 1422 [256] 1423
- 1423 [257] 1424
- 1424 [258] 1425
- 1425 [259] 1426
- 1426 [260] 1427
- 1427 [261] 1428
- 1428 [262] 1429
- 1429 [263] 1430
- 1430 [264] 1431
- 1431 [265] 1432
- 1432 [266] 1433
- 1433 [267] 1434
- 1434 [268] 1435
- 1435 [269] 1436
- 1436 [270] 1437
- 1437 [271] 1438
- 1438 [272] 1439
- 1439 [273] 1440
- 1440 [274] 1441
- 1441 [275] 1442
- 1442 [276] 1443
- 1443 [277] 1444
- 1444 [278] 1445
- 1445 [279] 1446
- 1446 [280] 1447
- 1447 [281] 1448
- 1448 [282] 1449
- 1449 [283] 1450
- 1450 [284] 1451
- 1451 [285] 1452
- 1452 [286] 1453
- 1453 [287] 1454
- 1454 [288] 1455
- 1455 [289] 1456
- 1456 [290] 1457
- 1457 [291] 1458
- 1458 [292] 1459
- 1459 [293] 1460
- 1460 [294] 1461
- 1461 [295] 1462
- 1462 [296] 1463
- 1463 [297] 1464
- 1464 [298] 1465
- 1465 [299] 1466
- 1466 [300] 1467
- 1467 [301] 1468
- 1468 [302] 1469
- 1469 [303] 1470
- 1470 [304] 1471
- 1471 [305] 1472
- 1472 [306] 1473
- 1473 [307] 1474
- 1474 [308] 1475
- 1475 [309] 1476
- 1476 [310] 1477
- 1477 [311] 1478
- 1478 [312] 1479
- 1479 [313] 1480
- 1480 [314] 1481
- 1481 [315] 1482
- 1482 [316] 1483
- 1483 [317] 1484
- 1484 [318] 1485
- 1485 [319] 1486
- 1486 [320] 1487
- 1487 [321] 1488
- 1488 [322] 1489
- 1489 [323] 1490
- 1490 [324] 1491
- 1491 [325] 1492
- 1492 [326] 1493
- 1493 [327] 1494
- 1494 [328] 1495
- 1495 [329] 1496
- 1496 [330] 1497
- 1497 [331] 1498
- 1498 [332] 1499
- 1499 [333] 1500
- 1500 [334] 1501
- 1501 [335] 1502
- 1502 [336] 1503
- 1503 [337] 1504
- 1504 [338] 1505
- 1505 [339] 1506
- 1506 [340] 1507
- 1507 [341] 1508
- 1508 [342] 1509
- 1509 [343] 1510
- 1510 [344] 1511
- 1511 [345] 1512
- 1512 [346] 1513
- 1513 [347] 1514
- 1514 [348] 1515
- 1515 [349] 1516
- 1516 [350] 1517
- 1517 [351] 1518
- 1518 [352] 1519
- 1519 [353] 1520
- 1520 [354] 1521
- 1521 [355] 1522
- 1522 [356] 1523
- 1523 [357] 1524
- 1524 [358] 1525
- 1525 [359] 1526
- 1526 [360] 1527
- 1527 [361] 1528
- 1528 [362] 1529
- 1529 [363] 1530
- 1530 [364] 1531
- 1531 [365] 1532
- 1532 [366] 1533
- 1533 [367] 1534
- 1534 [368] 1535
- 1535 [369] 1536
- 1536 [370] 1537
- 1537 [371] 1538
- 1538 [372] 1539
- 1539 [373] 1540
- 1540 [374] 1541
- 1541 [375] 1542
- 1542 [376] 1543
- 1543 [377] 1544
- 1544 [378] 1545
- 1545 [379] 1546
- 1546 [380] 1547
- 1547 [381] 1548
- 1548 [382] 1549
- 1549 [383] 1550
- 1550 [384] 1551
- 1551 [385] 1552
- 1552 [386] 1553
- 1553 [387] 1554
- 1554 [388] 1555
- 1555 [389] 1556
- 1556 [390] 1557
- 1557 [391] 1558
- 1558 [392] 1559
- 155

1277 **APPENDIX**1278 **A RESEARCH METHODS**1279 **A.1 Markov Decision Process**

1280 We propose a DRL model to solve the sequential decision-making
 1281 problem, where an intelligent agent learns to automatically select
 1282 locations for road segments by interacting with a slum planning
 1283 environment, as shown in Figure 2. From the perspective of DRL,
 1284 the problem can be expressed as a Markov Decision Process (MDP),
 1285 which contains the following critical components:

- 1286 • **States** describe the current conditions of the slum, including
 1287 both static and dynamic features for places and roads.
- 1288 • **Actions** indicate the selected locations of new road segments.
- 1289 • **Rewards** provide feedback for road planning actions, which
 1290 consider the connectivity, travel distance, and construction cost
 1291 to obtain a comprehensive evaluation.
- 1292 • **Transitions** express the dynamic changes of the slum, such
 1293 as the changes of segments from *candidates* to *roads*, and the
 1294 resulting changes in accessibility and travel distance.

1295 **A.2 GNN for Road Planning**

1296 Existing tasks in which GNN has been proven successful tend to
 1297 focus more on nodes of the graph, such as learning node repre-
 1298 sentations for node classification [26, 33, 57, 68] and link predic-
 1299 tion [27, 49, 72]. However, in road planning for slums, not only
 1300 nodes but also edges and faces need to be taken into consideration,
 1301 and these topological elements are interdependent with each other.
 1302 Specifically, the directly operated decision objects are edges on the
 1303 graph, which are planned as roads to connect different parts of the
 1304 slum and have different construction costs. In addition, the effect
 1305 of road planning is reflected in the faces of the graph, since they
 1306 represent places in the slum, of which the accessibility and travel
 1307 distance are optimized. Furthermore, both of the above two metrics
 1308 are calculated on the planned road network, which mainly consists
 1309 of pathways between nodes. Consequently, existing node-oriented
 1310 GNN models are not suitable for road planning, due to their in-
 1311 sufficient modeling of the complicated topological structure. In
 1312 this paper, we propose topology-aware GNN, which can effectively
 1313 handle the complex topology of slums.

1314 **A.3 Definitions of Topological Features**

1315 We design rich features for topological elements on the graph,
 1316 including nodes, edges and faces. These features are used as input
 1317 of the proposed GNN model to learn representations. We include
 1318 11 categories of features as illustrated in Table 1. We now introduce
 1319 the specific definitions of these features.

- 1320 **Node Features.** Nodes represent junctions in a slum, which are
 1321 *points* in the original geometric space. We include the following
 1322 features,
- 1323 • **Coordinates:** the Cartesian coordinates (x, y) indicating the
 1324 location of the junction in the slum.
 - 1325 • **Centrality:** the network centrality metrics of the junction. We
 1326 compute four centrality metrics including degree centrality, be-
 1327 tweenness centrality [19], eigenvector centrality [7] and close-
 1328 ness centrality [20].

- 1329 • **On Road:** a boolean feature indicating whether the junction is
 1330 on a road, either external or planned.

- 1331 • **Road Ratio:** the ratio of the number of adjacent road edges to
 1332 the total number of adjacent edges. It is 0 when *On Road* is *False*.

- 1333 • **Avg N2N Dis:** the average distance from the node to all other
 1334 nodes over the constructed road network. It is set as a very large
 1335 value if the node is not on a road.

1336 **Edge Features.** Edges represent paths in a slum, which are *line*
 1337 *segments* in the original geometric space. We include the following
 1338 features,

- 1339 • **Cost:** the construction cost of building the segment as a road,
 1340 which is set as the length of the path.
- 1341 • **Road:** a boolean feature indicating whether the path is a road or
 1342 not. A road can be an existing external one or a newly planned
 1343 one.
- 1344 • **Straightness:** the ratio of the road network distance to the eu-
 1345 clidean distance between the two endpoints.

1346 **Face Features.** Faces represent places in a slum, which are *poly-*
 1347 *gons* in the original geometric space. We include the following
 1348 features,

- 1349 • **Connected:** a boolean feature indicating whether the place is
 1350 connected to the road system.
- 1351 • **Avg F2F Dis:** the average distance from the place to all other
 1352 places over the constructed road network. It is set as a very large
 1353 value if the face is not connected to the road system.
- 1354 • **F2E Dis:** the distance from the place to the external boundaries
 1355 *E* of the slum.

1356 **A.4 Model Training and Inference**

1357 **A.4.1 Model Training.** We collect hundreds of rollout trajec-
 1358 tories in the replay buffer, and utilize PPO [50] to train our policy
 1359 and value networks. Specifically, the loss function is composed of
 1360 policy loss, entropy loss, and value loss.

1361 Policy loss clips the objective to control the change of the policy
 1362 at each iteration, which encourages the policy to conduct safe
 1363 exploration. The loss function is calculated as follows,

$$r_t(\theta) = \frac{\pi_\theta(a_t|s_t)}{\pi_{\theta_{\text{old}}}(a_t|s_t)}, \quad (18)$$

$$L_p = \min(r_t(\theta)\hat{A}_t, \text{clip}(r_t(\theta), 1 - \epsilon, 1 + \epsilon)\hat{A}_t), \quad (19)$$

1364 where θ is the parameters of the policy network, $r_t(\theta)$ is the ratio
 1365 of action probability of the new policy to the old policy, \hat{A}_t is the
 1366 advantage value calculated according to rewards at each step, and
 1367 clip controls the update not to be too large.

1368 Entropy loss is included to balance between exploitation and
 1369 exploration, which is calculated as follows,

$$L_e = \text{Entropy}[\text{Prob}(a_1), \dots, \text{Prob}(a_E)], \quad (20)$$

1380 where E is the total number of edges, and Prob is obtained by the
 1381 policy network according to (10).

1382 We adopt mean squared error (MSE) between the predicted re-
 1383 turn and the groundtruth return as the value loss to supervise the
 1384 value network, which is calculated as follow,

$$L_v = \text{MSE}(\hat{r}_t, R_t), \quad (21)$$




Figure 11: Geometrical descriptions of the adopted four slums in (a) Harare, ZWE (b) Cape Town, ZAF (c) Cape Town, ZAF (d) Mumbai, IND. All slums suffer from poor accessibility, with a large fraction of places disconnected to the road system. Best viewed in color.
where R_t is the real return value, and \hat{r}_t is estimated by the value network according to (17).

We integrate the above loss functions through weighted sum,

$$L = L_p + \beta L_e + \gamma L_v, \quad (22)$$

where β and γ are hyper-parameters in our model.

A.4.2 Model Inference. During model training, actions are sampled according to the selection probability in (10). Once a well-trained model is obtained, we take actions greedily according to the probability, *i.e.*, the most likely action is taken to layout road segments at each step. Specifically, we use the policy network to compute the probability distribution over different actions and takes the action with the largest probability value,

$$a = \text{argmax}\{\text{Prob}(a_1), \dots, \text{Prob}(a_{\mathcal{E}})\}. \quad (23)$$

We perform the above fast model inference to generate road plans.

B DETAILS OF SLUM DATA

As shown in Table 2, we conduct experiments on four real-world slums from three different countries, including Zimbabwe (ZWE), South Africa (ZAF) and India (IND). The specific locations of the four slums are Epworth (Harare, ZWE), Khayelitsha (Cape Town, ZAF) and Phule Nagar (Mumbai, IND). The digital maps and the geometrical descriptions of places and roads for the four slums are publicly released by [9]. Figure 11 illustrate the geometrical descriptions of the four slums.

C IMPLEMENTATION DETAILS

C.1 Baselines

We implement Random, Greedy and GA-G methods and integrate it into our framework. Each method outputs the score for each edge e_{ij} that is transformed to selection probability with (10).

Random. The score for each edge is obtained in a fully random way,

$$s_{ij} = \text{Random}(). \quad (24)$$

Greedy-A. The score of the edge which connects the most disconnected places is set as 1, while others are set as 0,

$$s_{ij} = \mathbb{1}[e_{ij} = \text{argmax}\{\sum_{f \in F_{n_j}} (1 - \text{Connected}(f))\}]. \quad (25)$$

Greedy-C. The score of the edge with the least construction cost is set as 1, while others are set as 0,

$$s_{ij} = \mathbb{1}[C_{e_{ij}} = \min\{C\}]. \quad (26)$$

MST. We utilize Kruskal’s algorithm [35] to grow a minimum spanning tree on a transformed graph, where nodes represent places in the slum, and edges represent candidate road segments with their weights as construction cost.

GA-G. We utilize a vector and compute inner product between this vector and the edge attributes to obtain the score for each edge,

$$s_{ij} = \langle v_{GA-G}, A_{e_{ij}} \rangle, \quad (27)$$

where v_{GA-G} is set as the genes. We initialize a random population and perform crossover and mutation to evolve for better road plans.

For the **GA-S** baseline, we set the gene as the selection of edges,

$$g_{GA-S} = [\text{Selected}_1, \dots, \text{Selected}_{\mathcal{E}}], \quad (28)$$

where the sum of g_{GA-S} is the road planning budget K . We perform crossover which is swapping between different solutions, as well as mutation to evolve the population. The fitness function of a solution is defined as a weighted sum of accessibility, travel distance and construction costs. For the **HS-MC** [9] baseline, we use the original codes² released by the authors.

Generative models are not applicable to the problem of road planning for slums, due to the significant differences in planning constraints, planning targets, planning budget, and data representation. Still, we exhausted all efforts to adapt two typical generative models [15, 31] based on GAN [23] and VAE [32] to accomplish the task of road planning for slums. Specifically, we have to conduct the following tedious adaptions which make the road planning process far from automation.

- First, we have to manually move the generated roads to their nearest candidate segments to avoid destroying existing houses in the slum.
- Second, we have to manually remove some of the generated roads to avoid breaking the planning budget.
- Third, we have to manually transform the generated raster representation to a vector representation to obtain a faithful solution.

C.2 Hyper-parameters of Our Model

We implement the proposed model with PyTorch [46], and release the codes at <https://github.com/tsinghua-fib-lab/road-planning-for-slums>. We tune the hyper-parameters of our model carefully and list the adopted values in Table 4.

²<https://github.com/brelsford/topology>




Figure 12: Normalized episodic reward of DRL-MLP and DRL-GNN after each iteration of training for the slums in (a) Harare, ZWE (b) Cape Town, ZAF. Best viewed in color.

Table 4: Designed features for topological elements.

Category	Hyper-parameter	Value
Network	GNN layer	2
	GNN node dimension	16
	Policy Head MLP_p	[32, 1]
	Value Head MLP_v	[32, 32, 1]
PPO	gamma	0.995
	tau	0
	Entropy Loss β	0.01
	Value Loss γ	0.5
Train	optimizer	Adam
	weight decay	0
	learning rate	0.0004

D DIFFERENCES WITH ROAD PLANNING FOR COMMON REGIONS

In the paper, we explained why current city-level approaches cannot handle the micro-level road planning within a slum. In this section, we would like to further clarify the differences between road planning for common regions and slums, as well as why generative models are not applicable for this problem.

First, the planning constraints make road planning for slums a problem quite different from road planning for common regions. Specifically, road planning for common regions is more like *painting on a white paper*, where roads can grow at almost anywhere since there are no existing land functionalities in the planned region. As a consequence, a street network can be generated in a process similar to image generation, and generative models such as GAN [23] can be adopted. However, *slum is not a white paper, where existing houses determine the possible forms of the road network*. As stated in Section 2, planned roads are not allowed to pass through the middle of places to minimize disruption to the slums, thus the candidate locations are restricted to the spacing between places. In other words, *road planning for slums is more a decision-making task than a generation task*, where the road plans are actually obtained by choosing a fraction of segments from a candidate set of segments, rather than painting on a white paper. Therefore, it is quite different from road planning for common regions, and generative models such as GAN [23] and VAE [32] are not applicable in road planning for slums.

Second, the planning targets of road planning for slums are very different from road planning for common regions. In road planning for slums, as stated in Section 2, we aim to *make every place in the slum connected to the road system (universal connectivity), reduce travel distance between different places, and maintain a*

affordable construction cost. On the contrary, in road planning for common regions, especially through generative methods such as [15, 31], the target is to *learn the patterns of street network based on surrounding context*. Meanwhile, for a given slum, we need to add roads in it instead of recovering a masked region as in [15]. For the model design, as the planning process is to select a fraction of segments from a candidate set to improve accessibility rather than learning certain road network patterns, generative models are not appropriate for the task of road planning for slums.

Third, the planning budget also makes road planning for slums a different problem. Specifically, we need to upgrade the slum under a given budget, which can be the number of road segments to be added or the monetary cost of the planned road. Therefore, *it is more a sequential decision-making problem, where an agent adds a segment or a path in each step, and terminates the process when it runs out of the budget*. Generative models such as [15], generate road plans in one pass, which makes it very difficult to satisfy the requirements of planning budgets.

Fourth, with respect to data representation, to obtain a faithful solution to road planning for slums, a slum and roads in it need to be described with an *accurate vector representation (points, linestrings and polygons with exact coordinates), rather than a vague raster representation (image pixels)*. Therefore, for the model design, a model that outputs discrete actions selecting segments is more appropriate than a model that generates an image such as [15].

In summary, road planning for slums is a very different problem from road planning for common regions, in terms of planning constraints, planning targets, planning budget, and data representation. These differences all directly influence the model design, making generative models not applicable to this problem.

E ADDITIONAL RESULTS

E.1 Generated Road Plans

In Section 4.2, we show the road planning performance of different methods for the four slum, as well as the generated road plans of GA-G, HS-MC and our DRL-GNN for the slum in Cape Town, ZAF. Our proposed model significantly outperforms other baselines for all slums, improving their accessibility and travel distance with lower construction costs. We provide the complete generated road plans of 10 methods on 4 slums in Figure 17-20.

E.2 Convergence of Our Models

With the specially designed multi-objective policy optimization, our proposed models can efficiently learn the skills of road plans within only about 2 hours of training on a single server with a single Nvidia GeForce 2080Ti GPU. We show the normalized episodic reward of our models after each iteration of training for the slums in Harare, ZWE and Cape Town, ZAF in Figure 12. We can observe that both DRL-MLP and DRL-GNN can reach convergence within less than 100 iterations, which is highly efficient.

E.3 Using Cost as Planning Budget

In the paper, we use the number of road segments to be planned, K , as the planning budget. In fact, there are other acceptable and feasible budgets for road planning, such as the construction cost. Fortunately, our model is not limited to a designated type of budget

Table 5: Road planning performance comparison using construction cost as planning budget. Lower is better.

Budget (SC)	Method	Harare, ZWE		Cape Town, ZAF (A)		Cape Town, ZAF (B)		Mumbai, IND	
		UC	AD	UC	AD	UC	AD	UC	AD
Low	HS-MC	NO	INF	NO	INF	NO	INF	NO	INF
	DRL-GNN (ours)	YES	1.26	YES	2.47	YES	2.77	YES	3.34
	impr% v.s. HS-MC	-100%	-100%	-100%	-100%	-100%	-100%	-100%	-100%
Medium	HS-MC	YES	0.70	YES	1.41	YES	1.96	YES	2.09
	DRL-GNN (ours)	YES	0.65	YES	1.24	YES	1.76	YES	1.85
	impr% v.s. HS-MC	-	-7.1%	-	-12.1%	-	-10.2%	-	-11.5%
High	HS-MC	YES	0.64	YES	1.21	YES	1.68	YES	1.71
	DRL-GNN (ours)	YES	0.52	YES	1.02	YES	1.44	YES	1.55
	impr% v.s. HS-MC	-	-18.8%	-	-15.7%	-	-14.3%	-	-9.4%

Table 6: Road planning performance comparison using construction cost as planning budget. Lower is better.

Method	Harare, ZWE		Cape Town, ZAF (A)		Cape Town, ZAF (B)		Mumbai, IND	
	UC	AD	UC	AD	UC	AD	UC	AD
HS-MC	YES	0.64	YES	1.21	YES	1.68	YES	1.71
DRL-GNN (ours)	YES	0.51	YES	0.94	YES	1.44	YES	1.53
impr% v.s. HS-MC	-	-20.3%	-	-22.3%	-	-14.3%	-	-10.5%

and is still applicable if the budget is changed to the construction cost. We will explain it below in detail with experimental results.

In fact, our model can generate decent road plans with optimal accessibility and minimal cost under a budget specified in terms of the number of roads, or the construction cost, or any other types of budget. From the perspective of reinforcement learning where the intelligent road planning agent interacts with a simulated slum environment, the budget is only used by the environment but not the agent. Specifically, the environment uses the budget value to determine whether to continue or terminate the planning process. Under both types of budget, the agent always builds one segment at each step, until the environment claims that it has run out of budget. Therefore, when changing the budget to the construction cost, we only need to redefine the termination logic of the environment, and we can simply keep the model as it is. To show this point, we conducted supplementary experiments by utilizing the trained model under the original budget of the number of road segments, and directly testing it with the different budget of construction cost. We even changed the budget to different values of construction cost without any modification to the model. The results are shown in Table 5. As the construction cost becomes budget now, the SC metric will no longer make sense, thus we only report AD and whether universal connectivity (UC) is achieved.

We can observe that the results under the budget of construction cost is consistent with the results in the paper which is trained under the budget of the number of road segments. With low budget of construction cost, HS-MC can not achieve universal connectivity while our DRL-GNN can successfully connect all places in the slum. For all slums under all different budget of construction cost, the travel distance of our approach is significantly less than that of HS-MC.

Besides the above results of direct evaluation, we also train a new model with the same high budget of construction cost in Table 5 (we only redefine the termination logic of the environment, and use the same model structure). The results are shown in Table 6. Similarly,

we only report UC and AD, because SC does not make sense. We can observe that the results are consistent with previous findings, where our proposed DRL-GNN method significantly outperforms HS-MC with over 10% relative improvements.

In summary, our proposed model can deal with different definitions of the planning budget without any modification. Specifically, we can simply keep the model unchanged, and only redefine the termination logic of the environment. The results under different planning budgets are quite stable, showing the consistent advantages of our proposed method.

E.4 More Results on Graph Modeling

We have shown that DRL-GNN achieves better final road planning performance compared with a DRL model without the generic graph modeling, DRL-MLP, in Table 3. Despite the superior evaluation performance, the graph modeling makes it easier to discover places with poor accessibility, which in turn facilitates more efficient search in the action space. As a consequence, DRL-GNN is much more efficient considering training samples than DRL-MLP. Table 7 illustrates the number of iterations utilized to train DRL-GNN and DRL-MLP until convergence for the four slums. We can observe that DRL-GNN requires much fewer iterations to converge for all slums. Notably, for the largest slum in Mumbai, IND, our DRL-GNN model uses over 70% fewer iterations to achieve better road planning performance than DRL-MLP. The superior sample efficiency of our DRL-GNN model indicate that it can generate decent road plans in a short time, which is critical for real-world slum upgrading with a large solution space.

E.5 More Results on Topological Features

We investigate the effect of different topological features by setting the values as 0 and evaluating their corresponding performance. In Section 4.3, we investigate three typical features, namely *Centrality*, *Road* and *Straightness*. We demonstrate the results of removing




Figure 13: Road planning performance of our model and its variants by removing different features with respect to (a) travel distance (b) construction cost for the slum in Cape Town, ZAF. Features are Coordinates (F1), Centrality (F2), On Road (F3), Road Ratio (F4), Avg N2N Dis (F5), Cost (F6), Road (F7), Straightness (F8), Connected (F9), Avg F2F Dis (F10) and F2E Dis (F11). Best viewed in color.




Figure 14: Accessibility after each iteration of training of our model with and without the action mask for the two slums (a and b) in Cape Town, ZAF. Best viewed in color.

Table 7: The number of iterations for model convergence.

Method	DRL-MLP	DRL-GNN	impr%
Harare, ZWE	91	57	-37.4%
Cape Town, ZAF	79	31	-60.8%
Cape Town, ZAF	87	40	-54.0%
Mumbai, IND	82	23	-72.0%

other features in Figure 13. We can observe that all features contribute to the effect of road planning with respect to travel distance, and removing any of them will bring about a deterioration. Among these features, Straightness (F8), Centrality (F2), Coordinates (F1), and Connected (F9) are the most important features, and removing them lead to an over 16.7% increase in travel distance. These four features, especially Straightness, directly reflect the current conditions of travel distance, and can be utilized by our model to detect long detours in the slum. In terms of construction cost, the Cost feature (F6) is the most important which is consistent with intuition. All these features contain rich topological information about the accessibility, travel distance and constructions costs of roads and places in the slum. We adopt the 11 categories of features since they reflect topological information and they are all easy to compute. Furthermore, we believe more features can be designed and included into our model, which may lead to better road planning performance.

E.6 More Results on Action Mask

We have shown that the masked policy optimization method can improve the final road planning metrics in Section 4.3. Besides better evaluation performance, the action mask can block out actions of low quality, such as the roads segments which connect places that

are already connected. In other words, the action mask guides our model to explore in a *sub action space* which is smaller and contains much fewer undesirable actions, instead of the original enormous one. Therefore, our model can learn skills of road planning faster with the help of the action mask. We illustrate the convergence curve of accessibility of our DRL-GNN model with and without the action mask in Figure 14, which is the number of road segments (NR) consumed to achieve universal connectivity after each iteration of training. We can observe that although both methods eventually achieve the same lowest NR, using the action mask can make our DRL-GNN model converge much faster than optimizing it without the mask. Specifically, without the action mask, the DRL-GNN model tends to try those actions of low quality in the early stages of training, thus it requires much larger number of road segments to achieve universal connectivity. In the first 20 iterations, the NR is over 20 and 40 for the two slums respectively. On the contrary, adding the action mask help the DRL-GNN model quickly discover road segments that can significantly improve the accessibility. Thus the NR is getting very close to optimal after only 10 iterations of training, which is 3 times faster than not using the action mask.

E.7 Hyper-parameter Study

We investigate three key hyper-parameters of our model in this section, which are the number of GNN layers, the dimension of GNN representations and the reward weights (α_1, α_2).



GNN Layers. We design a topology-aware message passing mechanism with node-to-edge propagation, face-to-edge propagation, edge self-propagation and edge embedding broadcast in one GNN layer. Multiple GNN layers can be stacked to expand the perception fields of each node and edge on the graph, making the learned representations absorb information of multi-hop neighbors. However, too many GNN layers may lead to over-smoothing and deteriorate the final performance [10]. We train our model with different number of GNN layers, and Figure 15(a) demonstrates the results. Consistent with our expectation, using 2 GNN layers achieves the best performance, while using too few (1) or too many (4) GNN layers both fail to achieve effective road planning. Particularly, using 4 GNN layers increase travel distance and construction costs by over 5.5% and 6.1%, respectively, which is even worse than DRL-MLP.

GNN Embedding Dimension. The embedding dimension decides the expressive power of the learned representations. With too low embedding dimension, the representations for roads and places cannot well capture the topological information. On the contrary, with too high embedding dimension, the model may suffer from overfitting. We investigate the performance of of model with different embedding dimensions, as shown in Figure 15(b). Setting embedding dimension as 16 outperforms other variants of our model. Increasing it to 32 will worsen construction costs by about 3.1%, and decreasing it to 4 will make travel distance and construction costs worse by about 0.7% and 8.1%. We thus set embedding dimension as 16 in our experiments.

Reward Weight. In (14), we add hyper-parameters, α_1 and α_2 , which determine the weight for different rewards. By altering the ratio of α_1 to α_2 , we can easily optimize our model to emphasize travel distance or construction costs. Figure 16 shows the planning performance of our model under different ratios of α_1 to α_2 . We can observe that using a larger ratio $\alpha_1 : \alpha_2$ can effectively reduce

Table 8: Road planning performance comparison of our proposed framework with different network structures. Lower is better.

Method	Harare, ZWE			Cape Town, ZAF (A)			Cape Town, ZAF (B)			Mumbai, IND		
	NR	AD	SC	NR	AD	SC	NR	AD	SC	NR	AD	SC
DRL-MLP (ours, masked)	11	0.52	4.38	14	0.96	8.28	32	1.57	15.66	31	1.52	22.93
DRL-GNN (ours, masked)	9	0.50	4.60	13	0.93	8.24	31	1.51	15.62	29	1.51	22.82
DRL-GT (ours, masked)	8	0.51	4.47	13	0.93	8.64	32	1.38	16.97	29	1.55	21.89

**Figure 15: Performance of DRL-GNN under different values of (a) GNN layers (b) GNN node dimension for the slum in Cape Town, ZAF. Best viewed in color.****Figure 16: Performance of DRL-GNN under different values of reward weights (α_1, α_2) for the slum in (a) Harare, ZWE (b) Cape Town, ZAF. Best viewed in color.**

the travel distance, while requiring higher construction costs. Similarly, a smaller $\alpha_1 : \alpha_2$ can prioritize construction costs over travel distance. Through changing the value of $\alpha_1 : \alpha_2$, our model can achieve smooth trade-off between different metrics, which is much beneficial for practical slum upgrading since it usually involves comparison between different road plans.

E.8 Results of Graph Transformer

In the paper, we chose to use topology-aware GNN for building our DRL-GNN model, which has been shown to be effective for modeling the topological relationships among different elements in the slum. In fact, other graph-based neural network structures can be much useful and deserve thorough exploration. Fortunately, our proposed method is flexible and can be easily integrated with more advanced network structures. In particular, we implement graph transformer (GT) [73], which replaces the average pooling in (15) with a self-attention module [56]. The results are shown in Table 8. We can observe that the DRL-GT model achieved competitive performance, indicating the promising potential of our proposed framework to include more advanced neural network structures. For instance, our framework can be further extended by incorporating recent progress made in GNN and RL.

1857

1858

1859

1860

1861

1862

1863

1864

1865

1866

1867

1868

1869

1870

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

1891

1892

1893

1894

1895

1896

1897

1898

1899

1900

1901

1902

1903

1904

1905

1906

1907

1908

1909

1910

1911

1912

1913

1914

1915

1916

1917

1918

1919

1920

1921

1922

1923

1924

1925

1926

1927

1928

1929

1930

1931

1932

1933

1934

1935

1936

1937

1938

1939

1940

1941

1942

1943

1944

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972




Figure 17: The generated road plans of all methods for the slum in Harare, ZWE. Red polygons are remaining disconnected places after road planning. Blue segments except for external boundaries are planned roads in stage I. Orange segments are planned roads in stage II. Best viewed in color.




Figure 18: The generated road plans of all methods for the slum in Cape Town, ZAF. Red polygons are remaining disconnected places after road planning. Blue segments except for external boundaries are planned roads in stage I. Orange segments are planned roads in stage II. Best viewed in color.




Figure 19: The generated road plans of all methods for the slum in Cape Town, ZAF. Red polygons are remaining disconnected places after road planning. Blue segments except for external boundaries are planned roads in stage I. Orange segments are planned roads in stage II. Best viewed in color.




Figure 20: The generated road plans of all methods for the slum in Mumbai, IND. Red polygons are remaining disconnected places after road planning. Blue segments except for external boundaries are planned roads in stage I. Orange segments are planned roads in stage II. Best viewed in color.