

# Duale Hochschule Baden-Württemberg Mannheim

## **Pentest Report**

Pentesting Project X

## **Studiengang Cyber Security**

Verfasser:	Luka Tsipitsoudis		
Matrikelnummer:	4110112		
Kurs:	TINF20CS1		
Abgabedatum:	18.04.2023		
Betreuer:	Pr. Dr. Johannes Bauer		

Unterschrift:

## **Abstract**

Deutsche Version

## Englische Version

DHBW Mannheim ii

## **Inhaltsverzeichnis**

ΑŁ	Abbildungsverzeichnis		
Ta	belle	verzeichnis	v
AŁ	Abkürzungsverzeichnis		
1	1.1 1.2 1.3 1.4	duction CHECKS NOCH ENTFERNEN  dependence of the control of the co	1 1 1 1
2	Mar	gement Summary	2
3	3.1 3.2	ical Summary Cindings Overview	3 3
4	Finc 4.1	Cinding 1 - Exact OpenSSH-Version can be determined  1.1.1 Finding Description  1.2 Finding Impact  1.3 Finding Cause  1.4 Finding Details  1.5 Evaluation of Results  1.6 Finding 2 - Vulnerable OpenSSH Version  1.7 Finding Description  1.8 Finding Impact  1.9 Finding Description  1.9 Finding Impact  1.0 Evaluation of Results	4 4 4 4 5 5 6 6 6 6
5	Res	:S	7

# Abbildungsverzeichnis

DHBW Mannheim iv

## **Tabellenverzeichnis**

# Abkürzungsverzeichnis

**DUT** Device Under Testing

DHBW Mannheim vi

# 1 Introduction CHECKS NOCH ENTFERNEN

## 1.1 Scope

Who gave the assignment? What is the Device under Test (DUT)? What have you received for the test (hardware, information, etc.)? Add email with hash sum of the mail to the report.

## 1.2 Severities

For each vulnerability you uncover in your testing, you typically provide: The likelihood of exploitation, taking into account how easy it is to discover and exploit The impact on the control you get once exploited Suggested remediation Suggested validation of remediation effectiveness

Low Moderate High Severe Critical

### 1.3 Classification

## 1.4 Effort to Fix

Low Moderate High

# 2 Management Summary

Short Summary for non technical people. what are key takeeaways and recommendations? how urgent is acting necessary?

# 3 Technical Summary

summery for technical people

## 3.1 Findings Overview

table that contains the findings you'll describe later, sorted by severity Helps quickly triage results

## 3.2 Used Tools

## 4 Findings

# 4.1 Finding 1 - Exact OpenSSH-Version can be determined

Classification: Information Disclosure CVE: Severity: Low

### 4.1.1 Finding Description

A nmap port scan reveils the exact version of the running OpenSSH-Server on the Device Under Testing (DUT). The version used on the DUT is "OpenSSH 8.4p1 Debian 5+deb11u1" and can be accessed via port 22.

#### 4.1.2 Finding Impact

This information can be used by an attacker to find known vulnerabilities in this specific OpenSSH-Version to exploit the DUT. Possible exploitations can be found in Finding 2.

## 4.1.3 Finding Cause

This finding is caused by OpenSSH itself. There is no configuration option to hide the version of the SSH-Server. The version-banner can be found in the sshd binary.

Kapitel 4 Findings

### 4.1.4 Finding Details

```
1  $ nmap -A 172.16.0.29
2  Starting Nmap 7.91 ( https://nmap.org ) at 2023-03-06 09:30 CEST
3  Nmap scan report for 172.16.0.29
4  Host is up (0.00051s latency).
5  PORT STATE SERVICE VERSION
6  22/tcp open ssh OpenSSH 8.4p1 Debian 5+deb11u1 (protocol 2.0)
```

#### 4.1.5 Evaluation of Results

Effort to Fix: Medium

To fix this finding the OpenSSH Binary has to be changed. By default the binary can be found at '/usr/sbin/sshd'. Change the binary with hexedit and search for the version banner. After removing the version banner restart the ssh service wit 'systemctl restart sshd.service'. Due to the fact of the risk of working on the binary itself, this finding is rated as medium effort to fix.

Kapitel 4 Findings

## 4.2 Finding 2 - Vulnerable OpenSSH Version

Classification: Vulnerable Software Version Severity: Medium

**CVE:** CVE-2021-28041, CVE-2021-41617

### 4.2.1 Finding Description

The DUT is running a vulnerable OpenSSH version (8.4p1). This version is vulnerable to the following CVEs: CVE-2021-28041, CVE-2021-41617.

### 4.2.2 Finding Impact

Following exploits can be used to gain access to the DUT:

CVE-2021-28041: This vulnerability enables an attacker to carry out unauthorized code execution on a target system remotely. The vulnerability stems from an error in the ssh-agent, where a remote attacker can lure the victim to connect to a server where the attacker has root access.

CVE-2021-41617: When OpenSSH is used with non default configurations privilige escalation is possible. (Check configuration)

#### 4.2.3 Evaluation of Results

Effort to Fix: Low

Update OpenSSH to 9.2/9.2p1 (Check). This can be done by running the following command:

```
sudo apt update
sudo apt install openssh-server
```

# 5 Results