1   1

Dashboard ▸ **addressbook-tests-windows** ▸

| **General** | Source Code Management | Build Triggers | Build Environment | Build | Post-build Actions |

Description

[Plain text] **Preview**

☐ Discard old builds   ❓
☐ GitHub project
☐ This build requires lockable resources
☐ This project is parameterized   ❓
☐ Throttle builds   ❓
☐ Disable this project   ❓
☐ Execute concurrent builds if necessary   ❓

Advanced...

Source Code Management

◯ None

◉ Git   ❓

Repositories   ❓

Repository URL   ❓

https://github.com/tsipurinda-s/swt_java_course

Credentials   ❓

- none - ▾   🔑 **Add** ▾

Advanced...

Add Repository

Branches to build   ❓

X

Branch Specifier (blank for 'any')   ❓

*/main

Add Branch

Repository browser   ❓

Save   **Apply**

(Auto)

Additional Behaviours

Build Triggers

☐ **Trigger builds remotely (e.g., from scripts)**   ❓

☐ **Build after other projects are built**   ❓

☐ **GitHub hook trigger for GITScm polling**   ❓

☐ **Build periodically**   ❓

☑ **Poll SCM**   ❓

     Schedule   ❓

```
*/1 * * * *
```

     Do you really mean "every minute" when you say "*/1 * * * *"? Perhaps you meant "H * * * *" to poll once per hour

     Would last have run at 28 ноября 2021 г. 20:36:35 MSK; would next run at 28 ноября 2021 г. 20:36:35 MSK.

     ☐ **Ignore post-commit hooks**   ❓

Build Environment

☐ **Delete workspace before build starts**

☐ **Use secret text(s) or file(s)**   ❓

☐ **Abort the build if it's stuck**

☐ **Add timestamps to the Console Output**

☐ **With Ant**   ❓

Build

     X   ❓

Invoke Gradle script

     ⦿ Invoke Gradle   ❓

       Gradle Version

       gradle-6.9.1

     ◯ Use Gradle Wrapper   ❓

     Tasks   ❓

     clean testGroups   ▼

     📝   Advanced...

Add build step ▾

Post-build Actions

     X   ❓

Publish JUnit test result report

Save   Apply

Test report XMLs

/test-results//*.xml

Basedir of the fileset is the workspace root.

❓

☐ Retain long standard output/error

Health report amplification factor ❓

1,0

1% failing tests scores as 99% health. 5% failing tests scores as 95% health

Allow empty results ❓

☐ Do not fail the build on empty test results

Skip publishing checks ❓

☐ If unchecked, then issues will be published to SCM provider platforms

Checks name ❓

Skip marking build as unstable on test failure ❓

☐ If checked, the test failures will still be reported but won't mark the build as unstable

[Add post-build action ▾]

Jenkins 2.303.3

[Save] [Apply]