DOKUMENTACIJA

https://cineton.000webhostapp.com/

Aleksa Strugarevic 93/19

Smer: Internet tehnologije

Predmet: Web programiranje PHP 1

Sadrzaj

Uvod	4
Koriscene tehnologije	4
Opis funkcionalnosti	4
Template	4
Organizacija	5
Organizaciona sema	5
Baza podataka	6
Mapa sajta	7
Slike stranica i opis	8
index.php	8
movies.php	11
repertoire.php	
contact.php	15
Admin panel	16
Kodovi	24
PHP	24
index.php	24
movies.php	25
repertoire.php	26
contact.php	29
oneMovie.php	32
reservation.php	33
loginRegister.php	35
logout.php	37
dodavanjeUser.php	37
dodavanjeMovies.php	39
dodavanjeRep.php	42
editovanjeUsers.php	44
editovanjeMovies.php	46
editovanjeRep.php	50
adminMovies.php	
adminRep.php	54
adminReservation.php	56
adminMess.php	57
adminUsers.php	59
head.php	61
login.php	61
header.php	61
footer.php	63
scripts.php	64
cenovnik.php	64
naRepertoaru.php	64
admin-header.php	65
oneMovie.php	66
repertoireFilm.php	67

ispisFilmova.php	68
ispisMovies.php	69
ispisRep.php	69
ispisRes.php	69
ispisMess.php	70
ispisUsers.php	70
obradaAnkete.php	71
obradaForme.php	71
obradaLogin.php	73
obradaRegister.php	74
obradaRes.php	75
addMovies.php	76
addRep.php	79
upisUser.php	80
updateMovies.php	82
updateRep.php	84
updateUser.php	85
brisanjeMovies.php	87
brisanjeRep.php	88
brisanjeRes.php	88
brisanjeMess.php	89
brisanjeUsers.php	89
podaci.php	90
konekcija.php	
CSS	
style.css	
JavaScript	
main.js	

Uvod

Koriscene tehnologije

- HTML
- CSS
- JavaScript
- jQuery
- PHP
- Bootstrap
- Visual Studio Code

Opis funkcionalnosti


- Pretraga filmova
- Mogucnost rezervacije odredjenog filma
- Mogucnost kontaktiranja admina bez naloga
- Kreiranje naloga
- Popunjavanje ankete
- Detaljniji prikaz filmova
- Admin moze da menja, brise i kreira korisnike, filmove i repertoire
- Admin moze da otkaze rezervaciju
- Admin moze da obrise iz baze podataka pristigle poruke

Template


• Za izradu sajta nije koriscen template

Organizacija

Organizaciona sema



Baza podataka



Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
     <loc>https://cineton.000webhostapp.com/index.php</loc>
     <lastmod>2022-03-11
     <changefreq>monthly</changefreq>
     <priority>0.8</priority>
  </url>
  <url>
     <loc>https://cineton.000webhostapp.com/movies.php</loc>
     <lastmod>2022-03-11
     <changefreq>monthly</changefreq>
     <priority>0.7</priority>
  </url><url>
     <loc>https://cineton.000webhostapp.com/repertoire.php</loc>
     <lastmod>2022-03-11
     <changefreq>monthly</changefreq>
     <priority>0.6</priority>
  </url><url>
     <loc>https://cineton.000webhostapp.com/contact.php</loc>
     <lastmod>2022-03-11
     <changefreq>monthly</changefreq>
     <priority>0.5</priority>
  </url><url>
     <loc>https://cineton.000webhostapp.com/adminMovies.php</loc>
     <lastmod>2022-03-11
     <changefreq>monthly</changefreq>
     <priority>0.6</priority>
  </url>
/urlset>
```

Slike stranica i opis

index.php



Dinamicki ispisana navigacija iz baze podataka koja je na svim stranicama za korisnika ista. Klikom na dugme Log in ili na dugme Register korisnik ce biti prebacen na stranicu loginRegister.php gde cemoci da napravi nalog ilia ko vec ima nalog da se uloguje

Register	Login
full name	email
username	password
email	Log in
password	
confirm password	
Register	

Return to site Admin panel WELCOME ADMIN Log out

Odradjena je provera i za registraciju i za logovanje uz adekvatnu poruku za korisnika ako dodje do greske ili ako je sve ispravno uneto. I ako je sve dobro deo sajta iznad navigacije se menja.

Ako se uloguje kao admin prikazace se linkovi koji vode na admin panel i link za povratak na sajt kakav vidi korisnik. Ako se uloguje kao obican korisnik imace samo dugme za Log out I bice mu ispisan username



About us

Cineton was founded in 1998. The first cinema was opened in Belgrade, Serbia, since then our cinemas expanded over the whole Balkan region.

Our theatres offer you experience with the latest technology. You can watch movies in digital 3D, MX4D and the latest IMAX technology. Our largest halls offer 4K projection resolution and HFR technology. In the hall of the cinema there is a cafe and the lounge area.

Working hours:

The working hours of the box office are from: 15:00 - 22:00 on week days

12:00 - 22:00 Saturday, Sunday

Sledeci deo index.php stranice je dinamicki ispisan deo AboutUs preko JavaScripta

Next to watch

Ben Hur

Date: 17.03.2022.



Show more

Ovaj deo stranice prikazuje korisniku koji je sledeci film na repertoaru I ovaj deo je takodje ispisan dinamicki iz baze podataka.

Ben Hur

Ben-Hur is a 1959 American religious epic film directed by William Wyler, produced by Sam Zimbalist, and starring Charlton Heston as the title character. It was adapted from Lew Wallace's 1880 novel Ben-Hur: A Tale of the Christ. Plot: Charlton Heston plays a Palestinian Jew who is battling the Roman empire at the time of Christ. His actions send him and his family into slavery, but an inspirational encounter with Jesus changes everything. Heston finally meets his rival in a justly famous chariot race and rescues his suffering family.

Duration: 212 min

Price: 10 €

Premiere: 13.03.2022.



Klikom na dugme Show more korisnik ce videte detaljnije informacije o tom filmu

Pricelist

NAME	PRICE
Ben Hur	10€
Cabaret	8€
Titanic	7€
Gandhi	9€
Casablanca	6€
West Side Story	12€
Gigi	7€
Schindlers List	9€
Out of Africa	8€


Posto je index.php poprilicno informativnog karaktera ovde su prikazane sve cene za filmove takodje dinamicki ispisane



Dinamicki ispisan footer sa linkovima kao u navigaciji i sa linkovima koji vode do odredjenih drustvenih mreza kao i do dokumntacije i autora. Ovaj deo je isti na svim stranicama koje korisnik moze da vidi

movies.php











Schindlers List Duration: 195 min Premiere: 20.03.2022

DETAILS

Duration: 161 min Premiere: 21.03.2022

DETAILS

DETAILS

Dinamicki ispisi celog centralnog dela ove stranice koja je ujedno I prikaz svih filmova sa odredjenim informacijama o istim. Ali klikom na dugme Details otvara se nova stranica o prosirenim informacijama za konkretan film.

Ben Hur

Ben-Hur is a 1959 American religious epic film directed by William Wyler, produced by Sam Zimbalist, and starring Charlton Heston as the title character. It was adapted from Lew Wallace's 1880 novel Ben-Hur: A Tale of the Christ. Plot: Charlton Heston plays a Palestinian Jew who is battling the Roman empire at the time of Christ. His actions send him and his family into slavery, but an inspirational encounter with Jesus changes everything. Heston finally meets his rival in a justly famous chariot race and rescues his suffering family.

Duration: 212 min

Price: 10 €


Premiere: 13.03.2022.




repertoire.php



Ovde su prikazani repertoari sa odredjnim filmovima I datumom prikazivanja, dinamicki ispisani. Takodje odradjena je i paginacija, kada ima vise od 5 repertoara ostatak prelazi na drugu stranu. Klikom na Next ili Previous kao i na same broje korisnik moze da se krece po ovoj stranici.



Book you tickets with one click:




Klikom na dugme Reserve otvara se ova stranica gde korisnik moze da rezervise odredjeni broj karata za odredjeni film i tu ce mu se prikazati ukupna cena za taj broj karata. Ovaj deo je takodje dinamicki ispisan

Survey

How satisfied are you with our services?

Answer:

O1 O2 O3 O4 O5



Na contact.php stranici se nalazi anketa koju mogu da vide ulogovani korisnici i samo jedno da odgovore na nju ti podaci se posle skladiste u bazi podataka. Posle jednog odgovora taj korisnik vise nece videte anketu kada je na ovoj stranici dok ne ulogovani korisnik svakako nece videte

Contact Us If you are interested in some of our movies contact us! Message Your name... Your email... Your phone... SEND MESSAGE

Zato ne ulogovani korisnik ce videte ovaj deo stranice a to je forma kojom moze da se posalje poruka adminu i ako korisnik nije ulogovan. Odradjena je klijentsak i serverska validacija podataka uz izbacivanje prikladne poruke korisniku

Admin panel



Navigacija se menja kada admin pristupi admin panelu. U navigacionom meniju se nalaze sve stavke nad kojima admin ima ovlascenje.

Movies

FILM NAME	SUMMARY	PICTURESRC	PRICE	DURATION	PREMIERE	EDIT/DELETE
Ben Hur	Ben-Hur is a 1959 American rel	benhur.jpg	10	212	2022-03-13	Edit Delete
Cabaret	Cabaret is a 1972 American mus	cabaret.jpg	8	124	2022-03-14	Edit Delete
Titanic	Titanic is a 1997 American epi	titanic.png	7	195	2022-03-15	Edit Delete
Gandhi	Gandhi is a 1982 period biogra	gandhi.png	9	191	2022-03-16	Edit Delete

Dinamicki prikaz svih filmova kao i opcije za edit i delete. Klikom na Delete dugme taj film ce biti obrisan

Klikom na Edit otvara se nova stranica gde admin moze da edituje odabrani film, bice prikazana u vidu forme i podaci ce vec biti za taj film popunjeni


Movies

Film name					
Ben Hur					
Picture Choose File No	file chosen				
Summary					
Wyler, produced by Sam title character. It was ad A Tale of the Christ. Plot is battling the Roman en and his family into slave	ican religious epic film dir Zimbalist, and starring C apted from Lew Wallace's t: Charlton Heston plays a npire at the time of Christ ery, but an inspirational en ston finally meets his rival	harlton Heston as the s 1880 novel Ben-Hur: Palestinian Jew who s. His actions send him counter with Jesus			
10					
Duration					
212					
Premiere day	Premiere month	Premiere year			
13 🔻	3 •	2022 🕶			
Update					

Klikom na dugme Update promenjeni podaci ce se upisati u bazu i ostati takvi na sajtu




Takodje se nalazi i opcija za dodavanje novog filma. Kliki na dugme Add new otvorice se forma za insertovanje novog filma.




Klikom na dugme Add film ce se upisati u bazu i ostati takvi na sajtu

Repertoire




Add new

Screening date



Add



Repertoar funkcionise po istom principu kao i deo za filmove. Ima edit,delete i add opcija. Klikom na neko od ta tri dugmeta izvrsavaju se funkcionalnosti u skladu sa izabranom opcijom

Reservation

CUSTOMER	FILM	DATE	TICKETS	CANCLE
Aleksa Strugarevic	Ben Hur	2022-03-17	2	Cancle
Pera Peric	Titanic	2022-03-19	3	Cancle
Mika Mikic	Out of Africa	2022-03-25	4	Cancle
Laza Lazic	West Side Story	2022-03-22	2	Cancle

Rezervacije su ispisane dinamicki i ima admin ima opciju da otkaze odredjenu rezervaciju. Klikom na dugme Cancle izvrsice se otkazivanje rezervacije

Messages

Full name: Lazar Celikovic
E-mail: laki@gmail.com
Phone: 065754252
Message: Lazar Celikovic je poslao poruku
Date: 2022-03-06 18:32:53
Delete
Full name: Nikolina Jovicic
E-mail: nina@gmail.com
Phone : 062461783
Message: Nikolina Jovicic je poslala poruku
Date : 2022-03-10 18:12:59
Delete

Ovo je deo stranice gde je pregled svih pristiglih poruka adminu i on ima mogucnost da ih obrise klikom na dugme Delete.

Users


USER	E-MAIL	USERNAME	ROLE	EDIT/DELETE
Aleksa Strugarevic	aleksa@gmail.com	alekssa	normal	Edit Delete
admin admin	admin@gmail.com	admin	admin	Edit Delete
Pera Peric	pera@gmail.com	peraaa	normal	Edit Delete
Mika Mikic	mika@gmail.com	mikaaa	normal	Edit Delete

Deo stranice gde su dinamicki ispisani korisnici sa svojim podacima. Admin moze takodje I korisnike da edituje,brise ili dodaje.




Add new

User



Klikom na dugme Update promenjeni podaci ce se upisati u bazu i ostati takvi na sajtu

Add user



Klikom na dugme Add korisnik ce se upisati u bazu i ostati takvi na sajtu

Kodovi

PHP

index.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
<!DOCTYPE html>
<html lang="en">
        <title> Cineton </title>
        <meta name="keywords" content="about,pricelist,next,social"/>
        <meta name="description" content="This page is the first page, also that</pre>
is info page on that site."/>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            include("php/stranice/header.php");
        <div id="baner">
        <div class="bg1">
        </div>
        <div class="wrapper">
        <div id="tekst1">
            Welcome to CINETON
        </div>
        </div>
        </div>
        <div id="aboutUs">
        <div id="txt">
            <div class="txt">
                <img src="assets/img/aboutus.jpg" alt="About us" class="auPic">
```

```
</div>
            <div class="txt">
                <h2>About us</h2>
                Cineton was founded in 1998. The first cinema was opened in
Belgrade, Serbia, since then our cinemas expanded over the whole Balkan
region.<br/>
<br/>
Our theatres offer you experience with the latest
technology.You can watch movies in digital 3D, MX4D and the latest IMAX
technology. Our largest halls offer 4K projection resolution and HFR technology.
                    In the hall of the cinema there is a cafe and the lounge
area. <br/>
<br/>
dry><br/>
dry><br/>
dry><br/>
dry><br/>
The working hours of the box office are
from:<br/>15:00 - 22:00 on week days<br/>12:00 - 22:00 Saturday, Sunday
            </div>
        </div>
    </div>
    <div id="naRepertoaru">
    </div>
    <div id="cenovnik">
        <h2>Pricelist</h2>
        </div>
        <?php
            include("php/stranice/footer.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

movies.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <meta name="keywords" content="movies,premiere,duration,details"/>
        <meta name="description" content="On this page all movies are
displayed"/>
        <?php
            include("php/stranice/head.php");
            ?>
```

repertoire.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <meta name="keywords" content="repertoire, screening, date, movie"/>
        <meta name="description" content="On this page all repertoires are</pre>
displayed with screening date"/>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            include("php/stranice/header.php");
        <?php
```

```
include("php/stranice/repertoireFilm.php");
   <div class="naslov">
        <h1 class="p-4">Repertoire</h1>
    </div>
    <div id="search">
        <form action="<?=$_SERVER['PHP_SELF']?>" method="GET">
            <input type="text" name="pretraga" value="<?php</pre>
                if(isset($_GET['pretraga'])){
                    echo $_GET['pretraga'];
                else{
                    echo "";
            ?>" placeholder="Search">
            <input type="hidden" name="str" value="1">
        </form>
    </div>
    <?php
        if(isset($greska)):
    <div class="naslov hgh">
        <h2><?=$greska?></h2>
    </div>
    <?php
       else:
        <div id="repertoar" class="my-5">
    <?php
       foreach($repertoar as $r):
        <div class="repertoar">
            <span class="datum"><?=explode("-",$r-</pre>
>screeningDate)[2].".".explode("-",$r->screeningDate)[1].".".explode("-",$r-
>screeningDate)[0]."."?></span>
            <a href="oneMovie.php?id=<?=$r->idFilm?>"><?=$r-</pre>
>filmName?></a>
            <a href="reservation.php?id=<?=$r->idRepertoire?>"
class="rezervacije" data-id="<?=$r->idRepertoire?>">Reserve</a>
        </div>
    <?php
        endforeach;
```

```
</div>
<?php
    endif;
<?php
    if($repertoar != ""):
    <div id="stranicenje">
    <?php
        $trenutna=(isset($_GET['str'])? $_GET['str'] : 1);
        $prethodna=$trenutna-1;
        $sledeca=$trenutna+1;
        $linkPrethodna=$_SERVER['PHP_SELF']."?";
        if($trenutna!=1):
            if(isset($_GET['pretraga'])){
                $linkPrethodna.="pretraga=".$_GET['pretraga'];
            if(isset($_GET['str'])){
                $linkPrethodna.="&str=".$prethodna;
        <a href="<?=$linkPrethodna?>">Previous</a>
<?php
    endif;
    for($i=1;$i<=$brojstr;$i++):</pre>
    <a href="<?php
    $link=$ SERVER['PHP SELF']."?str=".$i?>
    <?php
        if(isset($_GET['pretraga'])){
            $link.="&pretraga=".$_GET['pretraga'];
        echo $link;
    <?php
        if($trenutna==$i):
        class="aktivanLink"
    <?php
        endif;
    ><?=$i?></a>
<?php
```

```
endfor;
        if($trenutna!=$brojstr):
            $linkSledeca=$_SERVER['PHP_SELF']."?";
            if(!isset($ GET['str'])){
                $linkSledeca.="str="."2";
            if(isset($ GET['str'])){
                $linkSledeca.="str=".$sledeca;
            if(isset($_GET['pretraga'])){
                $linkSledeca.="&pretraga=".$_GET['pretraga'];
       <a href="<?=$linkSledeca?>">Next</a>
   <?php
       endif;
   </div>
   <?php
       endif;
</main>
       <?php
            include("php/stranice/footer.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
   </body>
</html>
```

contact.php

```
<?php
           include("php/stranice/head.php");
   </head>
   <body>
       <?php
           include("php/stranice/header.php");
       <?php
             if(isset($_SESSION["user"]))
               $korisnik=$ SESSION["user"];
               $vecGlasao="SELECT * FROM answer WHERE idUser=$korisnik->idUser";
               $execVecGlasao=$konekcija->query($vecGlasao)->fetch();
               if(!$execVecGlasao){
                     <div id="drzacAnkete">
       <div class="naslov">
           <h1 class="py-3 text-center ">Survey</h1>
       </div>
       <?php
               $queryAnketa="SELECT * FROM survey";
               $execAnketa=$konekcija->query($queryAnketa)->fetchAll();
               foreach($execAnketa as $ea):
               <?=$ea->question?>
       <?php
       endforeach;
       Answer:
       <form action="#" method="">
       <div id="odg">
           <?php
               for($i=1;$i<=5;$i++):
               <div class="form-check odg">
               <input type='radio' name='rdb' class='rdb form-check-input'</pre>
value='<?=$i?>'/><?=$i?>
               </div>
           <?php
               endfor;
           <input type="button" id="btnAnketa" name="btnAnketa" value="Submit"/>
           </div>
           </form>
```

```
<?php
    </div>
    <section class="page-heading contactUs">
        <div class="container">
           <div class="row">
               <div class="col-md-12 naslov">
                   <h2 class="naslov">Contact Us</h2>
                   If you are interested in some of our movies contact
us!
               </div>
           </div>
       </div>
   </section>
    <section class="contact-us mb-5">
       <div class="container">
           <div class="row">
               <div class="col-md-12">
               <div class="section-heading">
                   <h2 class="msg">Message</h2>
               </div>
               <form id="contact" action="obradaForme.php" method="post">
                   <div class="row">
                   <div class="col-md-6">
                       <fieldset>
                       <input name="name" type="text" class="formcontrol"</pre>
id="name" placeholder="Your name..." >
                       </fieldset>
                       <fieldset>
                       <input name="email" type="text" class="formcontrol"</pre>
id="email" placeholder="Your email...">
                       </fieldset>
                       <fieldset>
                       <input name="phone" type="text" class="formcontrol"</pre>
id="phone" placeholder="Your phone..." >
                       </fieldset>
                       </div>
                       <div class="col-md-6">
                       <fieldset>
                       <textarea name="msg" rows="6" class="formcontrol"</pre>
id="msg" placeholder="Your message..." ></textarea>
                       </fieldset>
```

```
<fieldset>
                         <button type="button" id="form-submit"</pre>
                         class="btnAjax">Send Message</button>
                         </fieldset>
                    </div>
                     <span class="mx-auto" id="valid"></span>
                </form>
                </div>
            </div>
        </div>
    </section>
        <?php
            include("php/stranice/footer.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

oneMovie.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            include("php/stranice/header.php");
        <?php
            include("php/stranice/oneMovie.php");
        <div id="jednaPredstava">
                <div id="filmovi" class="jedan">
                    <div id="filmTekst">
                        <h1><?=$film->filmName?></h1>
```

```
<?=$film->summary?>
                       >Duration: <?=$film->duration?> min
                       Price: <?=$film->price?> &euro;
                       Premiere: <?=explode("-",$film-
>premiere)[2].".".explode("-",$film->premiere)[1].".".explode("-",$film-
>premiere)[0]."."?>
                   </div>
                   <div>
                       <img src="assets/img/<?=$film->pictureSrc?>"
alt="<?=$film->pictureAlt?>" class="oneMpic">
                   </div>
               </div>
       </div>
       <?php
           include("php/stranice/footer.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

reservation.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
    if(!isset($_SESSION["user"])){
        $_SESSION["greska"]="You must be logged in";
        header("Location: loginRegister.php");
    $film="SELECT * FROM repertoire r INNER JOIN film f ON r.idFilm=f.idFilm
INNER JOIN price p ON f.idFilm=p.idFilm WHERE r.idRepertoire=".$_GET['id'];
    $execFilm=$konekcija->query($film)->fetch();
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    <body>
       <?php
```

```
include("php/stranice/header.php");
    <h2 class="naslov">Book you tickets with one click:</h2>
   <div id="drziSve" class="w-100 d-inline-flex p-5 d-flex justify-content-</pre>
center">
       <div class="p-4">
           <img src="assets/img/<?=$execFilm->pictureSrc?>" alt="<?=$execFilm-</pre>
>pictureAlt?>" />
       </div>
       <div class="p-4">
           <h2><?=$execFilm->filmName?></h2>
           Duration: <span</pre>
id="trajanje"><?=$execFilm->duration?> min</span>
           Price of one ticket: <span</pre>
id="cena"><?=$execFilm->price?></span>&euro;
       <form action="php/stranice/obradaRes.php" method="POST">
       <select id="brojKarata" name="brojKarata" class="p-2 font-weight-bold</pre>
brd">
           <option value="0">Number of tickets</option>
           <?php
               for($i=1;$i<=5;$i++):
           <option value="<?=$i?>"><?=$i?></option>
           <?php
               endfor;
       </select>
               Total: <span id="ukupno">
</span> &euro;
               <input type="submit" value="Reserve" id="btnRezervisi"</pre>
name="btnRes" class="mt-3 btn btn-dark">
               <input type="hidden" name="idRepertoire" value="<?=$execFilm-</pre>
>idRepertoire?>">
       </form>
       <?php
           if(isset($ SESSION["greska"])){
               echo("".$_SESSION["greska"]."");
               unset($_SESSION["greska"]);
           if(isset($ SESSION["uspesno"])){
               echo("".$ SESSION["uspesno"]."");
               unset($ SESSION["uspesno"]);
```

loginRegister.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
<!DOCTYPE html>
<html lang="en">
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            include("php/stranice/header.php");
        <div class="container my-5">
            <div class="row">
        <div class="col-md-6 p-5">
        <h2 class="naslov">Register</h2>
        <form id="registerForm" action="#" method="post">
                <div class="row">
                <div class="col-12 my-5">
                    <fieldset>
                    <input name="name" type="text" class="form-control bg-warning</pre>
mb-2 text-dark" id="name" placeholder="full name" >
                    </fieldset>
                    <fieldset>
                    <input name="username" type="text" class="form-control bg-</pre>
warning mb-2 text-dark" id="username" placeholder="username" >
                    </fieldset>
                    <fieldset>
```

```
<input name="email" type="text" class="form-control bg-</pre>
warning mb-2 text-dark" id="email" placeholder="email">
                    </fieldset>
                    <fieldset>
                    <input name="password" type="password" class="form-control</pre>
bg-warning mb-2 text-dark" id="password" placeholder="password" >
                    </fieldset>
                    <fieldset>
                    <input name="confirm" type="password" class="form-control bg-</pre>
warning mb-4 text-dark" id="confirm" placeholder="confirm password" >
                    </fieldset>
                    <fieldset>
                    <button type="button" id="registerBtn" class="form-control</pre>
text-warning btn-dark">Register</button>
                    </fieldset>
                    </div>
                <span class="mx-auto" id="valid"></span>
                </div>
            </form>
        </div>
        <div class="col-md-6 p-5">
            <h2 class="naslov">Login</h2>
            <form id="loginForm" action="#" method="post">
                <div class="row">
                <div class="col-12 my-5">
                    <fieldset>
                    <input name="email" type="text" class="form-control bg-</pre>
warning mb-2 text-dark" id="emailLogin" placeholder="email">
                    </fieldset>
                    <fieldset>
                    <input name="password" type="password" class="form-control</pre>
bg-warning mb-4 text-dark" id="passwordLogin" placeholder="password" >
                    </fieldset>
                    <fieldset>
                    <button type="button" id="loginBtn" class="form-control text-</pre>
warning btn-dark">Log in</button>
                    </fieldset>
                    </div>
                <span class="mx-auto" id="validLogin"></span>
                <?php
                    if(isset($ SESSION["greska"])){
                         echo("".$_SESSION["greska"]."");
                        unset($ SESSION["greska"]);
                    }
```

logout.php

```
<?php
session_start();
session_destroy();
header("Location: loginRegister.php");
?>
```

dodavanjeUser.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
   global $konekcija;
   $queryRole="SELECT * FROM role";
   $execRole=$konekcija->query($queryRole)->fetchAll();
<!DOCTYPE html>
<html lang="en">
   <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
   <body>
        <?php
            if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <div class="container">
```

```
<div class="row">
           <div class="col-6 mx-auto py-5">
           <h2 class="naslov">Add user</h2>
        <form action="php/stranice/upisUser.php" method="post">
                <div class="row">
                <div class="col-12 my-5">
                    <fieldset>
                    <input name="name" type="text" class="form-control mb-2 text-</pre>
dark" id="name" placeholder="full name" >
                    </fieldset>
                    <fieldset>
                    <input name="username" type="text" class="form-control mb-2</pre>
text-dark" id="username" placeholder="username" >
                    </fieldset>
                    <fieldset>
                    <input name="email" type="text" class="form-control mb-2</pre>
text-dark" id="email" placeholder="email">
                    </fieldset>
                    <fieldset>
                    <input name="password" type="password" class="form-control</pre>
mb-2 text-dark" id="password" placeholder="password" >
                    </fieldset>
                    <fieldset>
                    <input name="confirm" type="password" class="form-control mb-</pre>
4 text-dark" id="confirm" placeholder="confirm password" >
                    </fieldset>
                    <label for="" class="font-weight-bold"> Role type </label>
                         <select id="role" name="role" class="form-control mb-5</pre>
text-dark">
                         <option value="0" >Select</option>
                             <?php
                               foreach($execRole as $er):
                             <option value="<?=$er->idRole?>"><?=$er-</pre>
>roleType?></option>
                             <?php
                               endforeach;
                         </select>
                    <fieldset>
                    <input type="submit" id="form-submit" name="btnAddUser"</pre>
class="btnAddUser btn-dark form-control" value="Add"/>
                    </fieldset>
                    </div>
                <span class="mx-auto" id="valid"></span>
```

dodavanjeMovies.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
<!DOCTYPE html>
<html lang="en">
   <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <div class="container">
        <div class="row">
           <div class="col-6 mx-auto py-5">
                <form action="php/stranice/addMovies.php"</pre>
enctype="multipart/form-data" method="post">
                <div class="form-row">
                    <h2 class="naslov">Movies</h2>
```

```
<div class="form-group col-12">
                         <label for="" class="font-weight-bold"> Film name</label>
                         <input type = "text" id="filmName" name="filmName"</pre>
class="form-control text-dark" placeholder="Film name"/>
                    </div>
                    <div class="form-group col-12">
                    <label for="" class="font-weight-bold"> Picture </label>
                    <input type="file" id="picture" name="picture"/>
                    </div>
                    <div class="form-group">
                         <label for="" class="font-weight-bold">Summary</label>
                         <textarea id = "summary" name="summary" cols="70"</pre>
rows="7" class="form-control text-dark" placeholder="Summary"></textarea>
                     </div>
                    </div>
                    <div class="form-group">
                         <label for="" class="font-weight-bold"> Duration </label>
                         <select id="duration" name="duration" class="form-control</pre>
text-dark">
                             <option value="0">Select</option>
                               <?php
                                 for($i=90; $i<=240; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                         </div>
                         <label for="price" class="font-weight-bold"> Price
</label>
                         <input type="text" class="form-control text-dark"</pre>
name="price" placeholder="Price"/>
                         <div class="form-row">
                         <div class="form-group col-4">
                         <label for="" class="font-weight-bold">Premiere
day</label>
                         <select id="dan" name="dan" class="form-control text-</pre>
dark">
                             <option value="0">Select</option>
                               <?php
                                 for($i=1; $i<=31; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
```

```
<?php
                                  endfor;
                         </select>
                    </div>
                    <div class="form-group col-4">
                         <label for="" class="font-weight-bold">Premiere
month</label>
                         <select id="mesec" name="mesec" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=1; $i<=12; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                      </div>
                      <div class="form-group col-4">
                         <label for="" class="font-weight-bold">Premiere
year</label>
                         <select id="god" name="god" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=2022; $i<=2032; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                     </div>
                    </div>
                <input type="submit" id="form-submit" name="btnAddMovie"</pre>
class="btnAddMovie btn-dark form-control" value="Add"/>
                </form>
           </div>
        </div>
    </div>
        <?php
            include("php/stranice/scripts.php");
```

dodavanjeRep.php

```
<?php
    session start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
    $queryFilmovi="SELECT * FROM film";
    $execFilmovi=$konekcija->query($queryFilmovi)->fetchAll();
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            if(isset($ SESSION["user"]) && $ SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <div class="container">
        <div class="row">
           <div class="col-6 mx-auto py-5">
                <form action="php/stranice/addRep.php" method="post">
                    <div class="form-row">
                    <h2 class="naslov">Add</h2>
                     <div class="form-group col-12">
                        <label for="" class="font-weight-bold"> Film names
</label>
                        <select id="film" name="film" class="form-control text-</pre>
dark">
                        <option value="0" >Select</option>
                            <?php
```

```
foreach($execFilmovi as $ef):
                               <option value="<?=$ef->idFilm?>"><?=$ef-</pre>
>filmName?></option>
                             <?php
                               endforeach;
                        </select>
                             </div>
                             </div>
                    <div class="form-row">
                    <div class="form-group col-4">
                         <label for="" class="font-weight-bold"> Day</label>
                         <select id="dan" name="dan" class="form-control text-</pre>
dark">
                             <option value="0">Select</option>
                               <?php
                                 $deloviDatuma=explode("-",$execDohvatanjeRep-
>screeningDate);
                                 $dan=(int)$deloviDatuma[2];
                                 $mesec=(int)$deloviDatuma[1];
                                 $godina=(int)$deloviDatuma[0];
                                 for($i=1; $i<=31; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                    </div>
                    <div class="form-group col-4">
                         <label for="" class="font-weight-bold"> Month</label>
                         <select id="mesec" name="mesec" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=1; $i<=12; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                     </div>
                      <div class="form-group col-4">
```

```
<label for="" class="font-weight-bold"> Year</label>
                         <select id="god" name="god" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=2022; $i<=2032; $i++):
                                  <option value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                               25
                         </select>
                      </div>
                </div>
                      <input type="submit" id="form-submit" name="btnAdd"</pre>
class="btnAdd btn-dark form-control" value="Add"/>
                </form>
           </div>
        </div>
    </div>
        <?php
            include("php/stranice/scripts.php");
        <?php
            }else{
                header("Location: 404.php");
            }
        <script type="text/javascript" src="assets/js/main.js"></script>
</html>
```

editovanjeUsers.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
    if(isset($_POST["btnEditUsers"])){
        $idUser=$_POST["idUser"];

        $queryDohvatanjeUser="SELECT * FROM user u INNER JOIN role r ON
u.idRole=r.idRole WHERE idUser=$idUser";
        $execDohvatanjeUser=$konekcija->query($queryDohvatanjeUser)->fetch();
        $queryDohvatanjeRole="SELECT * FROM role";
```

```
$execDohvatanjeRole=$konekcija->query($queryDohvatanjeRole)->fetchAll();
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            if(isset($ SESSION["user"]) && $ SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <div class="container">
        <div class="row">
           <div class="col-6 mx-auto py-5">
                <form action="php/stranice/updateUser.php" method="post">
                <div class="form-row">
                    <h2 class="naslov">User</h2>
                    <div class="form-group col-12">
                         <label for="" class="font-weight-bold"> Full name</label>
                         <input type = "text" id="fullName" name="fullName"</pre>
class="form-control text-dark" value="<?=$execDohvatanjeUser->firstName?>
<?=$execDohvatanjeUser->lastName ?>"/>
                    </div>
                    <div class="form-group col-12">
                         <label for="" class="font-weight-bold"> E-mail</label>
                         <input type="text" id="email" name="email" class="form-</pre>
control text-dark" value="<?=$execDohvatanjeUser->email?>"/>
                    </div>
                    <div class="form-group col-12">
                         <label for="" class="font-weight-bold"> Username</label>
                         <input type="text" id="username" name="username"</pre>
class="form-control text-dark" value="<?=$execDohvatanjeUser->username?>"/>
                    </div>
                    </div>
                    <div class="form-group">
                         <label for="" class="font-weight-bold"> Role </label>
                         <select id="role" name="role" class="form-control text-</pre>
dark">
```

```
<?php
                                 foreach($execDohvatanjeRole as $edr):
                             <option <?= $execDohvatanjeUser->idRole == $edr-
>idRole ? 'selected' : '' ?> value="<?=$edr->idRole?>"> <?=$edr->roleType?>
</option>
                             <?php
                                 endforeach;
                         </select>
                    </div>
                    <input type="submit" id="form-submit" name="btnUpdateUser"</pre>
class="btnUpdateUser btn-dark form-control" value="Update"/>
                    <input type="hidden" name="idUserUpdate" value="<?=</pre>
$execDohvatanjeUser->idUser?>">
                </form>
           </div>
        </div>
    </div>
        <?php
            include("php/stranice/scripts.php");
        <?php
            }else{
                header("Location: 404.php");
            }
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

editovanjeMovies.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
    if(isset($_POST["btnEditMovies"])){
        $idMovie=$_POST["idMovies"];

        $queryDohvatanjeMovie="SELECT * FROM film f INNER JOIN price p ON
f.idFilm=p.idFilm WHERE f.idFilm=$idMovie";
        $execDohvatanjeMovie=$konekcija->query($queryDohvatanjeMovie)->fetch();
   }
}
```

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            if(isset($ SESSION["user"]) && $ SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <div class="container">
        <div class="row">
           <div class="col-6 mx-auto py-5">
                <form action="php/stranice/updateMovies.php"</pre>
enctype="multipart/form-data" method="post">
                <div class="form-row">
                    <h2 class="naslov">Movies</h2>
                    <div class="form-group col-12">
                         <label for="" class="font-weight-bold"> Film name</label>
                         <input type = "text" id="filmName" name="filmName"</pre>
class="form-control text-dark" value="<?=$execDohvatanjeMovie->filmName?>"/>
                    </div>
                    <div class="form-group col-12">
                    <label for="" class="font-weight-bold"> Picture </label>
                    <input type="file" id="picture" name="picture"/>
                    </div>
                    <div class="form-group">
                         <label for="" class="font-weight-bold">Summary</label>
                         <textarea id = "summary" name="summary" cols="70"</pre>
rows="7" class="form-control text-dark" placeholder=""><?=$execDohvatanjeMovie-
>summary?></textarea>
                      </div>
                    </div>
                    <label for="price" class="font-weight-bold"> Price </label>
                         <input type="text" class="form-control text-dark"</pre>
name="price" placeholder="Price" value="<?=$execDohvatanjeMovie->price?>"/>
                    <div class="form-group">
                         <label for="" class="font-weight-bold"> Duration </label>
                         <select id="duration" name="duration" class="form-control</pre>
text-dark">
                             <option value="0">Select</option>
                              <?php
```

```
for($i=90; $i<=240; $i++):
                                  <option <?= $execDohvatanjeMovie->duration==$i ?
 selected' : '' ?> value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                        </select>
                        </div>
                        <div class="form-row">
                         <div class="form-group col-4">
                        <label for="" class="font-weight-bold">Premiere
day</label>
                        <select id="dan" name="dan" class="form-control text-</pre>
dark">
                             <option value="0">Select</option>
                               <?php
                                 $deloviDatuma=explode("-",$execDohvatanjeMovie-
>premiere);
                                 $dan=(int)$deloviDatuma[2];
                                 $mesec=(int)$deloviDatuma[1];
                                 $godina=(int)$deloviDatuma[0];
                                 for($i=1; $i<=31; $i++):
                                  <option <?= $dan==$i ? 'selected' : '' ?>
value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                        </select>
                    </div>
                    <div class="form-group col-4">
                        <label for="" class="font-weight-bold">Premiere
month</label>
                        <select id="mesec" name="mesec" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=1; $i<=12; $i++):
                                  <option <?= $mesec==$i ? 'selected' : '' ?>
value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
```

```
</select>
                     </div>
                      <div class="form-group col-4">
                         <label for="" class="font-weight-bold">Premiere
year</label>
                        <select id="god" name="god" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                           <?php
                                  for($i=2022; $i<=2032; $i++):
                                  <option <?= $godina==$i ? 'selected' : '' ?>
value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                        </select>
                     </div>
                    </div>
                    <?php
                        if(isset($greske)){
                             foreach($greske as $g){
                                 echo "$g";
                    <input type="submit" id="form-submit" name="btnUpdateMovies"</pre>
class="btnUpdateMovies btn-dark form-control" value="Update"/>
                    <input type="hidden" name="idMoviesUpdate" value="<?=</pre>
$execDohvatanjeMovie->idFilm?>">
                </form>
           </div>
        </div>
    </div>
            include("php/stranice/scripts.php");
        <?php
            }else{
                header("Location: 404.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

editovanjeRep.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
    if(isset($_POST["btnEditRep"])){
        $idRep=$ POST["idRep"];
        $queryDohvatanjeRep="SELECT * FROM repertoire r INNER JOIN film f ON
r.idFilm=f.idFilm WHERE r.idRepertoire=$idRep";
        $execDohvatanjeRep=$konekcija->query($queryDohvatanjeRep)->fetch();
        $queryFilmovi="SELECT * FROM film";
        $execFilmovi=$konekcija->query($queryFilmovi)->fetchAll();
<!DOCTYPE html>
<html lang="en">
    <head>
        <title> Cineton </title>
        <meta name="keywords" content=""/>
        <meta name="description" content=""/>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <div class="container">
        <div class="row">
           <div class="col-6 mx-auto py-5">
                <form action="php/stranice/updateRep.php" method="post">
                    <div class="form-row">
                        <h2 class="naslov">Screening date</h2>
                    <div class="form-row">
                    <div class="form-group col-4">
                        <label for="" class="font-weight-bold"> Day</label>
                        <select id="dan" name="dan" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                              <?php
```

```
$deloviDatuma=explode("-",$execDohvatanjeRep-
>screeningDate);
                                 $dan=(int)$deloviDatuma[2];
                                 $mesec=(int)$deloviDatuma[1];
                                 $godina=(int)$deloviDatuma[0];
                                 for($i=1; $i<=31; $i++):
                                  <option <?= $dan==$i ? 'selected' : '' ?>
value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                    </div>
                    <div class="form-group col-4">
                         <label for="" class="font-weight-bold"> Month</label>
                         <select id="mesec" name="mesec" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=1; $i<=12; $i++):
                                  <option <?= $mesec==$i ? 'selected' : '' ?>
value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                     </div>
                      <div class="form-group col-4">
                         <label for="" class="font-weight-bold"> Year</label>
                         <select id="god" name="god" class="form-control text-</pre>
dark">
                            <option value="0">Select</option>
                            <?php
                                  for($i=2022; $i<=2032; $i++):
                                  <option <?= $godina==$i ? 'selected' : '' ?>
value="<?=$i?>"><?=$i?></option>
                               <?php
                                  endfor;
                         </select>
                     </div>
                </div>
```

```
<input type="submit" id="form-submit" name="btnUpdate"</pre>
class="btnUpdate btn-dark form-control" value="Update"/>
                      <input type="hidden" name="idRepUpdate" value="<?=</pre>
$execDohvatanjeRep->idRepertoire?>">
                </form>
           </div>
        </div>
    </div>
        <?php
            include("php/stranice/scripts.php");
        <?php
            }else{
                header("Location: 404.php");
            }
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

adminMovies.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
<!DOCTYPE html>
<html lang="en">
        <title> Cineton </title>
        <meta name="keywords" content=""/>
        <meta name="description" content=""/>
        <?php
            include("php/stranice/head.php");
    </head>
    <body>
        <?php
            if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
            include("php/stranice/admin-header.php");
        <h1 class="naslov">Movies</h1>
        <?php
           if(isset($_GET['message'])){
```

```
echo "<p class='naslov
animationMovies'>".$ GET['message']."";
       <div class="container">
       <div class="table-responsive">
       Film name
              Summary
              PictureSrc
              Price
              >Duration
              Premiere
              Edit/Delete
       <?php
          include("php/stranice/ispisMovies.php");
          foreach($execIspisMovies as $eim):
          <?=$eim->filmName?>
              <?=strlen($eim->summary) > 30 ? substr($eim->summary,0, 30) .
 ..." : $eim->summary?>
              <?=$eim->pictureSrc?>
              <?=$eim->price?>
              <?=$eim->duration?>
              <?=$eim->premiere?>
                 <form action="editovanjeMovies.php" method="POST">
                 <input type="submit" name="btnEditMovies"</pre>
class="btnEditMovies btn-dark form-control w-50" value="Edit"/>
                     <input type="hidden" name="idMovies" value="<?= $eim-</pre>
>idFilm ?>">
                 </form>
                 <form action="php/stranice/brisanjeMovies.php" method="POST"</pre>
class="pt-2">
                     <input type="submit" name="btnDelMovies"</pre>
class="btnDelMovies btn-dark form-control w-50" value="Delete"/>
                     <input type="hidden" name="idMovies" value="<?= $eim-</pre>
>idFilm ?>">
                 </form>
              <?php
```

```
endforeach;
        </div>
        </div>
            <form action="dodavanjeMovies.php" method="POST">
                <input type="submit" id="form-submit" name="btnAddMovies"</pre>
class="btnAddMovies btn-dark form-control w-25 m-5" value="Add new"/>
            </form>
        <?php
            include("php/stranice/scripts.php");
        <?php
            }else{
                header("Location: 404.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

adminRep.php

```
<?php
   session start();
   include("php/konekcija/konekcija.php");
   global $konekcija;
<!DOCTYPE html>
<html lang="en">
   <head>
       <title> Cineton </title>
       <?php
           include("php/stranice/head.php");
   </head>
   <body>
       <?php
           if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
           include("php/stranice/admin-header.php");
       <h1 class="naslov">Repertoire</h1>
       <?php
           if(isset($_GET['message'])){
              echo "".$_GET['message']."";
```

```
<div class="container">
       <div class="table-responsive">
       Film name
               Screening date
               Edit/Delete
           <?php
           include("php/stranice/ispisRep.php");
           foreach($execIspisRep as $eip):
           <?=$eip->filmName?>
               <?=$eip->screeningDate?>
                   <form action="editovanjeRep.php" method="POST">
                   <input type="submit" name="btnEditRep" class="btnEditRep btn-</pre>
dark form-control w-50" value="Edit"/>
                       <input type="hidden" name="idRep" value="<?= $eip-</pre>
>idRepertoire ?>">
                  </form>
                   <form action="php/stranice/brisanjeRep.php" method="POST"</pre>
class="pt-2">
                       <input type="submit" name="btnDelRep" class="btnDelRep</pre>
btn-dark form-control w-50" value="Delete"/>
                      <input type="hidden" name="idRep" value="<?= $eip-</pre>
>idRepertoire ?>">
                   </form>
               <?php
           endforeach;
       </div>
       </div>
           <form action="dodavanjeRep.php" method="POST">
               <input type="submit" id="form-submit" name="btnAddRep"</pre>
class="btnAddRep btn-dark form-control w-25 m-5" value="Add new"/>
           </form>
       <?php
           include("php/stranice/scripts.php");
```

```
?>
    <?php
        }else{
            header("Location: 404.php");
        }
        ?>
        <script type="text/javascript" src="assets/js/main.js"></script>
        </body>
</html>
```

adminReservation.php

```
<?php
   session_start();
   include("php/konekcija/konekcija.php");
   global $konekcija;
<!DOCTYPE html>
<html lang="en">
      <title> Cineton </title>
      <?php
          include("php/stranice/head.php");
   <body>
      <?php
          if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
          include("php/stranice/admin-header.php");
      <h1 class="naslov">Reservation</h1>
      <?php
          if(isset($_GET['message'])){
             echo "".$_GET['message']."";";
      <div class="container">
      <div class="table-responsive">
      Customer
             Film
             Date
             Tickets
             Cancle
```

```
<?php
           include("php/stranice/ispisRes.php");
           foreach($execIspisRes as $eir):
           <?=$eir->firstName?> <?=$eir->lastName?>
               <?=$eir->filmName?>
               <?=$eir->screeningDate?>
               <?=$eir->ticketsNumber?>
                   <form action="php/stranice/brisanjeRes.php" method="POST">
                       <input type="submit" id="form-submit" name="btnDelRes"</pre>
class="btnDelRes btn-dark form-control w-100" value="Cancle"/>
                       <input type="hidden" name="idRes" value="<?= $eir-</pre>
>idReservation ?>">
                   </form>
               <?php
           endforeach;
       </div>
       </div>
       <?php
           include("php/stranice/scripts.php");
       <?php
           }else{
               header("Location: 404.php");
           }
       <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

adminMess.php

```
<?php
    session_start();
    include("php/konekcija/konekcija.php");
    global $konekcija;
?>
<!DOCTYPE html>
```

```
<html lang="en">
   <head>
       <title> Cineton </title>
       <?php
           include("php/stranice/head.php");
   <body>
       <?php
           if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
           include("php/stranice/admin-header.php");
       <h1 class="naslov">Messages</h1>
       <?php
          include("php/stranice/ispisMess.php");
          foreach($execIspisPoruka as $eip):
       <div id="svePoruke" class="p-5">
       Full name: <span class="font-weight-</pre>
light"><?=$eip->firstName?> <?=$eip->lastName?></span>
       E-mail: <span class="font-weight-</pre>
light"><?=$eip->email?></span>
       Phone: <span class="font-weight-</pre>
light"><?=$eip->number?></span>
       Message: <span class="font-weight-</pre>
light"><?=$eip->message?></span>
       Date: <span class="font-weight-</pre>
light"><?=$eip->date?></span>
       <form action="php/stranice/brisanjeMess.php" method="POST">
           <input type="submit" id="form-submit" name="btnDeleteMsg"</pre>
class="btnDeleteMsg btn-dark form-control w-25" value="Delete"/>
           <input type="hidden" name="idPoruke" value="<?= $eip->idMessage?>">
       </form>
       </div>
       <?php
       endforeach;
       <?php
           }else{
              header("Location: 404.php");
           }
       <?php
          include("php/stranice/scripts.php");
```

```
<script type="text/javascript" src="assets/js/main.js"></script>
  </body>
</html>
```

adminUsers.php

```
<?php
   session_start();
   include("php/konekcija/konekcija.php");
   global $konekcija;
<!DOCTYPE html>
<html lang="en">
      <title> Cineton </title>
      <?php
          include("php/stranice/head.php");
   </head>
   <body>
      <?php
          if(isset($_SESSION["user"]) && $_SESSION["user"]->idRole==1){
          include("php/stranice/admin-header.php");
      <h1 class="naslov">Users</h1>
      <?php
          if(isset($_GET['message'])){
             echo "".$_GET['message']."";
          }
      <div class="container">
      <div class="table-responsive">
      User
             E-mail
             Username
             Role
             Edit/Delete
          <?php
          include("php/stranice/ispisUsers.php");
          foreach($execIspisUsers as $eiu):
```

```
<?=$eiu->firstName?> <?=$eiu->lastName?>
               <?=$eiu->email?>
               <?=$eiu->username?>
               <?=$eiu->roleType?>
                   <form action="editovanjeUsers.php" method="POST">
                   <input type="submit" name="btnEditUsers" class="btnEditUsers</pre>
btn-dark form-control w-50" value="Edit"/>
                       <input type="hidden" name="idUser" value="<?= $eiu-</pre>
>idUser ?>">
                   </form>
                   <form action="php/stranice/brisanjeUsers.php" method="POST"</pre>
class="pt-2">
                       <input type="submit" name="btnDelUsers"</pre>
class="btnDelUsers btn-dark form-control w-50" value="Delete"/>
                       <input type="hidden" name="idUser" value="<?= $eiu-</pre>
>idUser ?>">
                   </form>
               <?php
           endforeach;
        </div>
       </div>
            <form action="dodavanjeUser.php" method="POST">
               <input type="submit" id="form-submit" name="btnAddUsers"</pre>
class="btnAddUsers btn-dark form-control w-25 m-5" value="Add new"/>
           </form>
       <?php
           include("php/stranice/scripts.php");
        <?php
           }else{
               header("Location: 404.php");
        <script type="text/javascript" src="assets/js/main.js"></script>
    </body>
</html>
```

head.php

```
<meta charset="UTF-8"/>
<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
<link rel="shortcut icon" href="assets/img/logo.ico"/>
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.css"/>
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.8.2/css/all.css"
crossorigin="anonymous"/>
<link rel="stylesheet" href="assets/css/style.css"/>
```

login.php

```
<?php
   // unset($ SESSION['user']);
   $ispis = "<div id='login'><div class='wrapper'>";
   if(!isset($_SESSION['user'])) {
       $ispis .= "<a href='loginRegister.php' id='btnLogin'</pre>
class='btnLogin'>Log in</a><a href='loginRegister.php' id='btnRegister'</pre>
class='btnLogin'>Register</a>";
   } else {
       $user = $_SESSION['user'];
       if($user->roleType == 'admin'){
               $ispis .= "<a href='index.php' class='mr-3'</pre>
id='btnAdmin'>Return to site</a>";
               $ispis .= "<a href='adminMovies.php' id='btnAdmin'>Admin
panel</a>";
       }
       $korisnik = $user->username;
       $ispis .= "<label class='ml-3 mt-2 loginTekst'>Welcome
$korisnik</label><a href='logout.php' id='btnLogout' class='font-weight-</pre>
bold ml-3'>Log out</a>";
   $ispis .= "</div></div>";
   echo($ispis);
```

header.php

```
<div id="header">
    <?php
        include("php/konekcija/konekcija.php");
        global $konekcija;
        include("php/stranice/login.php");</pre>
```

```
<div id="logoAndNav">
        <div class="wrapper">
            <div id="logo">
                <a href="index.php">
                    <img src="assets/img/logo.png" alt="logo" width="130"</pre>
height="130">
                </a>
            </div>
            <div id="navigation">
                <div id="nav">
                    <l
                        <?php
                            $queryIspisNav="SELECT * FROM menu WHERE admin=0";
                            $execIspisNav=$konekcija->query($queryIspisNav)-
>fetchAll();
                            foreach($execIspisNav as $ein) {
                                echo("<a href='$ein->href'>$ein-
>name</a>");
                    </div>
            </div>
            <div id="hamburger">
                    <a href="#">
                        <i class="fas fa-bars font-large"></i></i>
                    </a>
            </div>
            <div id="sideNav">
                    <div class="cover">
                        <div id="sideNavContent">
                            <u1>
                                <?php
                                    $queryIspisNav="SELECT * FROM menu WHERE
admin=0";
                                    $execIspisNav=$konekcija-
>query($queryIspisNav)->fetchAll();
                                    foreach($execIspisNav as $ein) {
                                        echo("<a href='$ein->href'>$ein-
>name</a>");
                            </div>
```

footer.php

```
<footer id="footer">
   <?php
       include("php/konekcija/konekcija.php");
       global $konekcija;
   <div class="wrapper">
       <div id="links">
           <l
               <?php
                   $queryIspisFoot="SELECT * FROM menu WHERE admin=0";
                   $execIspisFoot=$konekcija->query($queryIspisFoot)-
>fetchAll();
                   foreach($execIspisFoot as $eif) {
                       echo("<a href='$eif->href'>$eif->name</a>");
               ?>
           </div>
       <div id="social">
           <l
               <?php
                   $queryIspisSocial="SELECT * FROM social";
                   $execIspisSocial=$konekcija->query($queryIspisSocial)-
>fetchAll();
                   foreach($execIspisSocial as $eis) {
                       echo("<a href='$eis->link' target='_blank'><i
class='$eis->icon'></i><span class='socialText'>$eis->name</span></a>");
           </div>
   </div>
    <span id="copyright">Copyright &copy; Aleksa Strugarevic 2022</span>
</footer>
<?php
   include("scripts.php");
```

scripts.php

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
```

cenovnik.php

```
    include("../konekcija/konekcija.php");
    global $konekcija;

    $data="";
    $queryCena="SELECT * FROM price p INNER JOIN film f on p.idFilm=f.idFilm";

    try{
        $data=$konekcija->query($queryCena)->fetchAll();
    }
    catch(PDOException $e){
        $data=$e->getMessage();
        $kod=500;
    }

echo json_encode($data);
http_response_code(200);

}
```

naRepertoaru.php

```
<?php
  include("../konekcija/konekcija.php");
  global $konekcija;

  $repertoar="";
  $code=200;
  $queryNaRepertoaru="SELECT * FROM repertoire r INNER JOIN film f ON
r.idFilm=f.idFilm WHERE screeningDate>=CURRENT_DATE ORDER BY r.screeningDate
LIMIT 1";

  try{
        $naRepertoaru=$konekcija->query($queryNaRepertoaru)->fetch();
   }
   catch(PDOException $e){
```

```
$repertoar="Greška sa serverom";
    $code=500;
}
echo json_encode($naRepertoaru);
http_response_code($code);
?>
```

admin-header.php

```
<header id="header" class="adminHeader">
        global $konekcija;
        include("login.php");
       <div id="logoAndNav">
        <div class="wrapper">
            <div id="logo">
                <a href="index.php">
                    <img src="assets/img/logo.png" alt="logo" width="130"</pre>
height="130">
                </a>
            </div>
            <div id="navigation">
                <div id="nav">
                    <l
                        <?php
                            $queryIspisNav="SELECT * FROM menu WHERE admin=1";
                            $execIspisNav=$konekcija->query($queryIspisNav)-
>fetchAll();
                            foreach($execIspisNav as $ein) {
                                echo("<a href='$ein->href'>$ein-
>name</a>");
                        ?>
                    </div>
            </div>
        <div id="hamburger">
            <a href="#">
                <i class="fas fa-bars font-large"></i></i>
        </div>
        <div id="sideNav">
            <div class="cover">
                <div id="sideNavContent">
```

oneMovie.php

```
<?php
        global $konekcija;
        if(isset($_GET["id"])){
            $id=$_GET["id"];
            $film="";
            $code=200;
            $queryIspisFilma="SELECT * FROM film f INNER JOIN price p ON
f.idFilm=p.idFilm WHERE f.idFilm=$id";
            try{
                $ispisFilma=$konekcija->query($queryIspisFilma);
                if($ispisFilma->rowCount()==1){
                    $film=$ispisFilma->fetch();
                }else{
                    //header("Location: 404.php");
            catch(PDOException $e){
                $film="Server error";
                $code=500;
        }else{
            //header("Location: 404.php");
```

repertoireFilm.php

```
<?php
include("php/konekcija/konekcija.php");
global $konekcija;
$repertoar="";
    $code=200;
    $limit=5;
    $page=1;
    $offset=0;
    $brojstr=0;
    if(isset($_GET['str'])){
        $page=$_GET['str'];
    $queryRepertoire="SELECT * FROM repertoire r INNER JOIN price p on
r.idPrice=p.idPrice INNER JOIN film f ON p.idFilm=f.idFilm WHERE
r.screeningDate>=CURRENT_DATE ";
    if(isset($_GET['pretraga'])){
        $search="'%".$_GET['pretraga']."%'";
        $queryRepertoire.="AND f.filmName LIKE" .$search." ";
    $queryRepertoire.="ORDER BY r.screeningDate";
    try{
        $exec=$konekcija->query($queryRepertoire);
        if($exec->rowCount()!=0){
            $ukupno=$exec->rowCount();
            $brojstr=ceil($ukupno/$limit);
            $upitZaPrikaz="SELECT * FROM repertoire r INNER JOIN price p on
r.idPrice=p.idPrice INNER JOIN film f ON p.idFilm=f.idFilm WHERE
r.screeningDate>=CURRENT_DATE ";
            if(isset($_GET['pretraga'])){
                $search="'%".$_GET['pretraga']."%'";
                $upitZaPrikaz.="AND f.filmName LIKE" .$search." ";
            $upitZaPrikaz.=" ORDER BY r.screeningDate";
            if(isset($_GET['str'])){
```

ispisFilmova.php

```
    include("../konekcija/konekcija.php");
    global $konekcija;

    $filmovi="";
    $queryIspisFilmova="SELECT * FROM film";

    try{
        $ispisFilmova=$konekcija->query($queryIspisFilmova)->fetchAll();
    }
    catch(PDOException $e){
        $filmovi="Greška sa serverom";
        $code=500;
    }
    echo json_encode($ispisFilmova);
    http_response_code(200);
}
```

ispisMovies.php

```
    include("../konekcija/konekcija.php");
    global $konekcija;

    $filmovi="";
    $queryIspisFilmova="SELECT * FROM film";

    try{
        $ispisFilmova=$konekcija->query($queryIspisFilmova)->fetchAll();
    }
    catch(PDOException $e){
        $filmovi="Greška sa serverom";
        $code=500;
    }
    echo json_encode($ispisFilmova);
    http_response_code(200);
}
```

ispisRep.php

ispisRes.php

```
<?php
include("php/konekcija/konekcija.php");
global $konekcija;

$queryIspisRes="SELECT * FROM reservation r INNER JOIN user u
ON r.idUser=u.idUser INNER JOIN repertoire rep</pre>
```

ispisMess.php

```
include("php/konekcija/konekcija.php");
    global $konekcija;

$queryIspisPoruka="SELECT * FROM message";
    try{
        $execIspisPoruka=$konekcija->query($queryIspisPoruka)->fetchAll();
}
    catch(PDOException $ex){
        http_response_code(500);
        echo("Connection error: " . $ex->getMessage());
}

?>
```

ispisUsers.php

```
    include("php/konekcija/konekcija.php");
    global $konekcija;

    $queryIspisUsers="SELECT * FROM user u INNER JOIN role r ON

u.idRole=r.idRole";
    try{
        $execIspisUsers=$konekcija->query($queryIspisUsers)->fetchAll();
    }
    catch(PDOException $ex){
        http_response_code(500);
        echo("Connection error: " . $ex->getMessage());
    }
}
```

obradaAnkete.php

```
<?php
session_start();
include("../konekcija/konekcija.php");
global $konekcija;
    if(isset($_POST["dugme"])){
        $greske=[];
        if(!isset($_POST["odg"])){
            array_push($greske, "Nije nista cekirano");
            $anketa = $_POST["odg"];
        if(count($greske)==0){
            try{
                $idAnkete=1;
                if(isset($_SESSION["user"])){
                    $idUser=$_SESSION["user"]->idUser;
                    $insertAnkete="INSERT INTO answer(answer,idSurvey,idUser)
VALUES($anketa,$idAnkete,$idUser)";
                    $execInsertAnkete=$konekcija->query($insertAnkete);
                echo json_encode("Uspeo si");
                http_response_code(200);
            }catch(PDOException $ex){
                echo json_encode($ex->getMessage());
                http_response_code(500);
            }
    }else{
        header("Location: 404.php");
```

obradaForme.php

```
<?php
   if(isset($_POST["btnPosalji"])){
      include("../konekcija/konekcija.php");
      global $konekcija;

$greske=[];</pre>
```

```
$imePrezime = $ POST["imePrezime"];
        $email = $ POST["email"];
       $tel = $ POST["telefon"];
       $napomena = $_POST["msg"];
       $regExImePrezime = "/^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
zđšćčž]{2,})$/";
       regExMail = "/^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/";
       regExTelefon = "/^[0-9]{3}(-?[0-9]{3,4}){2}$/";
       if(!preg_match($regExImePrezime, $imePrezime)){
           array push($greske, "Name is incorrect");
       if(!preg match($regExMail, $email)){
            array_push($greske, "Email is incorrect");
       if(!preg match($regExTelefon, $tel)){
            array_push($greske, "Number is incorrect");
       if(empty($napomena)){
            array push($greske, "Message can not be empty");
   if(count($greske) == 0){
        $samoIme = explode(" ", $imePrezime)[0];
       $samoPrezime = explode(" ", $imePrezime)[1];
       $queryIspisPodataka = "INSERT INTO
message(firstName,lastName,email,number,message) VALUES('$samoIme',
$samoPrezime','$email','$tel','$napomena')";
        try{
             $execIspisPodataka = $konekcija->query($queryIspisPodataka);
        catch(PDOException $ex){
            http_response_code(500);
             echo("Connection error: " .$ex->getMessage());
             exit();
        http_response_code(200);
        echo (json_encode("Your message has been send successfully."));
```

```
else{
    http_response_code(400);
    echo (json_encode("Message not send. Please try again."));
}
else{
    http_response_code(404);
}
```

obradaLogin.php

```
<?php
    session_start();
    include("../konekcija/konekcija.php");
    global $konekcija;
    if(isset($_POST["btnLogin"])){
        $mail=$_POST["email"];
        $password=$ POST["pass"];
        $password=md5($password);
        $daLiPostojiUser="SELECT * FROM user u INNER JOIN role r ON
u.idRole=r.idRole WHERE email LIKE '$mail'";
        $execPostojiUser=$konekcija->query($daLiPostojiUser);
        if($execPostojiUser->rowCount()==1){
            $daLiPostojiUserPassword="SELECT * FROM user u INNER JOIN role r ON
u.idRole=r.idRole WHERE email LIKE '$mail' AND password LIKE '$password'";
            $execPostojanje=$konekcija->query($daLiPostojiUserPassword);
            if($execPostojanje->rowCount()==1){
                $user=$execPostojanje->fetch();
                $_SESSION["user"]=$user;
                http_response_code(200);
                echo json_encode("0k");
            }else{
                http response code(200);
                echo json_encode("Password is incorrect");
        }else{
            http_response_code(200);
            echo json_encode("User not found");
    }else{
        http_response_code(404);
```

```
echo json_encode("Not successfully");
}
```

obradaRegister.php

```
<?php
                   include("../konekcija/konekcija.php");
                  global $konekcija;
                  if(isset($_POST["btnRegister"])){
                                    $fullName=$_POST["name"];
                                     $username=$_POST["username"];
                                    $mail=$_POST["email"];
                                    $password=$ POST["pass"];
                                    $greske=[];
                                    $regExFullName = "/^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
 zđšćčž]{2,})$/";
                                    regExUsername = "/^[a-zA-Z]\w{4,}$/";
                                    regExMail = "/^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/";
                                    property = \frac{1}{2} \cdot \frac{1
9])(?=.*[!@#\$%\^&\*])(?=.{8,})/";
                                    if(!preg_match($regExFullName,$fullName)){
                                                       array_push($greske, "Fullname is incorrect");
                                    if(!preg_match($regExUsername,$username)){
                                                       array_push($greske, "Username is incorrect");
                                     }
                                    if(!preg_match($regExMail, $mail)){
                                                       array_push($greske, "Email is incorrect");
                                    if(!preg_match($regExpPassword, $password)){
                                                       array_push($greske, "Password is incorrect");
                                    }else{
                                                       $encrypt=md5($password);
                                    if(count($greske)==0){
                                                       $first = explode(" ", $fullName)[0];
                                                       $last = explode(" ", $fullName)[1];
                                                       $queryCheckMail="SELECT * FROM user WHERE email LIKE '$mail'";
```

```
$queryCheckUsername="SELECT * FROM user WHERE username LIKE
$username'";
            $getUser=$konekcija->query($queryCheckMail);
            $getUsername=$konekcija->query($queryCheckUsername);
            if($getUser->rowCount()==1){
                http response code(200);
                echo (json_encode("Email is already in use."));
            }else if($getUsername->rowCount()==1){
                http_response_code(200);
                echo (json_encode("Username is already in use."));
            }else
                $queryUpisRegister = "INSERT INTO
user(firstName,lastName,email,username,password,idRole) VALUES('$first',
$last','$mail','$username','$encrypt',2)";
                try{
                    $execUpisRegister=$konekcija->query($queryUpisRegister);
                    http_response_code(200);
                    echo (json_encode("Successfully."));
                catch(PDOException $ex){
                    http response code(500);
                    echo("Connection error: " .$ex->getMessage());
            }
    }else{
       http response code(404);
       echo json_encode("Not successfully");
```

obradaRes.php

```
<?php
session_start();
include("../konekcija/konekcija.php");
global $konekcija;

if(!isset($_SESSION["user"])){
    $_SESSION["greska"]="You must be logged in";
    header("Location: ../../loginRegister.php");
}</pre>
```

```
$userId=$ SESSION["user"]->idUser;
if(isset($_POST["btnRes"])){
    $brKarata=$_POST["brojKarata"];
    $idRepertoire=$_POST["idRepertoire"];
    if($brKarata == 0){
        $ SESSION["greska"]="You must choose number of tickets";
        header("Location: ../../reservation.php?id=$idRepertoire");
    }
    $upisRez="INSERT INTO reservation(idRepertoire,idUser,ticketsNumber)
VALUES($idRepertoire,$userId,$brKarata)";
    try
        $execUpisRez=$konekcija->query($upisRez);
        http response code(200);
        $_SESSION["uspesno"]="You have successfully booked your tickets";
        header("Location: ../../reservation.php?id=$idRepertoire");
    catch(PDOException $ex)
        http response code(400);
        //echo($ex->getMessage());
else{
    http_response_code(404);
```

addMovies.php

```
<?php
include("../konekcija/konekcija.php");
global $konekcija;
if(isset($_POST["btnAddMovie"])){
    $greske = [];

    $filmName = $_POST["filmName"];
    $summary = $_POST["summary"];
    $d = $_POST["dan"];
    $m = $_POST["mesec"];</pre>
```

```
$g = $_POST["god"];
            $duration = $_POST["duration"];
            settype($_POST['price'],"integer");
            $cena=$ POST['price'];
            $regExFilmName = "/^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
zđšćčž]{2,})*$/";
            if(!preg_match($regExFilmName,$filmName)){
                array_push($greske, "Film name is incorrect");
            if(empty($summary)){
                array_push($greske, "Can not be empty");
            if((int)$d <= 0 && (int)$d > 31){
                array_push($greske, "Incorrect");
            if((int)$m <= 0 && (int)$m > 12){}
                array_push($greske, "Incorrect");
            }
            if((int)\$g < 2022 \&\& (int)\$g > 2032){
                array_push($greske, "Incorrect");
            if((int)$duration < 90 && (int)$duration > 240){
                array_push($greske, "Incorrect");
            }
    if(count($greske) == 0 )
            if(!empty($_FILES["picture"]["name"])){
                $slika=$_FILES["picture"];
                $tmpName=$slika['tmp_name'];
                $size=$slika['size'];
                $tip=$slika['type'];
                $name=$slika['name'];
                $naziv=time().$name;
                $putanja="../../assets/img/$naziv";
                if(!move_uploaded_file($tmpName,$putanja)){
                    $poruka="Error";
                    $kod=200;
```

```
$queryUpis="INSERT INTO
film(filmName, summary, pictureSrc, pictureAlt, duration, premiere)
VALUES('$filmName','$summary','$naziv','$name',$duration,'$g-$m-$d')";
            }
            try{
                $execUpis=$konekcija->query($queryUpis);
                $datumUnosa=date("Y-m-d");
                $id= $konekcija->lastInsertId();
                $dodajCenu="INSERT INTO price(price,dateFrom,idFilm) VALUES
($cena,$datumUnosa,$id)";
                $priprema2=$konekcija->prepare($dodajCenu);
                    $priprema2->execute();
                    $poruka="Successfully!";
                    $kod=201;
                catch(PDOException $ex){
                    var_dump($ex);
                    $poruka="Server error";
                    $kod=500;
            catch(PDOException $ex){
                $poruka="Server error";
                $kod=500;
        else{
            http_response_code(400);
            $greske="greska";
        else{
            http_response_code(404);
            header("Location: ../../dodavanjeMovies.php");
        http_response_code(200);
        header("Location: ../../adminMovies.php");
```

addRep.php

```
<?php
    if(isset($_POST["btnAdd"])){
        include("../konekcija/konekcija.php");
        global $konekcija;
        $greske=[];
        $id = $_POST["film"];
        $d = $_POST["dan"];
        $m = $_POST["mesec"];
        $g = $_POST["god"];
        if(empty($id)){
            array_push($greske, "Can not be empty");
        if((int)$d <= 0 && (int)$d > 31){
            array_push($greske, "Incorrect");
        if((int)$m <= 0 && (int)$m > 12){}
            array_push($greske, "Incorrect");
        if((int)\$g < 2022 \&\& (int)\$g > 2032){
            array_push($greske, "Incorrect");
        if(count($greske) == 0)
        {
            $queryDohvatanjeRep="SELECT * FROM film f INNER JOIN price p ON
f.idFilm=p.idFilm WHERE p.idFilm=$id";
            $idPrice = $konekcija->query($queryDohvatanjeRep)->fetch()->idPrice;
            $queryUpisRep = "INSERT INTO repertoire(screeningDate,idFilm,idPrice)
VALUES('$g-$m-$d',$id,$idPrice)";
            header("Location: ../../adminRep.php");
        try{
            $execUpisRep = $konekcija->query($queryUpisRep);
        catch(PDOException $ex){
            http response_code(500);
            echo("Connection error: " .$ex->getMessage());
            exit();
        }else{
            http_response_code(400);
```

```
$porukaZaFront = implode("<br>", $greske);

echo (json_encode($porukaZaFront));
}
}else{
http_response_code(404);
}
}
```

upisUser.php

```
<?php
                    if(isset($_POST["btnAddUser"])){
                                         include("../konekcija/konekcija.php");
                                        global $konekcija;
                                        $fullName=$_POST["name"];
                                         $username=$_POST["username"];
                                         $mail=$_POST["email"];
                                        $password=$_POST["password"];
                                         $role=$_POST["role"];
                                         $confirm=$_POST["confirm"];
                                        $greske=[];
                                         $regExFullName = "/^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
zđšćčž]{2,})$/";
                                         regExUsername = "/^[a-zA-Z]\w{4,}$/";
                                        regExMail = "/^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/";
                                        property = \frac{1}{2} \cdot \frac{1
9])(?=.*[!@#\$%\^&\*])(?=.{8,})/";
                                        if(!preg_match($regExFullName,$fullName)){
                                                             array_push($greske, "Fullname is incorrect");
                                         if(!preg_match($regExUsername,$username)){
                                                             array_push($greske, "Username is incorrect");
                                        if(!preg_match($regExMail, $mail)){
                                                             array_push($greske, "Email is incorrect");
                                        if(!preg_match($regExpPassword, $password)){
                                                             array_push($greske, "Password is incorrect");
```

```
}else{
            $encrypt=md5($password);
       if(empty($confirm)){
            array_push($greske, "Role is incorrect");
        }else if($confirm != $password){
            array push($greske, "Role is incorrect");
        if(empty($role)){
            array_push($greske, "Role is incorrect");
       if(count($greske)==0){
            $first = explode(" ", $fullName)[0];
            $last = explode(" ", $fullName)[1];
            $queryCheckMail="SELECT * FROM user WHERE email LIKE '$mail'";
            $queryCheckUsername="SELECT * FROM user WHERE username LIKE
$username'";
            $getUser=$konekcija->query($queryCheckMail);
            $getUsername=$konekcija->query($queryCheckUsername);
            if($getUser->rowCount()==1){
                http response code(200);
                echo (json encode("Email is already in use."));
            }else if($getUsername->rowCount()==1){
                http response code(200);
                echo (json_encode("Username is already in use."));
            }else
                $queryUpisUsers = "INSERT INTO
user(firstName,lastName,email,username,password,idRole) VALUES('$first',
'$last','$mail','$username','$encrypt',$role)";
                try{
                    $execUpisUsers=$konekcija->query($queryUpisUsers);
                    http response code(200);
                    header("Location: ../../adminUsers.php");
                catch(PDOException $ex){
                    http_response_code(500);
                    echo("Connection error: " .$ex->getMessage());
    }else{
```

```
http_response_code(404);
header("Location: ../../dodavanjeUser.php");
}
}
}
```

updateMovies.php

```
<?php
       include("../konekcija/konekcija.php");
       global $konekcija;
        if(isset($_POST["btnUpdateMovies"])){
            $idMovie=$_POST["idMoviesUpdate"];
            $greske = [];
            $filmName = $_POST["filmName"];
            $summary = $_POST["summary"];
            d = \frac{post["dan"]}{dan}
            $m = $_POST["mesec"];
            $g = $_POST["god"];
            $duration = $_POST["duration"];
            settype($_POST['price'],"integer");
            $cena=$_POST['price'];
            regExFilmName = "/^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-zđšćčž]{2,})*$/";
            if(!preg_match($regExFilmName,$filmName)){
                array_push($greske, "Film name is incorrect");
            if(empty($summary)){
                array_push($greske, "Can not be empty");
            if((int)$d <= 0 && (int)$d > 31){
                array_push($greske, "Incorrect");
            if((int)$m <= 0 && (int)$m > 12){}
                array_push($greske, "Incorrect");
            if((int)$g < 2022 && (int)$g > 2032){
                array_push($greske, "Incorrect");
```

```
if((int)$duration < 90 && (int)$duration > 240){
                array_push($greske, "Incorrect");
     if(count($greske) == 0 )
            if(!empty($ FILES["picture"]["name"])){
                $slika=$_FILES["picture"];
                $tmpName=$slika['tmp name'];
                $size=$slika['size'];
                $tip=$slika['type'];
                $name=$slika['name'];
                $naziv=time().$name;
                $putanja="../../assets/img/$naziv";
                if(!move uploaded file($tmpName,$putanja)){
                    $poruka="Error";
                    $kod=200;
                //u slucaju da je slika prosledjena
                $upit="UPDATE film SET
filmName=:filmName,pictureSrc=:picture,pictureAlt=:pictureAlt,summary=:summary,du
ration=:duration,premiere='$g-$m-$d' WHERE idFilm=:idMovie";
                $priprema=$konekcija->prepare($upit);
                $priprema->bindParam(":filmName",$filmName);
                // $priprema->bindParam("premiere","$g-$m-$d");
                $priprema->bindParam(":summary",$summary);
                $priprema->bindParam(":picture",$naziv);
                $priprema->bindParam(":pictureAlt",$name);
                $priprema->bindParam(":duration",$duration);
                $priprema->bindParam(":idMovie",$idMovie);
            else{
                //update ostatak(u slucaju da slika nije prosledjena)
                $upit="UPDATE film SET filmName=:filmName,premiere='$g-$m-
$d',summary=:summary,duration=:duration WHERE idFilm=:idMovie";
                $priprema=$konekcija->prepare($upit);
                $priprema->bindParam(":filmName",$filmName);
                $priprema->bindParam(":summary",$summary);
                $priprema->bindParam(":duration",$duration);
                $priprema->bindParam(":idMovie",$idMovie);
```

```
try{
                $priprema->execute();
                $datumUnosa=date("Y-m-d");
                var_dump($datumUnosa);
                $dodajCenu="UPDATE price SET price=$cena, dateFrom='$datumUnosa'
WHERE idFilm=$idMovie";
                $exec=$konekcija->query($dodajCenu);
            catch(PDOException $ex){
                var_dump($ex->getMessage());
                $poruka="Server error";
                $kod=500;
            }
        else{
            http_response_code(400);
            $greske="greska";
        }else{
            http_response_code(404);
            header("Location: ../../editovanjeMovies.php");
       http_response_code(200);
        header("Location: ../../adminMovies.php");
```

updateRep.php

```
    include("../konekcija/konekcija.php");
    global $konekcija;
    if(isset($_POST["btnUpdate"])){
        $idRep=$_POST["idRepUpdate"];

        $greske = [];

        $d = $_POST["dan"];
        $m = $_POST["mesec"];
        $g = $_POST["god"];

}
```

```
if((int)$d <= 0 && (int)$d > 31){}
                array_push($greske, "Incorrect");
            if((int)$m <= 0 && (int)$m > 12){}
                array_push($greske, "Incorrect");
            if((int)\$g < 2022 \&\& (int)\$g > 2032){
                array_push($greske, "Incorrect");
        if(count($greske) == 0 )
            $queryUpdate = "UPDATE repertoire SET screeningDate = '$g-$m-$d'
WHERE idRepertoire = $idRep";
            try{
                $execUpdate=$konekcija->query($queryUpdate);
                header("Location: ../../adminRep.php");
            catch(PDOException $ex){
                http_response_code(500);
                echo("Connection error: " . $ex->getMessage());
                exit();
        else{
            http_response_code(400);
        }else{
            http_response_code(404);
            header("Location: ../../editovanjeRep.php");
```

updateUser.php

```
<?php
include("../konekcija/konekcija.php");
global $konekcija;
if(isset($_POST["btnUpdateUser"])){
    $idUser=$_POST["idUserUpdate"];

$greske = [];</pre>
```

```
$fullname = $ POST["fullName"];
            $mail = $ POST["email"];
            $username = $ POST["username"];
            $role=$ POST["role"];
            $regExFullName = "/^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
zđšćčž]{2,})$/";
            regExUsername = "/^[a-zA-Z]\w{4,}$/";
            regExMail = "/^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/";
            pregExpPassword = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-z])
9])(?=.*[!@#\$%\^&\*])(?=.{8,})/";
            if(!preg match($regExFullName,$fullname)){
                array_push($greske, "Fullname is incorrect");
            if(!preg_match($regExUsername,$username)){
                array_push($greske, "Username is incorrect");
            if(!preg_match($regExMail, $mail)){
                array_push($greske, "Email is incorrect");
            if(empty($role)){
                array_push($greske, "Can not be empty");
        if(count($greske) == 0 )
            $samoIme = explode(" ", $fullname)[0];
            $samoPrezime = explode(" ", $fullname)[1];
            $queryUpdate = "UPDATE user SET
firstName='$samoIme',lastName='$samoPrezime',email='$mail',username='$username',i
dRole=$role WHERE idUser = $idUser";
            try{
                $execUpdate=$konekcija->query($queryUpdate);
                header("Location: ../../adminUsers.php");
            catch(PDOException $ex){
                http_response_code(500);
                echo("Connection error: " . $ex->getMessage());
```

```
exit();
}
}
else{
    http_response_code(400);
}
}
}else{
    http_response_code(404);
    header("Location: ../../editovanjeUsers.php");
}
}
```

brisanjeMovies.php

```
<?php
if(isset($_POST["btnDelMovies"])){
    include("../konekcija/konekcija.php");
    global $konekcija;
    $konekcija->beginTransaction();
    $idZaBrisanje=$_POST["idMovies"];
    $queryBrisanjeIzPrice="DELETE FROM price WHERE idFilm=$idZaBrisanje";
    $queryBrisanjeIzRep="DELETE FROM repertoire WHERE idFilm=$idZaBrisanje";
    $queryBrisanjeFilm="DELETE FROM film WHERE idFilm=$idZaBrisanje";
    try{
        $execBrisanjeIzPrice=$konekcija->query($queryBrisanjeIzPrice);
        $execBrisanjeIzRep=$konekcija->query($queryBrisanjeIzRep);
        $execBrisanjeFilm=$konekcija->query($queryBrisanjeFilm);
        http response code(200);
        header("Location: ../../adminMovies.php?message=Successfully deleted
movie");
        $konekcija->commit();
    catch(PDOException $ex){
        $konekcija->rollback();
        http_response_code(500);
        echo("Connection error: ". $ex->getMessage());
}else{
    http_response_code(404);
```

brisanjeRep.php

```
<?php
if(isset($_POST["btnDelRep"])){
    include("../konekcija/konekcija.php");
    global $konekcija;
    $idZaBrisanje=$_POST["idRep"];
    $queryBrisanjeRep="DELETE FROM repertoire WHERE idRepertoire=$idZaBrisanje";
    try{
        $execBrisanjeRep=$konekcija->query($queryBrisanjeRep);
        http_response_code(200);
        header("Location: ../../adminRep.php?message=Successfully deleted
repertoire");
    catch(PDOException $ex){
        http_response_code(500);
        echo("Connection error: ". $ex->getMessage());
}else{
    http_response_code(404);
```

brisanjeRes.php

```
catch(PDOException $ex){
    http_response_code(500);
    echo("Connection error: ". $ex->getMessage());
}
lelse{
    http_response_code(404);
}
```

brisanjeMess.php

brisanjeUsers.php

```
if(isset($_POST["btnDelUsers"])){
   include("../konekcija/konekcija.php");
   global $konekcija;
   $konekcija->beginTransaction();
   $idZaBrisanje=$_POST["idUser"];
   $queryBrisanjeIzAnswer="DELETE FROM answer WHERE idUser=$idZaBrisanje";
}
```

```
$queryBrisanjeIzRes="DELETE FROM reservation WHERE idUser=$idZaBrisanje";
    $queryBrisanjeUser="DELETE FROM user WHERE idUser=$idZaBrisanje";
   try{
        $execBrisanjeIzAnswer=$konekcija->query($queryBrisanjeIzAnswer);
        $execBrisanjeIzRes=$konekcija->query($queryBrisanjeIzRes);
        $execBrisanjeUser=$konekcija->query($queryBrisanjeUser);
        http_response_code(200);
        header("Location: ../../adminUsers.php?message=Successfully deleted
user");
        $konekcija->commit();
    catch(PDOException $ex){
        $konekcija->rollback();
        http_response_code(500);
        echo("Connection error: ". $ex->getMessage());
}else{
   http response code(404);
```

podaci.php

```
<?php
    $serverBaze = '127.0.0.1';
    $nazivBaze = 'films';
    $username = 'root';
    $password = '';
}>
```

konekcija.php

```
    include("podaci.php");
    try {
        $konekcija = new PDO("mysql:host=$serverBaze;dbname=$nazivBaze",

$username, $password);
        $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
        $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    } catch (PDOException $ex) {
        echo("Connection error: " . $ex->getMessage());
    }
}
```

CSS

style.css

```
@font-face {
    src: url("../fonts/Roboto-Regular.ttf");
    font-family: "Roboto";
@font-face {
    src: url("../fonts/PermanentMarker-Regular.ttf");
    font-family: "PermanentMarker";
   margin: 0;
   padding: 0;
   font-family: "Roboto";
 a {
   color: #141414;
   text-decoration: none;
 a:hover{
   text-decoration: none;
   color: #141414;
ul {
    list-style: none;
   margin: 0px !important;
.wrapper {
   width: 95%;
   margin: 0 auto;
#login {
   padding: 8px 0px;
    background-color: #ffd247;
#login .wrapper {
   display: flex;
    justify-content: flex-end;
    align-items: center;
#login .wrapper ul {
```

```
display: flex;
    align-items: center;
#login .wrapper ul label {
   display: flex;
    align-items: center;
.btnLogin {
    padding: 1px 10px;
    display: block;
#btnRegister {
   border-left: 1px solid #141414;
#header {
   background-color: #141414;
    position: sticky;
   top: 0;
   width: 100%;
    z-index: 1;
   transition: .2s background-color;
#logoAndNav .wrapper {
   display: flex;
    justify-content: space-between;
   align-items: center;
   height: 100px;
#navigation {
  display: flex;
   align-items: center;
#nav ul {
    display: flex;
#nav ul li a {
   color: #fff;
   padding: 10px;
   transition: .1s;
    font-size: 25px;
#nav ul li a:hover {
    color: #ffd247;
.active {
```

```
color: #ffd247 !important;
  #hamburger {
   display: none;
  #hamburger a i {
   color: #fff;
   padding: 10px;
   font-size: 30px;
 #sideNav {
   position: fixed;
   top: 0;
   left: 0;
   width: 100%;
   height: 100%;
    z-index: 3;
 #sideNavContent {
   width: 360px;
   background-color: #141414;
   overflow-y: auto;
 #sideNavContent ul li a {
   display: block;
   padding: 20px;
   transition: .1s;
   color: #ffd247;
   font-size: 15px;
   font-weight: bold;
 #sideNavContent ul li a:hover {
   color: #fff;
  .cover {
   width: 100%;
   height: 100%;
   background-color: rgba(0, 0, 0, 0.7);
/* Footer */
#footer {
   background-color: #141414;
    padding: 30px 0;
 #footer .wrapper {
```

```
display: flex;
  justify-content: space-around;
#footer a {
 color: #fff;
 transition: .1s color;
 font-size: 20px;
#footer a i, #footer a span {
 color: #fff;
 transition: .1s;
 margin-top: 10px;
#footer a:hover {
 color: #ffd247;
#footer a:hover i, #footer a:hover span {
 color: #ffd247;
#footer ul {
 display: flex;
 flex-direction: column;
#links ul li{
 margin-top: 10px;
.socialText {
 margin-left: 4px;
#copyright {
 text-align: center;
 color: #fff;
display: block;
 margin-top: 10px;
/* About us */
#aboutUs{
 width: 100%;
 text-align: justify;
 margin: 80px 0px;
#txt{
 width: 80%;
margin: 0px auto;
display: flex;
```

```
justify-content: space-between;
    flex-wrap: wrap;
    padding: 40px 0px;
    color: #141414;
#txt .txt{
   width: 35%;
    font-size: 20px;
#txt .txt h2{
   width: 45%;
   margin-bottom: 20px;
/* Pricelist */
#cenovnik{
   width: 100%;
   text-align: center;
   font-size: 25px;
table{
   width: 70%;
   margin: 40px auto;
   border-collapse: collapse;
table tr{
   font-size: 20px;
table tr td{
   padding: 10px;
table tr th{
   text-transform: uppercase;
   font-size: 25px;
   padding: 10px;
    background-color: #141414;
    color: #fff;
tr:nth-child(even),tr:nth-child(even) a{
    background-color: #ffd247;
    color: #141414;
    text-align: left;
tr:nth-child(odd),tr:nth-child(odd) a{
    background-color: #fff;
    color: #141414;
```

```
text-align: left;
tr:nth-child(odd) a{
    background-color: #ffd247;
    color: #ffd247;
table a{
    text-decoration: none;
#baner{
    background-image: url("../img/bg2.jpg");
    min-height:700px;
    width:100%;
    background-repeat:no-repeat;
    background-position: center;
    #tekst1{
    color:#ffd247;
    padding-top:8rem;
    text-align: center;
    #tekst1 p{
    font-family: "PermanentMarker";
    font-size: 50px;
/* On repertoire */
#naRepertoaru{
    width: 80%;
    margin: 30px auto;
    display: flex;
    justify-content: center;
    padding: 55px 0px;
    text-align: right;
.sledece{
    width: 30%;
    padding: 10px;
    display: flex;
    flex-direction: column;
    justify-content: space-between;
.datumSledece{
    color: #141414;
    font-weight: bold;
```

```
font-size: 15px;
.slikaSledece{
    width: 70%;
    border: 2px solid #ffd247;
.sledece h2,h3,p{
    margin-bottom: 20px;
#sledeceNaslov{
    color: #141414;
    font-weight: bold;
    font-size: 20px;
.sledece h2{
    color: #141414;
    font-weight: bold;
    font-size: 35px;
.sledece div{
    margin-bottom: 15px;
.sledece a{
    background-color: #141414;
    padding: 15px;
    text-decoration: none;
    color: #ffd247;
.naslov{
    width: 100%;
    text-align: center;
    margin: 40px 0px;
.naslovTxt{
    text-align: center;
    color: #141414;
    display: block;
    font-weight: bold;
    margin-top: 10px;
.slikaMovie{
    width: 50%;
    margin: 0px auto;
.details{
```

```
font-size: 20px;
   font-weight: bold;
   font-family: "PermanentMarker";
   color: #141414;
   padding: 10px;
   background-color: #ffd247;
   border-radius: 10px;
   display: flex;
   justify-content: space-around;
.card {
   border: 0px solid rgba(0, 0, 0, 0.125);
.contactUs{
   text-align:center;
   padding:2rem;
   .contact-us input {
   border-radius: 3px;
   padding-left: 15px;
   font-size: 15px;
   color: #4a4a4a;
   background-color: #f4f4f4;
   outline: none!important;
   border: none;
   box-shadow: none;
   line-height: 44px;
   height: 44px;
   width: 100%;
   margin-bottom: 30px;
   .contact-us textarea {
   border-radius: 3px;
   padding-left: 15px;
   padding-top: 15px;
   font-size: 13px;
   color: #4a4a4a;
   background-color: #f4f4f4;
   outline: none;
   border: none;
   box-shadow: none;
   height: 122px;
   max-height: 220px;
   width: 100%;
   margin-bottom: 25px;
```

```
.contact-us button {
    width: 100%;
    display: inline-block;
    background-color: #141414;
    color: #fff!important;
    font-size: 13px;
    text-transform: uppercase;
    font-weight: 500;
    padding: 12px 20px;
    border-radius: 3px;
    text-decoration: none;
    letter-spacing: 0.5px;
    .msg{
    font-weight: bold;
    margin-bottom: 5%;
    }
    #formcheck{
    color: #006622;
    display:none;
    padding:2rem;
.anketa{
    text-align: center;
    font-weight: bold;
    font-size: 20px;
    color: #141414;
#odg{
    display: flex;
    justify-content: center;
.odg{
    display: inline;
    margin-right: 25px;
    color: #141414;
    font-size: 20px;
    font-weight: bold;
input[type='radio']:after {
    width: 25px;
    height: 25px;
    border-radius: 15px;
    top: -4px;
```

```
left: -8px;
    position: relative;
    background-color: #fff;
    content: '';
    display: inline-block;
    visibility: visible;
    border: 3px solid #141414;
input[type='radio']:checked:after {
   width: 25px;
    height: 25px;
    border-radius: 15px;
    top: -4px;
    left: -8px;
    position: relative;
    background-color: #ffd247;
    content: '';
    display: inline-block;
    visibility: visible;
    border: 3px solid #141414;
#btnAnketa{
   background-color: #141414;
    color: #ffd247;
    border: none;
    font-size: 20px;
    padding: 15px;
    border-radius: 20px;
#poruka{
    color: #141414;
   margin-top: 3rem;
    font-size: 20px;
    font-weight: bold;
/* One movie */
#filmovi{
    padding-top: 7rem;
    padding-bottom: 7rem;
    width: 80%;
   margin: 0px auto;
    display: flex;
    justify-content: space-between;
   flex-wrap: wrap;
```

```
.jedan{
    padding: 30px 0px;
#filmTekst{
    width: 60%;
    text-align: justify;
#filmTekst h1{
    margin-bottom: 15px;
#filmTekst p,.tekst p{
    font-weight: bold;
    font-size: 20px;
.moviesAll{
    width: 100%;
    flex-wrap: wrap;
    display: flex;
.movieOne{
    flex: 1 0 33%;
    flex-grow: 0;
.loginTekst{
    font-size: 13px;
    font-weight: bold;
    color: #141414;
    font-family: "PermanentMarker";
/* Repertoire */
#repertoar{
    width: 60%;
    margin: 0px auto;
    min-height: 150px;
.repertoar{
    border: 1px solid #141414;
    background-color: #ffd247;
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin: 20px 0px;
    padding-right: 20px;
```

```
.repertoar .datum{
    padding: 20px;
    background-color: #141414;
    color: #fff;
.repertoar a{
   text-decoration: none;
    color: #141414;
    font-weight: bold;
    font-family: "PermanentMarker";
#search{
   width: 80%;
   margin-left: 10px;
   text-align: left;
.hgh{
    min-height: 260px;
#search input{
   padding: 5px;
   width: 250px;
    border: 3px solid #141414;
    border-radius: 20px;
#stranicenje{
   padding: 30px;
    text-align: center;
#stranicenje a,#stranicenje span{
    color: #141414;
   text-decoration: none;
   font-size: 20px;
    font-weight: bold;
   margin-right: 10px;
#stranicenje .aktivanLink{
    color: #ffd247;
/* Reservation */
#rezervacija{
   display: flex;
    justify-content: center;
.rezText{
```

```
font-size: 17px;
    margin-top: 18px;
.brd{
    border: 2px solid #141414;
    border-radius: 5px;
.adminHeader > .wrapper {
   height: 60px;
    display: flex;
    justify-content: flex-end;
    align-items: center;
.adminHeader > .wrapper #hamburger {
    display: block;
#adminNav ul {
    display: flex;
#adminNav ul li a {
    padding: 10px;
    color: #fff;
    transition: .2s;
#adminNav ul li a:hover {
  color: #ffd247;
/* Responsive */
@media screen and (max-width: 1470px) {
  .auPic{
    width: 150%;
  #txt .txt{
      width: 35%;
      font-size: 15px;
  #txt .txt h2{
      width: 45%;
      margin-bottom: 20px;
  .sledece{
    width: 40%;
```

```
@media screen and (max-width: 1180px) {
  .auPic{
    width: 100%;
  #txt .txt{
      width: 100%;
      font-size: 20px;
      margin-top: 30px;
  #txt .txt h2{
      width: 45%;
      margin-bottom: 20px;
  .sledece{
    width: 50%;
@media screen and (max-width: 750px) {
  .sledece{
    width: 100%;
    display: block;
.oneMpic{
  display: none;
#filmTekst{
  width: 100%;
  text-align: justify;
#nav {
  display: none;
#hamburger {
  display: block;
.moviesAll{
  width: 100%;
  flex-wrap: wrap;
  display: flex;
.movieOne{
  flex: 1 0 50% !important;
 flex-grow: 0 !important;
```

```
@media screen and (max-width: 576px) {
 #footer .wrapper {
   flex-direction: column;
   align-items: center;
    justify-content: center;
 #footer ul {
   flex-direction: row;
   margin-bottom: 10px;
  #footer ul li a {
    padding: 5px;
  .socialText {
   display: none;
 #txt .txt{
   width: 100%;
   font-size: 17px;
   margin-top: 30px;
.rezText{
 font-size: 10px;
 margin-top: 18px;
.movieOne{
 flex: 1 0 100% !important;
  flex-grow: 0 !important;
@media screen and (max-width: 400px) {
 #txt .txt{
   font-size: 14px;
```

JavaScript

main.js

```
$(document).ready(function(){
    var url=location.href;
    var page=url.split('/')[url.split('/').length-1];
    if(page.indexOf("index.php")!=-1 || page==""){
        sledeceNaRepertoaru()
        cenovnik();
    if(page.indexOf("movies.php") != -1){
        dohvatanjeFilmova()
    if(page.indexOf("reservation.php")!=-1){
        promenaUkupno()
    setTimeout(function(){
        document.querySelector(".animation").animate(
            {opacity:0},
            { duration: 300, fill: 'forwards' }
        );
        window.location.replace("/php1sajt/adminUsers.php");
    },1000)
    setTimeout(function(){
        document.querySelector(".animationRes").animate(
            {opacity:0},
            { duration: 300, fill: 'forwards' }
        );
        window.location.replace("/php1sajt/adminReservation.php");
    },1000)
    setTimeout(function(){
        document.querySelector(".animationMovies").animate(
            {opacity:0},
            { duration: 300, fill: 'forwards' }
        );
        window.location.replace("/php1sajt/adminMovies.php");
    },1000)
    setTimeout(function(){
        document.querySelector(".animationRep").animate(
```

```
{opacity:0},
            { duration: 300, fill: 'forwards' }
        );
        window.location.replace("/php1sajt/adminRep.php");
    },1000)
        const sideNavOpenDuration = 300;
        function closeSideNav() {
            $('#sideNavContent').css('transform', 'translateX(-100%)');
            setTimeout(function() {
                $('#sideNav').fadeOut('fast');
            }, sideNavOpenDuration);
   $('#sideNavContent').css('transition', `transform ${sideNavOpenDuration /
1000}s`);
   $('#sideNav').hide();
   $('#hamburger a').click(function(e) {
        $('#sideNav').fadeIn('fast', function() {
            $('#sideNavContent').css('transform', 'translateX(0px)');
        });
        e.preventDefault();
    });
   $('#sideNav .cover').click(closeSideNav);
   $('#sideNavContent').click(function(e) {
        e.stopPropagation();
    });
    function cenovnik(){
        $.ajax({
            url:"php/stranice/cenovnik.php",
            method:"get",
            dataType:"json",
            success:function(data){
                ispisCenovnik(data)
            },
            error:function(xhr){
                $("#cenovnik").html(xhr.responseText)
                console.log(xhr.responseText);
       })
    function ispisCenovnik(data){
```

```
var ispis='NamePrice'
       for(let d of data){
           ispis+=`${d.filmName}${d.price}`
           ispis+=`€`
       $("#cenovnik table").html(ispis)
   function sledeceNaRepertoaru(){
       $.ajax({
           url:"php/stranice/naRepertoaru.php",
           method:"get",
           dataType:"json",
           success:function(naRepertoaru){
              sledeceIspis(naRepertoaru)
           },
           error:function(xhr){
              $("#sledece").html(xhr.responseText)
       })
   function sledeceIspis(naRepertoaru){
       var s="";
       S+=`
           <div class="sledece">
              <div>
                  Next to watch
                  <h2>${naRepertoaru.filmName}</h2>
                  Date:
${naRepertoaru.screeningDate.split("-")[2]}.${naRepertoaru.screeningDate.split("-
[)[1]}.${naRepertoaru.screeningDate.split("-")[0]}.
              </div>
              <div>
                  <a href="oneMovie.php?id=${naRepertoaru.idFilm}">Show
more</a>
              </div>
           </div>
           <div class="sledece">
              <img src="assets/img/${naRepertoaru.pictureSrc}"</pre>
alt="${naRepertoaru.pictureAlt}" class="slikaSledece"/>
           </div>
       $("#naRepertoaru").html(s)
```

```
function dohvatanjeFilmova(){
        $.ajax({
            url:"php/stranice/ispisFilmova.php",
            method:"get",
            dataType:"json",
            success:function(ispisFilmova){
                ispisFilm(ispisFilmova)
            },
            error:function(xhr){
                console.log(xhr.responseText)
                $("#moviesId").html(xhr.responseText)
        })
    }
    function ispisFilm(ispisFilmova){
        var films="";
        ispisFilmova.forEach(e => {
            films+=
    <div class="card-deck mb-5 movieOne">
        <div class="card">
            <img class="card-img-top slikaMovie" src="assets/img/${e.pictureSrc}"</pre>
alt="${e.pictureAlt}">
            <div class="card-body">
            <h4 class="card-title naslovTxt">${e.filmName}</h4>
            <span class="naslovTxt">Duration: ${e.duration} min</span>
            <span class="naslovTxt">Premiere: ${e.premiere.split("-
 )[2]}.${e.premiere.split("-")[1]}.${e.premiere.split("-")[0]}</span><br/>
            <a class="details" href="oneMovie.php?id=${e.idFilm}">Details</a>
            </div>
        </div>
    </div>
        });
        $("#moviesId").html(films)
    $("#btnAnketa").click(function(){
        if(!$(".rdb:checked").val()){
            $("#poruka").html("You need to check something");
        }else{
           $.ajax({
```

```
url:"php/stranice/obradaAnkete.php",
                method:"post",
                dataType:"json",
                data:{
                    odg:$(".rdb:checked").val(),
                    dugme: true
                },
                success:function(data){
                    $("#poruka").html("You have successfully completed the
survey")
                    $("#drzacAnkete").hide();
           },
                error:function(xhr){
                    console.log(xhr.responseText)
                $("#poruka").html(xhr.responseText)
            })
   });
   //forma
   $(".btnAjax").click(function(){
       var imePrezime = $("#name");
       var email = $("#email");
       var tel = $("#phone");
       var brojac = 0;
       var regExImePrezime = /^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
zđšćčž]{2,})$/
        var regExMail = /^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/
       var regExTelefon = /^[0-9]{3}(-?[0-9]{3,4}){2}$/
       //imePrezime
       if(imePrezime.val() == ''){
            imePrezime.css({
            'border':'1px solid #e60000'
            });
            imePrezime.val("");
            imePrezime.attr('placeholder','Name can not be empty');
            brojac++;
       else if(!regExImePrezime.test(imePrezime.val())){
            imePrezime.css({
```

```
'border':'1px solid #e60000'
    });
    imePrezime.val("");
    imePrezime.attr('placeholder','e.g. First Second');
    brojac++;
else {
    imePrezime.css({
    'border':'1px solid #fff'
    });
//email
if(email.val() == ''){
    email.css({
    'border':'1px solid #e60000'
    email.val("");
    email.attr('placeholder','Email adress can not be empty');
    brojac++;
else if(!regExMail.test(email.val())){
    email.css({
    'border':'1px solid #e60000'
    });
    email.val("");
    email.attr('placeholder','e.g. yourmail@gmail.com');
    brojac++;
else {
    email.css({
    'border':'1px solid #fff'
    });
//telefon
if(tel.val() == ""){
    tel.css({
        'border':'1px solid #e60000'
    });
    tel.val("");
    tel.attr("placeholder","Number can not be empty");
    brojac++;
else if(!regExTelefon.test(tel.val())){
```

```
tel.css({
        'border':'1px solid #e60000'
    });
    tel.val("");
    tel.attr("placeholder","e.g. xxx-xxx-xxxx");
    brojac++;
else{
    tel.css({
        'border':'1px solid #fff'
    });
var tekstPolje =$("#msg");
if(tekstPolje.val() == ''){
    tekstPolje.css({
    'border':'1px solid #e60000'
    });
    tekstPolje.val("");
    tekstPolje.attr('placeholder','Message can not be empty');
    brojac++;
else {
    tekstPolje.css({
    'border':'1px solid #fff'
    });
if(brojac == 0){
    $.ajax({
        url:"php/stranice/obradaForme.php",
        method:"POST",
        dataType:"json",
        data :{
            imePrezime : imePrezime.val(),
            email : email.val(),
            telefon : tel.val(),
            msg : tekstPolje.val(),
            btnPosalji : $(".btnAjax").val()
        },
        success : function(data){
            console.log(data);
            document.querySelector("#contact").reset();
```

```
$("#valid").html(data);
                },
                error : function(err){
                    console.error(err.responseText);
                    $("#valid").html(err.responseText.replaceAll('"',""));
            });
        return false;
    })
    // login
   $("#loginBtn").click(function(){
        var email = $("#emailLogin");
        var pass = $("#passwordLogin");
        var brojac = 0;
        var regExMail = /^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/
        var regExpPassword = /^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-
9])(?=.*[!@#\$%\^&\*])(?=.{8,})/;
        if(email.val() == ''){
            email.css({
            'border':'1px solid #e60000'
            });
            email.val("");
            email.attr('placeholder','Email adress can not be empty');
            brojac++;
        else if(!regExMail.test(email.val())){
            email.css({
            'border':'1px solid #e60000'
            });
            email.val("");
            email.attr('placeholder','e.g. yourmail@gmail.com');
            brojac++;
        else {
            email.css({
            'border':'1px solid #c2c2c2'
            });
```

```
if(pass.val() == ''){
    pass.css({
    'border':'1px solid #e60000'
    });
    pass.val("");
    pass.attr('placeholder','Password can not be empty');
    brojac++;
else if(!regExpPassword.test(pass.val())){
    pass.css({
    'border':'1px solid #e60000'
    });
    pass.val("");
    pass.attr('placeholder','e.g. Password123!');
    brojac++;
else {
    pass.css({
    'border':'1px solid #c2c2c2'
    });
if(brojac == 0){
    $.ajax({
        url:"php/stranice/obradaLogin.php",
        method:"POST",
        dataType:"json",
        data :{
            email : email.val(),
            pass : pass.val(),
            btnLogin : $("#loginBtn").val()
        },
        success : function(data){
            if(data=="Ok"){
                window.location.href="index.php";
            }else{
            $("#validLogin").html(data);
        },
        error : function(err){
            console.error(err.responseText);
            $("#validLogin").html(err.responseText.replaceAll('"',""));
```

```
});
        return false;
    });
   $("#registerBtn").click(function(){
        var fullName=$("#name")
        var username= $("#username")
        var email = $("#email");
        var pass = $("#password");
        var passConfirm = $("#confirm")
        var brojac = 0;
        var regExFullName = /^[A-ZĐŠČĆŽ][a-zđšćčž]{2,}(\s[A-ZĐŠČĆŽ][a-
zđšćčž]{2,})$/
        var regExUsername = /^[a-zA-Z]\w{4,}$/;
        var regExMail = /^[a-z][a-z0-9\.]{2,}@([a-z0-9]{2,}\.)+[a-z]{2,}$/
        var regExpPassword = /^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-z])
9])(?=.*[!@#\$%\^&\*])(?=.{8,})/;
        if(fullName.val() == ''){
            fullName.css({
            'border':'1px solid #e60000'
            });
            fullName.val("");
            fullName.attr('placeholder','Full name can not be empty');
            brojac++;
        else if(!regExFullName.test(fullName.val())){
            fullName.css({
            'border':'1px solid #e60000'
            });
            fullName.val("");
            fullName.attr('placeholder','e.g. First Second');
            brojac++;
        }
        else {
            fullName.css({
            'border':'1px solid #fff'
            });
```

```
if(username.val() == ''){
    username.css({
    'border':'1px solid #e60000'
    });
    username.val("");
    username.attr('placeholder','Username can not be empty');
    brojac++;
else if(!regExUsername.test(username.val())){
    username.css({
    'border':'1px solid #e60000'
    });
    username.val("");
    username.attr('placeholder','e.g. Username');
    brojac++;
else {
    email.css({
    'border':'1px solid #c2c2c2'
    });
if(email.val() == ''){
    email.css({
    'border':'1px solid #e60000'
    });
    email.val("");
    email.attr('placeholder', 'Email adress can not be empty');
    brojac++;
else if(!regExMail.test(email.val())){
    email.css({
    'border':'1px solid #e60000'
    });
    email.val("");
    email.attr('placeholder','e.g. yourmail@gmail.com');
    brojac++;
else {
    email.css({
    'border':'1px solid #c2c2c2'
    });
```

```
if(pass.val() == ''){
    pass.css({
    'border':'1px solid #e60000'
    });
    pass.val("");
    pass.attr('placeholder','Password can not be empty');
    brojac++;
else if(!regExpPassword.test(pass.val())){
    pass.css({
    'border':'1px solid #e60000'
    pass.val("");
    pass.attr('placeholder','e.g. Password123!');
    brojac++;
else {
    pass.css({
    'border':'1px solid #c2c2c2'
    });
if(passConfirm.val() == ''){
    passConfirm.css({
    'border':'1px solid #e60000'
    });
    passConfirm.val("");
    passConfirm.attr('placeholder','Confirm your password');
    brojac++;
else if(passConfirm.val() != pass.val()){
    passConfirm.css({
    'border':'1px solid #e60000'
   });
    passConfirm.val("");
    passConfirm.attr('placeholder','Incorrect, please try again');
    brojac++;
else {
    passConfirm.css({
    'border':'1px solid #c2c2c2'
    });
```

```
if(brojac == 0){
        $.ajax({
            url:"php/stranice/obradaRegister.php",
            method:"POST",
            dataType:"json",
            data :{
                name: fullName.val(),
                username :username.val(),
                email : email.val(),
                pass : pass.val(),
                btnRegister : $("#registerBtn").val()
            },
            success : function(data){
                if(data=="Successfully."){
                    $("#emailLogin").val(email.val())
                    document.querySelector("#registerForm").reset();
                }else{
                $("#valid").html(data);
            },
            error : function(err){
                console.error(err.responseText);
                $("#valid").html(err.responseText.replaceAll('"',""));
        });
   return false;
})
// reservation
function promenaUkupno(){
   var cena=$("#cena").html()
    console.log(cena);
   var brKarata=$("#brojKarata").val();
    console.log(brKarata);
   var ukupnaCena=0;
   if(brKarata>0){
        ukupnaCena=brKarata*cena;
   $("#ukupno").html(ukupnaCena)
```

```
}
$("#brojKarata").change(promenaUkupno);
});
```