

Vulnerability Assessment Report

1st January 20XX

System Description

The server hardware consists of a powerful CPU processor and 128GB of memory. It runs on the latest version of Linux operating system and hosts a MySQL database management system. It is configured with a stable network connection using IPv4 addresses and interacts with other servers on the network. Security measures include SSL/TLS encrypted connections.

Scope

The scope of this vulnerability assessment relates to the current access controls of the system. The assessment will cover a period of three months, from June 20XX to August 20XX. [NIST SP 800-30 Rev. 1](#) is used to guide the risk analysis of the information system.

Purpose

The database is a system that stores and manages a large amount of data at a time and can store information from customer to company data and data in the server must be secured to prevent unauthorized access because if there is an attack the company will be at risk of losing the data and it is very critical to secure the system and make sure it runs and never fails as it will stop business operations if it fails.

Risk Assessment

Threat source	Threat event	Likelihood	Severity	Risk
Competitor	<i>Obtain sensitive information via exfiltration</i>	1	3	3
Employee	<i>Disrupt business operations</i>	2	3	6
Hacker	<i>Obtain sensitive data when infiltrating</i>	3	3	9

Approach

Risks considered the data storage and management methods of the business. The likelihood of a threat occurrence and the impact of these potential events were weighed against the risks to day-to-day operational needs. The severity of potential incidents were weighed against day to day operational needs

Remediation Strategy

Implementation of authentication, authorization, and auditing mechanisms to ensure that only authorized users access the database server. This includes using strong passwords, role-based access controls, and multi-factor authentication to limit user privileges. Encryption of data in motion using TLS instead of SSL. IP allow-listing to corporate offices to prevent random users from the internet from connecting to the database.