

Peanut for Concrete5 Installation

1. Create your database then download and install or upgrade Concrete5 version 8.2.1
<https://documentation.concrete5.org/developers/installation/installation>
2. Create test page titled 'Peanut Smoke Test'. The url slug should be `http://(your domain name goes here)/peanut-smoke-test`
3. Make a database backup. It is unlikely to be needed but good to have if any installation problems occur.
4. From the distribution zip file, extract directories below 'web.root' to your Concrete 5 root directory
5. Install the 'Knockout View' package and the 'Peanut' theme.
Note: The theme is dependent on the package and must be installed/uninstalled in order.
 - a. Install: First package then theme
 - b. Uninstall: First theme then package
6. Activate the Peanut module
7. Replace **application/bootstrap/app.php** with the **peanut-app.php** file in the same directory. If you have made any custom changes to app.php, you'll need to merge the file contents together. Otherwise, simply delete or rename app.php and rename peanut-app.php to app.php.
8. Try the Peanut Smoke Test.

Custom Themes

Our sample theme "Peanut" is based on "Cloneamental", a clone of the default C5 theme.

Themes that use peanut and want to use the Bootstrap modal feature must ensure that Bootstrap modals are included. Use the `on_start` function in `packages/peanut/controller.php`:

```
public function on_start()
{
    // add bootstrap modals, not included in C5
    $al = AssetList::getInstance();
    $al->register(
        'javascript', 'bootstrap/modals',
        'js/bootstrap/modals.js',
        array('minify' => false, 'position' => \Concrete\Core\Asset\Asset::ASSET_POSITION_FOOTER),
        $this
    );
}
```

In the case of the Cloneamental theme, the Bootstrap javascript was not included, so we just downloaded it and placed in it the `packages/peanut/js/bootstrap` folder.