OIM3690 - Web Technologies



Lists

Types of Lists

- Unordered lists
 - Bulleted list of items
- Ordered Lists
 - Numbered list of items
- Description Lists
 - List of terms and their descriptions

Syntax

- Unordered lists:
 - o defined by and tags
 - o each item on the list: <1i> and </1i> tags
 - Syntax:

- Ordered lists:
 - o defined by and
- Description lists:
 - o defined by <dl> and </dl>

List examples:

```
<h2>Ingredients for Lemonade:</h2>
<111>
 1 3/4 cups white sugar
 1/2 cups lemon juice
 8 cups water
<h2>To-Do List Today:</h2>
<01>
 wake up
 eat
 sleep again
<h2>All About Web:</h2>
<d1>
 <dt>Web page</dt>
 <dd>A document which can be displayed in a web browser</dd>
 <dt>Website</dt>
 <dd>>
   A collection of web pages which are grouped together and usually
   connected together in various ways.
 </dd>
 <dt>web server</dt>
 <dd>A computer that hosts a website on the Internet.</dd>
</dl>
```

Ingredients for Lemonade:

- 1 3/4 cups white sugar
- 1 1/2 cups lemon juice
- 8 cups water

To-Do List Today:

- 1. wake up
- 2. eat
- 3. sleep again

All About Web:

Web Page

A document which can be displayed in a web browser

Web Site

A collection of web pages which are grouped together and usually connected together in various ways.

web server

A computer that hosts a website on the Internet.

Nesting lists

```
<h3>Web technologies</h3>
<l
 Rasics
  <01>
   HTML
    <l
     baisc elements
     tables
     forms
    CSS
  Scripting
  <01>
   JavaScript
   Web APIs
```

Web technologies

- Basics
 - 1. HTML
 - baisc elements
 - tables
 - forms
 - 2. CSS
- Scripting
 - 1. JavaScript
 - 2. Web APIs
 - 3. Web Frameworks

Using CSS with lists

- You can format the text in a list using CSS
 - font, color, text, background, alignment etc.
- One specific formatting using an image for the bullet in unordered lists

```
o ul {list-style-type: disc | circle | square;}
```

You can set the bullet to any one of disc/circle/square

```
o ul {list-style-image: url (image-file-name);}
```

e.g. if the bullet image you want is (smiley.gif)

```
ul {list-style-image: url(images/smiley.gif)};
```

Exercise: creating lists

- Create ex05.html
- Add a nested unordered list of the courses you took last semester and this semester.
 - Add "My Courses" as h2.
 - Use "smiley.gif" as the bullet image for courses.
- Add an ordered list of the countries that ranked top 4 in 2022 FIFA World Cup.
 - Add "2022 FIFA World Cup Ranking" as h2.
 - Add national flag image before each country name (not as bullet image)
 - You can find the images under resources/templates/images
 - Resize the flags, e.g. height="30"
- Check it using Chrome.

More on CSS

Block-level elements vs. inline elements

- Read about block-level elements and inline elements
 - What block-level elements have we used?
 - What about *inline elements*?
 - What is the difference?

Using Images as Background

• Using CSS, we can set background images for web pages or even part of web pages using the following properties:

```
    background-image: url("image_filename.jpg")
    background-attachment: fixed | scroll
    background-repeat: repeat | norepeat | repeat-x | repeat-y
    background-position: center | top | bottom | left | right | (x,y)
```

- You can set these independently or all at once:
 - Example:

```
body {background: url(file.jpg) center fixed repeat};
```

More background-image property examples

Positioning Images

- float : none | left | right
 - Allows the image to move to one side and the rest of the content flows around it on the other side
 - of float implies the use of the block layout.
- clear: both | left | right | none
 - Allows the side of the image to be clear of any other *floating* content (where the computed value of float is not none)
 - i.e., prevents content from flowing around on that side
- float and clear are not only for images.
 - See examples using float for Horizontal Navigation Bar

More Positioning

- float does not let you specify where exactly you want the image to be
- The combination of the following will allow you to do this:

```
{position: static | relative | absolute | fixed;}
{left: auto | distance-value (pt or px);}
{top: auto | distance-value (pt or px);}
```

- More position property examples.
- o top, right, bottom, left and z-index have no effect on position:static elements.
- z-index
 - It sets an element's stacking order in relation to other overlapping elements.
 - z-index property example
 - A deeper explanation on z-index

Exercise: ex05.html (cont.)

- Add "music.gif" as the background image for the page.
- Add the image "beaver.jpg" and position it so that it is at the bottom of the page and horizontally centered.
- Add the words "Go Beavers!" (as h3) and place it over the beaver image. Hints:
 - using different z-index for img and h3
 - o using h3 {position: relative; top: ?; z-index: ?}
- Save the file ex05.html
- Update *sitemap.html* and *commit/push* to GitHub.

Questions?

