

## Процедура с курсор за извеждане на всички служители, назначени на определена позиция

```
create or replace PROCEDURE spr_Empl_pos(V_POS_NAME Position.pos_name%TYPE)
IS
BEGIN
    DBMS_OUTPUT.PUT_LINE('Employees with '|| v_pos_name||' position');
    DECLARE
    CURSOR BK_AUT IS    //cursor name
    SELECT empl_name
    FROM Employee e join Position p ON e.pos_id = p.pos_id;
    where p.pos_name= V_POS_NAME;
    BEGIN
        FOR AUT_RECORD IN BK_AUT //recordname
        LOOP
            DBMS_OUTPUT.PUT_LINE(AUT_RECORD.empl_name);
        END LOOP;
    END;
END;
```

### Извикване:

```
EXEC spr_Empl_pos('&pos_name');
```

## Процедура с курсор за търсене на служител и позицията, на която е назначен, чието име съдържа ключова дума

```
create or replace PROCEDURE FIND_EMPLOYEE(KEYWORDS varchar2)
IS
KEYWORDS_new varchar2(500); //definition of variable
BEGIN
    KEYWORDS_new:='%'||KEYWORDS||'%';
    DBMS_OUTPUT.PUT_LINE('Employees whose name contains '|| KEYWORDS);
    DECLARE
    CURSOR EMPL_KEY IS
    SELECT e.empl_name, p. pos_name
    FROM Employee e join Position p ON e.pos_id = p.pos_id;
    where p.empl_name LIKE KEYWORDS_new;
    BEGIN
        FOR BK_RECORD IN BK_KEY
        LOOP
            DBMS_OUTPUT.PUT_LINE(BK_RECORD.Empl_name||' '|| BK_RECORD.pos_name);
        END LOOP;
    END;
END;
```

### Извикване:

```
EXEC FIND_EMPLOYEE ('&keyword');
```