Model Run Setup

```
In [1]: # Select folder path based on user input
        gender = 'M' #input('Enter gender (W for women, M for men): ')
        # Assign the appropriate folder path based on the input
        MAIN DIR = './'
        USE_DIR = MAIN_DIR + 'womens/' if gender.upper() == 'W' else MAIN_DIR + 'mer
        PRE = 'W' if gender.upper() == 'W' else 'M'
        NAME = 'womens' if gender.upper() == 'W' else 'mens'
In [2]: import pandas as pd
        from datetime import datetime, timedelta
        import re
        import random
        import numpy as np
        import pickle
        Load Data
In [3]: # Set the year to get predictions
        season = 2023
In [4]: # Load 'Sample' data into variable
        sample = pd.read_csv('sample-' + NAME + '.csv')
        sample.shape
Out[4]: (65703, 5)
In [5]: # Load 'Sample' data into variable
        games = pd.read_csv('games-' + NAME + '.csv')
        # Duplicate Games dataframe to get summary statistics
        df1 = games[games['Season'] == season].drop(columns=['Team1']).copy()
        df2 = games[games['Season'] == season].drop(columns=['Team0']).copy()
        # Rename the TeamID columns in dataframe
        df1.rename(columns = {'Team0':'TeamID'}, inplace = True)
        df2.rename(columns = {'Team1':'TeamID'}, inplace = True)
        # Concatenate duplicate dataframes along axis=0 (i.e., add as a new column)
        df3 = pd.concat([df1, df2], ignore_index=True, sort=False)
        # Group the dataframe by 'Season' and 'TeamID', and get the mean values
        team_means = df3.groupby(['Season', 'TeamID'], as_index=False).mean()
        # Zero out outcome
        team means['Outcome'] = None
        # Show sample output
```

```
print('team_means:', team_means.shape)
team_means.head()
```

team_means: (363, 19)

<ipython-input-5-667f6f2a5198>:16: FutureWarning: The default value of nume
ric_only in DataFrameGroupBy.mean is deprecated. In a future version, numer
ic_only will default to False. Either specify numeric_only or select only c
olumns which should be valid for the function.

team_means = df3.groupby(['Season', 'TeamID'], as_index=False).mean()

```
Season TeamID Seed
                                    Site
                                             MOV
                                                      FG2M
                                                                FG2A
                                                                         FG3M
                                                                                   FG3A
Out[5]:
             2023
                            0.0 0.153846 -3.692308 -0.423077 6.923077 0.115385
                                                                                2.230769
                     1101
         1
             2023
                     1102
                            0.0 0.156250 -0.125000 -0.250000 -2.562500 2.968750
                                                                                5.218750
                            0.0 0.419355 5.838710 0.677419 0.645161 1.741935 5.096774
             2023
                     1103
                            0.0 0.264706 13.676471 3.823529 -2.176471 4.529412 10.058824
        3
             2023
                     1104
        4
            2023
                     1105
                           0.0 0.033333 -3.066667 0.633333 1.200000 -1.066667 -3.600000
```

```
In [6]: # Create Seeds dataframe
        seeding = pd.read_csv(USE_DIR + PRE + 'NCAATourneySeeds.csv')
        # Reduce size of Seeds dataframe
        seeds = seeding[seeding['Season'] == season].copy()
        # Create a regex to pull out number
        regex = r' d+'
        # Apply the regular expression to the 'col1' column to extract the numeric ec{\mathsf{v}}
        seeds['Seed'] = seeds['Seed'].apply(lambda x: re.search(regex, x).group())
        # Convert the numeric values to integers
        seeds['Seed'] = seeds['Seed'].astype(int)
        # Set order sequence
        order = [0, 2, 1]
        # Reorder and rename dataframe
        seeds = seeds.iloc[:,order]
        seeds.rename(columns = {'Seed':'Slot'}, inplace = True)
In [7]: # Merge the 'Sample' and 'Seeds' dataframes on 'Season' and 'TeamID' columns
        seeds1 = pd.merge(sample, seeds, how='left', left_on=['Season', 'Team0'], ri
        seeds1.drop(columns='TeamID', inplace=True)
        # Merge the 'Sample' and 'Seeds' dataframes on 'Season' and 'TeamID' columns
        seeds2 = pd.merge(seeds1, seeds, how='left', left_on=['Season', 'Team1'], ri
        seeds2.drop(columns='TeamID', inplace=True)
        # Fill missing values
        seeds2['Slot_x'].fillna(17, inplace = True)
        seeds2['Slot_y'].fillna(17, inplace = True)
```

```
# Tournament Seeding Consideration (Differential)
         seeds2.loc[:, 'Seed'] = np.where(seeds2['Slot_x'] < seeds2['Slot_y'],</pre>
                                           seeds2['Slot_x'] - seeds2['Slot_y'],
                                           seeds2['Slot_y'] - seeds2['Slot_x'])
         # Convert Seed to int64
         seeds2['Seed'] = seeds2['Seed'].astype(int)
         # Drop unwanted columns from games dataframe
         seeds = seeds2.drop(columns=['Slot x', 'Slot y'])
         # Add in the remaining columns the model was trained on an set these values
         seeds = seeds.assign(Site=0, MOV=0, FG2M=0, FG2A=0, FG3M=0, FG3A=0, FT1M=0,
                              DRB=0, AST=0, TOVR=0, STL=0, BLK=0, PFL=0)
         # Set order sequence
         order = [0, 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
         # Reorder columns from games dataframe
         seeds = seeds.iloc[:,order].copy()
         # Show sample output
         print('seeds:', seeds.shape)
         print(seeds.columns)
         seeds: (65703, 20)
         Index(['Season', 'Team0', 'Team1', 'Seed', 'Site', 'MOV', 'FG2M', 'FG2A',
                'FG3M', 'FG3A', 'FT1M', 'FT1A', 'ORB', 'DRB', 'AST', 'TOVR', 'STL',
                'BLK', 'PFL', 'Outcome'],
               dtype='object')
 In [8]: # Merge 'Seeds' with 'Team_means' for Team0
         df4 = seeds.merge(team means.add suffix(' 0'), left on=['Season', 'Team0'],
 In [9]: # Merge 'Seeds' with 'Team means' for Team1
         df4 = seeds.merge(team means.add suffix(' 1'), left on=['Season', 'Team1'],
In [10]: # Calculate difference for each column
         cols = ['Seed', 'Site', 'MOV', 'FG2M', 'FG2A', 'FG3M', 'FG3A', 'FT1M', 'FT1A'
         for col in cols:
             df4[col] = df4[col] - df4[col + '1']
In [11]: # Drop redundant columns
         df4 = df4.drop(columns=[col + '_1' for col in cols])
         df4 = df4.drop(columns=['Season 1', 'TeamID 1'], axis=1)
         data = df4.copy()
In [12]: # Show sample output
         print('merged means:', data.shape)
         print(data.columns)
         merged means: (65703, 20)
         Index(['Season', 'Team0', 'Team1', 'Seed', 'Site', 'MOV', 'FG2M', 'FG2A',
                'FG3M', 'FG3A', 'FT1M', 'FT1A', 'ORB', 'DRB', 'AST', 'TOVR', 'STL',
                'BLK', 'PFL', 'Outcome'],
               dtype='object')
```

Load Model

```
In [13]: # Load the saved model from a file
loaded_model = pickle.load(open('./models/gnb-model.sav', 'rb'))
```

Run Model on Sample Data

```
In [14]: # Set X,y variable on sample data
    X = data.drop(columns=['Outcome'], axis=1)
    y = data['Outcome']

    # Make predictions on sample data
    y_pred = loaded_model.predict(X)

In [15]: # Get probabilities on sample data
    y_proba = loaded_model.predict_proba(X)

In [16]: len(y_proba)
Out[16]: 65703
```

Add Probabilities to Sample Dataframe

```
In [17]: # Create 'ID' column for sample submission
    sample['ID'] = sample['Season'].astype(str) + "_" + sample['Team0'].astype(s
    # Input the classification results into 'Outcome'
    sample['Outcome'] = y_pred

# Create holder column for 'Pred' (probability predictions)
    sample['Pred'] = 0.0
```

```
In [18]: # Iterate over y_pred array and set sample['Outcome'] values
for i in range(len(y_pred)):
    if y_pred[i] == 0:
        sample.at[i, 'Pred'] = y_proba[i][0].round(3)
    else:
        sample.at[i, 'Pred'] = y_proba[i][1].round(3)

# Drop unwanted columns from games dataframe
sample = sample.drop(columns=['Season', 'Team0', 'Team1', 'Seed', 'Outcome']

# Show sample output
print('sample:', sample.shape)
sample.head()
```

sample: (65703, 2)

```
Out[20]: array([0.62 , 0.972, 1. , 0.916, 0.999, 0.975, 0.756, 0.504, 0.845,
                0.979, 0.958, 0.996, 0.814, 0.688, 0.978, 0.919, 0.952, 0.812,
                0.988, 0.969, 0.891, 0.835, 0.844, 0.656, 0.676, 0.94 , 0.869,
                0.875, 0.92 , 0.948, 0.993, 0.99 , 0.59 , 0.834, 0.892, 0.987,
                0.808, 0.992, 0.957, 0.974, 0.781, 0.964, 0.997, 0.915, 0.865,
                0.897, 0.986, 0.868, 0.98 , 0.994, 0.925, 0.629, 0.809, 0.614,
                0.973, 0.55, 0.743, 0.537, 0.947, 0.591, 0.666, 0.963, 0.649,
                0.894, 0.678, 0.782, 0.953, 0.797, 0.806, 0.991, 0.765, 0.744,
                0.664, 0.938, 0.848, 0.515, 0.878, 0.609, 0.708, 0.586, 0.911,
                0.699, 0.857, 0.551, 0.912, 0.867, 0.566, 0.702, 0.579, 0.705,
                0.989, 0.735, 0.674, 0.715, 0.856, 0.88 , 0.711, 0.832, 0.939,
                0.885, 0.819, 0.871, 0.771, 0.503, 0.529, 0.902, 0.704, 0.732,
                0.623, 0.692, 0.941, 0.583, 0.767, 0.849, 0.946, 0.679, 0.728,
                0.668, 0.763, 0.524, 0.896, 0.684, 0.929, 0.636, 0.841, 0.671,
                0.936, 0.703, 0.961, 0.76 , 0.578, 0.587, 0.758, 0.56 , 0.556,
                0.597, 0.592, 0.855, 0.888, 0.791, 0.626, 0.652, 0.853, 0.83
                0.654, 0.675, 0.935, 0.605, 0.926, 0.928, 0.777, 0.774, 0.646,
                0.803, 0.937, 0.69, 0.543, 0.833, 0.886, 0.773, 0.872, 0.741,
                0.967, 0.757, 0.663, 0.858, 0.546, 0.548, 0.784, 0.68 , 0.793,
                0.661, 0.695, 0.66 , 0.509, 0.903, 0.512, 0.914, 0.616, 0.779,
                0.821, 0.517, 0.769, 0.805, 0.762, 0.505, 0.854, 0.603, 0.721,
                0.884, 0.906, 0.665, 0.594, 0.954, 0.984, 0.815, 0.879, 0.775,
                0.816, 0.97, 0.91, 0.955, 0.933, 0.662, 0.625, 0.982, 0.934,
                0.764, 0.747, 0.985, 0.923, 0.73 , 0.898, 0.638, 0.65 , 0.783,
                0.547, 0.842, 0.602, 0.859, 0.826, 0.683, 0.657, 0.965, 0.648,
                0.77 , 0.905, 0.533, 0.718, 0.836, 0.851, 0.514, 0.506, 0.734,
                0.944, 0.843, 0.921, 0.866, 0.742, 0.552, 0.714, 0.536, 0.87,
                0.669, 0.831, 0.557, 0.79, 0.792, 0.51, 0.907, 0.511, 0.672,
                0.86 , 0.513, 0.615, 0.549, 0.538, 0.61 , 0.84 , 0.759, 0.604,
                0.593, 0.696, 0.534, 0.507, 0.766, 0.709, 0.698, 0.673, 0.818,
                0.528, 0.624, 0.693, 0.582, 0.523, 0.635, 0.577, 0.677, 0.653,
                0.927, 0.647, 0.667, 0.544, 0.712, 0.755, 0.768, 0.589, 0.588,
                0.516, 0.746, 0.981, 0.628, 0.962, 0.565, 0.761, 0.772, 0.561,
                0.596, 0.852, 0.785, 0.601, 0.837, 0.93, 0.874, 0.895, 0.796,
                0.731, 0.727, 0.555, 0.78 , 0.822, 0.722, 0.71 , 0.639, 0.825,
                0.502, 0.687, 0.58 , 0.535, 0.691, 0.558, 0.545, 0.811, 0.716,
                0.729, 0.945, 0.813, 0.658, 0.539, 0.611, 0.553, 0.713, 0.745,
                0.581, 0.67, 0.847, 0.522, 0.778, 0.918, 0.932, 0.697, 0.7
                0.719, 0.508, 0.736, 0.877, 0.733, 0.527, 0.681, 0.634, 0.576,
                0.804, 0.789, 0.883, 0.846, 0.706, 0.694, 0.595, 0.776, 0.754,
                0.6 , 0.627, 0.564, 0.562, 0.873, 0.807, 0.685, 0.89 , 0.554,
                0.64 , 0.655, 0.686, 0.817, 0.726, 0.839, 0.559, 0.723, 0.861,
                0.659, 0.617, 0.54 , 0.682, 0.786, 0.717, 0.701, 0.795, 0.85 ,
                0.612, 0.521, 0.889, 0.913, 0.72, 0.924, 0.74, 0.968, 0.526,
                0.633, 0.575, 0.651, 0.613, 0.823, 0.81 , 0.922, 0.599, 0.824,
                0.645, 0.838, 0.737, 0.563, 0.707, 0.904, 0.606, 0.881, 0.909,
                0.518, 0.887, 0.788, 0.753, 0.908, 0.622, 0.641, 0.618, 0.541,
                0.725, 0.52 , 0.724, 0.525, 0.574, 0.829, 0.632, 0.501, 0.644,
                0.876, 0.787, 0.901, 0.598, 0.739, 0.794, 0.519, 0.542, 0.607,
                0.882, 0.621, 0.642, 0.738, 0.532, 0.862, 0.619, 0.752, 0.573,
                0.917, 0.931, 0.585, 0.631, 0.5 , 0.643, 0.942, 0.608, 0.899,
                0.802, 0.584, 0.864, 0.531, 0.748, 0.966, 0.828, 0.572, 0.63 ,
                0.751, 0.53 , 0.863, 0.689, 0.956, 0.801, 0.749, 0.571, 0.9 ,
                0.893, 0.567, 0.75 , 0.827, 0.57 , 0.568, 0.8 , 0.569, 0.951,
                0.995, 0.949, 0.82 , 0.943, 0.799, 0.959, 0.971, 0.983, 0.637,
                0.96 , 0.95 , 0.998])
```