- step1.
  theme 的製作
  Chrome 執行



js



css



- step2.
  theme 轉 react
  Chrome 執行


localhost:3000
咖啡 商品 門市 星禮程 第四生活空間 送禮專區 線上門市
門市查詢
幸福入秋 客製化香醇時光
POSITIVELY PLANT-BASED
香醇植物奶 美味滑順 微妙香甜
了解詳情
可可瑪奇朵
Cocoa Macchiato
(+20元) 升級燕麥奶，濃醇可口
蜜香那堤
Honey Latte
(+20元) 升級NEW杏仁奶，綿密香醇
*本產品含有堅果

js


App_85.js - web-mid-project_85 - Visual Studio Code
WEB-MID-PROJECT_85
import './App_85.scss';
const App_85 = () => {
return (

<a ref="#"></a>

<ul class="header__list">
<li><a>咖啡</a></li>
<li><a href="./pdoducts.html">商品</a></li>
<li><a>門市</a></li>
<li><a>星禮程</a></li>
<li><a>第四生活空間</a></li>
<li><a>送禮專區</a></li>
<li><a>線上門市</a></li>
</ul>

<a ref="#"></a>

src\index.js
Line 10:5: Imported JSX component App_85 must be in PascalCase or SCREAMING_SNAKE_CASE react/jsx-pascal-case
src\pages\Homepage_85.js
Line 9:13: Imported JSX component Info_85 must be in PascalCase or SCREAMING_SNAKE_CASE react/jsx-pascal-case
Search for the keywords to learn more about each warning.
To ignore, add // eslint-disable-next-line to the line before.

- step3.
  拆解 app 轉成 page/homepage 與 components/header 及 components/footer 及 components/info

app.js



homepage.js

header.js · footer.js · info.js



header.js



footer.js


.md U
Homepage_85.js M
Homepage_85.scss M
Info_85.js U
Info_85.scss U
src > components > Footer_85.js > Footer_85
You, 40 minutes ago | 1 author (You)
import React from "react";
import './Footer_85.scss';
const Footer_85 = () => {
return (

You, 40 minutes ago • Uncommitted changes
···

···

···

)
}
export default Footer_85;

info.js


Info_85.js - web-mid-project_85 - Visual Studio Code
p2.md U
a3.md U
step3.md U
Homepage_85.js M
Info_85.js U
Info_85.scss U
Footer_85
src > components > Info_85.js > Info_85
import React from "react";
import './Info_85.scss';
const Info_85 = () => {
return (

<section className="adpage1">···
</section>
<section className="adpage2">···
</section>
<section className="adpage3">···
</section>
<section className="adpage4">···
</section>
<section className="adpage5">···
</section>
<section className="adpage6">···
</section>
<section className="adpage7">···
</section>

)
}
export default Info_85;
問題 30
輸出
偵錯主控台
終端機
bash
src\index.js
Line 10:5: Imported JSX component App_85 must be in PascalCase or SCREAMING_SNAKE_CASE react/jsx-pascal-case

Chrome 執行



- step4.
  Product 頁面製作
  Chrome 執行



Product.js



- step5.
  data 建立並改寫 product 頁面
  data


ry Editor
Query History
檔案(F) 編輯(E) 選取項目(S) 檢視(V) 移至(G) 執行(R) 終端機(T) 說明(H)
otherdrinks_85.js - web-mid-project_85 - Visual Studio Code
Header_85.js M
ProductPage_85.js U
otherdrinks_85.js U
a3.md U
step4.md U
step5.md U
src > components > data > otherdrinks_85.js > otherdrinks_85 > name_en
WEB-MID-PROJECT_85
step1.md
step2.md
step3.md
step4.md
step5.md
theme
W7.md
W7.pdf
node_modules
public
src
components
data
otherdrinks_85.js
Footer_85.js
Footer_85.scss
Header_85.js
Header_85.scss
Info_85.js
Info_85.scss
pages
CoffeePage_85.js
FourthSpacePage_85.js
GiftAreaPage_85.js
Homepage_85.js
const otherdrinks_85 = [
{
id: 1,
name_cn: '經典巧克力',
name_en: 'Signature Hot Chocolate',
type: '其他飲料系列',
Subcategory: '其他飲料系列',
url: 'https://www.starbucks.com.tw/common/objects/images/product/20210930154959464.jpg',
},
{
id: 2,
name_cn: '冰經典巧克力',
name_en: 'Iced Signature Chocolate',
type: '其他飲料系列',
Subcategory: '其他飲料系列',
url: 'https://www.starbucks.com.tw/common/objects/images/product/20210930155025344.jpg',
},
{
id: 1,
name_cn: '兒童熱可可',
name_en: `Kid's Hot Chocolate`,
type: '其他飲料系列',
Subcategory: '其他飲料系列',
url: 'https://www.starbucks.com.tw/common/objects/images/product/20130813112304290.jpg',
}
]
export default otherdrinks_85;
問題 30
輸出
偵錯主控台
終端機
bash

producet

components
data
otherdrinks_85-data.js
Article_85.js
Article_85.scss
ArticleM_85.js
ArticleM_85.scss
Footer_85.js
Footer_85.scss
Header_85.js
Header_85.scss
Info_85.js
Info_85.scss
Products_85.js
Products_85.scss
ViewList_85.js
ViewList_85.scss
pages

js


移至(G) 執行(R) 終端機(T) 說明(H)
Products_85.js - web-mid-proje
Products_85.js U
step4.md U
Article_85.js U
src > components > Products_85.js > Products_85
import React from 'react'
import './Products_85.scss';
import Article_85 from './Article_85';
const Products_85 = () => {
return(

<Article_85 />

)
}
export default Products_85;

物件 js


ArticleM_85.js - web-mid-project_85 - Visual Studio Code
src > components > ArticleM_85.js > ...
import React from "react";
import './ArticleM_85.scss';
const ArticleM_85 = ({ name_cn, name_en, url }) => {
return (
<a href="#">

<img src={url} alt="" />

<h1 class="title-cn">{name_cn}</h1>
<h3 class="title-en">{name_en}</h3>

</a>
)
}
export default ArticleM_85;
src > components > Article_85.js > Article_85 > menuItems.map() callback
import React, { useState } from 'react';
import './Article_85.scss';
import ViewList_85 from './ViewList_85';
import items from './data/otherdrinks_85-data'
import ArticleM_85 from './ArticleM_85';
const Article_85 = () => {
const [menuItems, setMenuItems] = useState(items);
console.log('menuItems', menuItems);
return (

<ViewList_85 />

<h2>其他飲料系列</h2>
<ul>
<li>
{menuItems.map(item => {
const { name_cn, name_en, url } = item;
return (
<ArticleM_85 name_cn={name_cn} name_en={name_en}
)
})
}
</li>
問題 6 輸出 偵錯主控台 終端機
bash
Line 25:29: The href attribute requires a valid value to be accessible. Provide a valid, navigable address as the href value. If you cannot provide a valid href, but still need the element to resemble a link, use a button and change it with appropriate styles. Learn more: https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/anchor-is-valid.md jsx-a11y/anchor-is-valid
Line 26:29: The href attribute requires a valid value to be accessible. Provide a valid, navigable address as the href value. If you cannot provide a valid href, but still need the element to resemble a link, use a button and change it with appropriate styles. Learn more: https://github.com/jsx-eslint/eslint-plugin-jsx-a11y/blob/HEAD/docs/rules/anchor-is-valid.md jsx-a11y/anchor-is-valid