
TreadmillAutomation Class Reference

#include <TreadmillAutomation.h>

Inheritance diagram for TreadmillAutomation:



Collaboration diagram for TreadmillAutomation:



Public Slots

void setUseLibraryStatus ()
void setSocket ()
void showDagDataBox ()

Public Member Functions

TreadmillAutomation (QWidget *parent=0, Qt::WindowFlags flags=0)

-TreadmillAutomation ()

void createFileMenu ()

void createTabWidget ()

void createNetworkTab ()

void populateNetworkTab ()

void createTreadmillPerturbationTab ()

void populateTreadmillConfigTab ()

Public Attributes


NetworkTabWidget *	networkTabWidget
PerturbationTabWidget *	
ConfigTabWidget *	•
	sendSetpointObject
· · · · · · · · · · · · · · · · · · ·	
DOOL	useLibraryCheckBox


Detailed Description

Definition at line 39 of file TreadmillAutomation.h.

Constructor & Destructor Documentation

◆ TreadmillAutomation()






Member Function Documentation

createFileMenu()


void TreadmillAutomation::createFileMenu () Definition at line 57 of file TreadmillAutomation.cpp. Here is the call graph for this function: TreadmillAutomation SendSetpoints::setAcceleration ::showDaqDataBox Value TreadmillAutomation ::createFileMenu PerturbationTabWidget SendSetpoints::setDeceleration ::showTimer Value SendSetpoints::setLeftFront SpeedValue Here is the caller graph for this function: TreadmillAutomation TreadmillAutomation ::createFileMenu ::TreadmillAutomation createNetworkTab() void TreadmillAutomation::createNetworkTab () createTabWidget() void TreadmillAutomation::createTabWidget () Definition at line 162 of file TreadmillAutomation.cpp. Here is the caller graph for this function: TreadmillAutomation TreadmillAutomation ::createTabWidget ::TreadmillAutomation createTreadmillConfigTab() void TreadmillAutomation::createTreadmillConfigTab () createTreadmillPerturbationTab() void TreadmillAutomation::createTreadmillPerturbationTab ()


• error()	
void TreadmillAutomation::error (int)	
• populateNetworkTab()	
void TreadmillAutomation::populateNetworkTab ()	
◆ populateTreadmillConfigTab()	
void TreadmillAutomation::populateTreadmillConfigTab ()	
◆ populateTreadmillPerturbationTab()	
void TreadmillAutomation::populateTreadmillPerturbationTab ()	

◆ setSocket



◆ setUseLibraryStatus





Member Data Documentation

◆ configTabWidget

ConfigTabWidget* TreadmillAutomation::configTabWidget

Definition at line 59 of file TreadmillAutomation.h.

networkTabWidget

NetworkTabWidget* TreadmillAutomation::networkTabWidget

Definition at line 56 of file TreadmillAutomation.h.

perturbationTabWidget

PerturbationTabWidget* TreadmillAutomation::perturbationTabWidget

Definition at line 58 of file TreadmillAutomation.h.

sendSetpointObject

SendSetpoints* TreadmillAutomation::sendSetpointObject

Definition at line 60 of file TreadmillAutomation.h.

◆ useLibraryCheckBox

bool TreadmillAutomation::useLibraryCheckBox

Definition at line 61 of file TreadmillAutomation.h.

The documentation for this class was generated from the following files:

- · include/TreadmillAutomation.h
- src/TreadmillAutomation.cpp

