


如何高效推进任务

使用 kander

Author: dualface

kander 是什么？

- 使用 markdown 定义的任务卡系统.
- 使用规则驱动的任务编排系统.
- 加上一个容易使用的 TUI 界面.



如何安装

- 从 <https://github.com/dualface/kander> 下载最新版本
- 执行 `kander install`
- 在项目中执行 `kander init` 创建 `./kanban/` 目录结构.

任务卡从何而来？

- 用户和 Agent 讨论需求, 或者要求 Agent 查看 github issue.
- 用户和 Agent 交流, 确定要完成的任务.
- 用户要求 Agent 创建任务卡.

任务卡里有什么？

- 任务卡根据任务复杂度, 会由一个和多个 markdown 文件构成.
- 所有任务卡保存在项目的 `./kanban/` 目录下.
- markdown 包含完成任务需要的所有信息:
 - 任务描述
 - 任务清单
 - 验收清单

如何启动任务卡？

- Agent 通常会主动询问是否启动任务卡.
- 用户也可以明确告诉 Agent 启动任务卡.

任务卡如何执行？

- Agent 会根据规则, 使用 `kander start` 命令开启一个 Agent 来执行任务卡中描述的任务.
- 用户可以使用 `kander` 命令启动 TUI 界面查看所有任务的状态.

TUI

Task Board

Search:

Columns 5

Updated 21:32:01

Backlog 8

Sync the plan's recorded batc...
20260908-plan-target-sync-task
09-08 16:48 · Unassigned · Bu...

fix dispatch evidence support...
20260908-fix-evidence-nonbloc...
09-08 16:48 · Unassigned · Bu...

Board task action popup
20260908-board-task-action-me...
09-08 16:48 · Unassigned · Fe...

kander terminal test <name>: ...
20260908-terminal-conformance...
09-08 13:18 · Unassigned · te...

Declarative terminal definiti...
20260908-terminal-definition-...
09-08 13:17 · Unassigned · te...

Add a review argv template an...
20260908-agent-review-templat...
09-08 13:17 · Unassigned · ag...

Add an exit-command field and...
20260908-agent-exit-session-h...
09-08 13:17 · Unassigned · ag...

Move built-in agents to embed...
20260908-agent-definition-emb...
09-08 13:17 · Unassigned · ag...

Todo 3

Release the card binding afte...
20260908-dispatch-binding-rel...
09-08 16:48 · Unassigned · Bu...

Move herdr to a definition fi...
20260908-terminal-herdr-hooks...
09-08 13:17 · Unassigned · te...

Funnel terminal operations th...
20260908-terminal-backend-dis...
09-08 13:17 · Unassigned · te...

Working 1

Accepted dispatches recover b...
20260908-accepted-dispatch-re...
- · Unassigned · Bug / large

Review 0

No tasks

Done 47

Press s to open the start dia...
20260908-board-start-dialog-a...
09-08 13:48 · codex · Feature...

Transaction journal partition...
20260908-journal-pending-part...
09-08 13:12 · codex · Feature...

Simplify the flowchart into a...
20260908-options-agent-model-...
09-08 12:25 · codex · Feature...

Press s in the board list to ...
20260908-board-start-task-key...
09-08 12:17 · codex · Feature...

Add a flowchart section to th...
20260908-options-workflow-flo...
09-08 12:02 · codex · Feature...

Custom agent definitions: exe...
20260908-agent-executable-ove...
09-08 11:29 · codex · Feature...

Prefix tmux pane commands wit...
20260908-tmux-pane-exec-prefi...
09-08 11:24 · codex · Bug / s...

Press g in the board list to ...
20260908-board-focus-agent-wi...
09-08 11:20 · codex · Feature...

Orchestration checkpoints, fa...
20260908-coordinator-recovery...
09-08 07:05 · codex · binding...

调整执行任务的 Agent

Execution and models •unsaved

20260908T085335Z-788f1c5aac02

Large-task Agent

SIZE: large; completion report.md

← Codex (codex-cli 0.153.4) →

Codex large-task model gpt-6-astra

Codex large-task effort high

Executable Empty = built-in default

Pane process name Empty = built-in default

Small-task Agent

SIZE: small; completion SUMMARY

Grok (grok 1.0.13 (5e9a58528b76))

Grok small-task model grok-4.6

Grok small-task effort high

Executable Empty = built-in default

Pane process name Empty = built-in default

Launcher

how to launch the Agent when claiming a task

choose herdr or tmux from the current environment

↑↓ field · ↔ change · type model ids · Enter save · Esc back

- 为不同规模的任务指派不同的 Agent 和模型.
- 平衡质量和成本.

调整审核 Agent

Review and models •unsaved

20260908T085335Z-788f1c5aac02

PM Reviewer

which Agent reviews this role

← Codex (codex-cli 0.153.4) →

PM review stage:

must run

PM model gpt-6-astra

PM effort medium

CSA Reviewer

which Agent reviews this role

Cursor (2026.09.02-c22c1a3)

CSA review stage:

skip

CSA model cursor-grok-4.6-xhigh-fast

Hacker Reviewer

which Agent reviews this role

Cursor (2026.09.02-c22c1a3)

Hacker review stage:

skip

Hacker model cursor-grok-4.6-xhigh-fast

- 为不同的审核角色指派不同的 Agent 和模型.
- 交叉审核能够获得更好的效果.

根据需要定制规则集

Rule modules •unsaved 20260908T085335Z-788f1c5aac02

Workflow preset

← Full workflow →

Collaboration [On] Off

Git workflow [On] Off

Review workflow [On] Off

Task intake [On] Off

Task groups (requires Git workflow) [On] Off

Completion report format [On] Off

Independent rules

Code quality [On] Off

Command contracts always apply. Start a new Agent session after saving.

↑↓ field · ↔ change · Enter save · Esc back

- 完整工作流可以获得最高的质量回报.
- 可以禁用不需要的规则集.

开源, 可审计, 可定制

- 充分审计规则定义.
- 自定义规则具有更高的优先级.
- 禁用 kander 的规则集, 用自己的规则集替代.

感谢

<https://github.com/dualface/kander>

请大家 Star ;-)