8 Appendix

Appendix A. Prompting setup

8.1 Zero-shot prompting base

> You are a clinical functional-status extraction system. Task: Extract Barthel Index (ADL) and Lawton instrumental activities of daily living (IADL) item scores from the geriatric consultation transcript.

General rules:

- Score based on the patient's actual everyday functioning.
- Caregiver statements may be used as evidence.
- Do not make up information.
- Only use information stated in the transcript.
- Do not infer from diagnosis, age, stereotypes, general frailty, or vague impressions.
- If the transcript does not contain enough evidence for an item, return: "score": null, "label": "not enough information".
- All labels must use the exact English wording given in the score definitions.
- Do not translate or paraphrase the labels.
- You may infer the target score from indirect evidence only when the relationship is explicit or strongly implied by the transcript.

Allowed scores and labels:

Barthel

- bowels: 0 = "incontinent", 1 = "occasional accident" (up to about once per week), 2 = "continent"
- bladder: 0 = "incontinent or catheter not independently managed", 1 = "occasional accident" (up to once per day), 2 = "continent"
- grooming: 0 = "needs help", 1 = "independent" (personal hygiene: brushing teeth, dentures in/out, hair care, etc. caregiver may indicate needed articles)
- toilet use: 0 = "dependent", 1 = "some help" (can clean self and do some but not necessarily all steps), 2 = "independent"
- feeding: 0 = "unable", 1 = "needs help" (food may be cut up, patient eats by self), 2 = "independent". note: (others may cook and serve food)

- transfers: 0 = “unable”, 1 = “a lot of help”, 2 = “a little help” (1 person assists without much effort, or safety supervision) 3 = “independent” (moves bed to chair and back, patient may use walking aid)
- mobility: 0 = “not mobile”, 1 = “wheelchair independent”, 2 = “walks with help” (help = 1 person assists without much effort, or safety supervision), 3 = “independent” (patient may use walking aid)
- dressing: 0 = “dependent”, 1 = “help with approximately half”, 2 = “independent”
- stairs: 0 = “unable”, 1 = “needs help”, 2 = “independent” (patient may use walking aid)
- bathing: 0 = “dependent”, 1 = “independent”

Lawton

- telephone: 2 = “without help”, 1 = “with some help” (can answer phone during an emergency, may need help dialing), 0 = “unable”
- transportation: 2 = “without help” (travels independently on public transportation, arranges taxi or drives car), 1 = “with some help”, 0 = “unable”
- shopping: 2 = “without help” , 1 = “with some help”, 0 = “unable”
- food prep: 2 = “without help”, 1 = “with some help” (can prepare at least part of a meal with help), 0 = “unable”
- housekeeping: 2 = “without help”, 1 = “with some help” (only light housework), 0 = “unable”
- medications: 2 = “without help” , 1 = “with some help” (meds are prepared, or patient needs reminders), 0 = “unable”
- finances: 2 = “without help” , 1 = “with some help” (handles daily spending but needs help with payments), 0 = “unable” Note: The NHG Lawton scoring system does not include the ’Laundry’ item, that is often included in other IADL scoring schemes.

Output requirements:

- Output exactly one valid JSON object.
- No explanations, markdown, comments, or extra text.
- Include every required key exactly once.

JSON schema:

```
{
"barthel": {
"bowels": {"score": null, "label": "not enough information"},
"bladder": {"score": null, "label": "not enough information"},
"grooming": {"score": null, "label": "not enough information"},
"toilet_use": {"score": null, "label": " not enough information"},
"feeding": {"score": null, "label": "not enough information"},
"transfers": {"score": null, "label": "not enough information"},
"mobility": {"score": null, "label": "not enough information"},
"dressing": {"score": null, "label": "not enough information"},
"stairs": {"score": null, "label": "not enough information"},
"bathing": {"score": null, "label": "not enough information"}
},
"lawton": {
"telephone": {"score": null, "label": "not enough information"},
"transportation": {"score": null, "label":
"not enough information"},
"shopping": {"score": null, "label": "not enough information"},
"food_prep": {"score": null, "label": "not enough information"},
"housekeeping": {"score": null, "label": " not enough information"},
"medications": {"score": null, "label": " not enough information"},
"finances": {"score": null, "label": "not enough information"}
}
}
```


8.2 Few-shot block added:

Examples:

Example 1

Transcript summary: Patient walks indoors independently with a walker. Patient forgets to take their pills, so their daughter prepares the medication box every day. The caregiver states that the patient cannot shop alone at all. No other information is available.

Output:

```
{
"barthel": {
"bowels": {"score": null, "label": "not enough information"},
"bladder": {"score": null, "label": "not enough information"},
"grooming": {"score": null, "label": "not enough information"},
"toilet_use": {"score": null, "label": "not enough information"},
"feeding": {"score": null, "label": "not enough information"},
"transfers": {"score": null, "label": "not enough information"},
"mobility": {"score": 3, "label": "independent "},
"dressing": {"score": null, "label": "not enough information"},
"stairs": {"score": null, "label": "not enough information"},
"bathing": {"score": null, "label": "not enough information"}
},
"lawton": {
"telephone": {"score": null, "label": "not enough information"},
"transportation": {"score": null, "label": " not enough information"},
"shopping": {"score": 0, "label": "unable"},
"food_prep": {"score": null, "label": "not enough information"},
"housekeeping": {"score": null, "label": "not enough information"},
"medications": {"score": 0, "label": "unable "},
"finances": {"score": null, "label": "not enough information"}
}
}
```


Example 2

Transcript summary: Patient can stand from a chair independently but requires physical assistance when moving from bed to wheelchair. Patient walks indoors independently with a rollator. Patient uses the telephone independently and drives their own car for appointments and shopping. Patient reports occasional bladder accidents and no bowel accidents.

Output:


```
{
"barthel": {
"bowels": {"score": 2, "label": "continent"},
"bladder": {"score": 1, "label": "occasional accident"},
"grooming": {"score": null, "label": "not enough information"},
"toilet_use": {"score": null, "label": "not enough information"},
"feeding": {"score": null, "label": "not enough information"},
"transfers": {"score": 2, "label": "a little help"},
"mobility": {"score": 3, "label": "independent "},
"dressing": {"score": null, "label": "not enough information"},
"stairs": {"score": null, "label": "not enough information"},
"bathing": {"score": null, "label": "not enough information"}
},
"lawton": {
"telephone": {"score": 2, "label": "without help"},
"transportation": {"score": 2, "label": " without help"},
"shopping": {"score": 2, "label": "without help"},
"food_prep": {"score": null, "label": "not enough information"},
"housekeeping": {"score": null, "label": "not enough information"},
"medications": {"score": null, "label": "not enough information"},
"finances": {"score": null, "label": "not enough information"}
}
}
```

Example 3

Transcript summary: When asked if they do groceries alone, the patient initially says ”yes”. Later in the consultation they correct themselves and state: ”Actually, not anymore. My caregiver started doing groceries after my accident.” The caregiver states that they also manage all finances for the patient. No other information is available.

Output:

```
{
"barthel": {
"bowels": {"score": null, "label": "not enough information"},
"bladder": {"score": null, "label": "not enough information"},
"grooming": {"score": null, "label": "not enough information"},
"toilet_use": {"score": null, "label": "not enough information"},
"feeding": {"score": null, "label": "not enough information"},
"transfers": {"score": null, "label": "not enough information"},
"mobility": {"score": null, "label": "not enough information"},
"dressing": {"score": null, "label": "not enough information"},
"stairs": {"score": null, "label": "not enough information"},
"bathing": {"score": null, "label": "not enough information"}
},
"lawton": {
"telephone": {"score": null, "label": "not enough information"},
"transportation": {"score": null, "label": " not enough information"},
"shopping": {"score": 0, "label": "unable"},
"food_prep": {"score": null, "label": "not enough information"},
"housekeeping": {"score": null, "label": "not enough information"},
"medications": {"score": null, "label": "not enough information"},
"finances": {"score": 0, "label": "unable"}
}
}
```

8.3 Chain of thought added block:

> Reasoning instructions: Before producing the final JSON, think step by step internally for each item: 1. Check whether the transcript contains direct evidence for that item. 2. Match that evidence to the allowed score definitions. 3. If no direct evidence is present, return score = null and label = ”not enough information”. 4. Repeat for all items. Then output only the final JSON object.

Appendix B. NHG Barthel Index scoring rules

The used NHG ADL scoring scheme can be accessed at: https://www.scribd.com/document/744391852/Barthelindex-meetinstr or through: https://meetinstrumentenzorg.nl/wp-content/uploads/instrumenten/Barthel-index-form.pdf

Appendix C. NHG IADL scoring rules

The used NHG IADL scoring scheme can be accessed at: https://meetinstrumentenzorg.nl/wp-content/uploads/instrumenten/IADL-meetinstr-NHG.pdf

Appendix D. Example of Gold Standard content


```
{
"transcript_id": "T3",
"barthel": {
"bowels": {"score": 2, "inferred":
false, "label": "continent"},
"bladder": {"score": 0, "inferred":
false, "label": "incontinent or catheter not independently managed"},
"grooming": {"score": 1, "inferred":
false, "label": "independent"},
"toilet_use": {"score": 2, "inferred":
false, "label": "independent"},
"feeding": {"score": null, "inferred":
false, "label": "not enough information "},
"transfers": {"score": 2, "inferred":
true, "label": "a little help"},
"mobility": {"score": 2, "inferred":
false, "label": "walks with help"},
"dressing": {"score": 0, "inferred":
false, "label": "dependent"},
"stairs": {"score": 0, "inferred":
true, "label": "unable"},
"bathing": {"score": 0, "inferred":
false, "label": "dependent"}
},
"lawton": {
"telephone": {"score": 2, "inferred":
false, "label": "without help"},
"transportation": {"score": 0, "inferred": false, "label": "unable"},
"shopping": {"score": 0, "inferred":
false, "label": "unable"},
"food_prep": {"score": 0, "inferred":
false, "label": "unable"},
"housekeeping": {"score": 1, "inferred": false, "label": "with some help"},
"medications": {"score": 0, "inferred": false, "label": "unable"},
"finances": {"score": 0, "inferred":
false, "label": "unable"}
}
},
```


8.3.1

I would like to thank prof. dr. Annette ten Teije and prof. dr. Sjaak Brinkkemper for their constant support in the development of this project. They have assisted this study with valuable weekly meetings and feedback. I am also grateful to the VU Nebula team for providing the framework used to run my experiments.

8.3.2

The author has no competing interests to declare that are relevant to the content of this article.