

Test Solution

Started: 2023-05-16 15:30:30

Suites (1)

0 passed

1 failed

0 pending

Tests (43)

40 passed

3 failed

0 pending

/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/tests/films.spec.js

0.188s

Function "getAllDirectors"	should be declared	passed	0.001s
Function "getAllDirectors"	should return an array	passed	0s
Function "getAllDirectors"	should return a new array, not update the original one	passed	0.001s
Function "getAllDirectors"	should return a new array with the same length as the original one	passed	0s
Function "getMoviesFromDirector"	should be declared	passed	0s
Function "getMoviesFromDirector"	should return an array	passed	0.001s
Function "getMoviesFromDirector"	should return a new array, not update the original one	passed	0s
Function "getMoviesFromDirector"	should return a new array with the movies from director	passed	0s
Function "moviesAverageOfDirector"	should be declared	passed	0s

Function "moviesAverageOf Director"	should return a number	passed	0.001s
Function "moviesAverageOf Director"	should be different from NaN	passed	0s
Function "moviesAverageOf Director"	should return the average score of movies selecting only the director films. With 2 decimals!	passed	0.001s
Function "orderAlphabetically"	should be declared	passed	0s
Function "orderAlphabetically"	should return an array	passed	0s
Function "orderAlphabetically"	should not mutate the original array	passed	0s
Function "orderAlphabetically"	should only return the title of the movies, each value should be a string	passed	0s
Function "orderAlphabetically"	should return all of items when the array passed has fewer than 20 items	passed	0.001s
Function "orderAlphabetically"	should order them alphabetically.	passed	0s
Function "orderAlphabetically"	should return the top 20 after ordering them alphabetically.	passed	0s
Function "orderByYear"	should be declared	passed	0s
Function "orderByYear"	should return an array	passed	0s
Function "orderByYear"	should return a new array	passed	0.001s

Function "orderByYear"	should return the element in a single element array	passed	0s
Function "orderByYear"	should return the new array in ascending order	passed	0s
Function "orderByYear"	should order movies with the same year by their title, alphabetically	passed	0s
Function "moviesAverageBy Category"	should be declared	passed	0s
Function "moviesAverageBy Category"	should return a number	passed	0.001s
Function "moviesAverageBy Category"	should be different from NaN	passed	0s
Function "moviesAverageBy Category"	should return the average score of 2 movies with score 7 each, without decimals!	passed	0s
Function "moviesAverageBy Category"	should be rounded to 2 decimals places	passed	0s
Function "moviesAverageBy Category"	should not take into consideration films of other category	passed	0s
Function "moviesAverageBy Category"	should return average even if one of the movies does not have score	passed	0.001s
Function "hoursToMinutes"	should be declared	passed	0s
Function "hoursToMinutes"	should return an array	passed	0s
Function "hoursToMinutes"	should return a new array, not update the original one	failed	0.002s

Error: [2mexpect([22m[31mreceived[39m[2m).[22mnot[2m.[22mtoEqual[2m([22m[32mexpected[39m[2m) // deep equality[22m

Expected: not [32m[{"director": "Charles Chaplin", "duration": NaN, "genre":

```
[
  {
    "director": "Charles Chaplin",
    "duration": NaN,
    "genre": ["Comedy", "Drama", "Family"],
    "score": 8.3,
    "title": "The Kid",
    "year": 1921
  },
  {
    "director": "Clyde Bruckman",
    "duration": NaN,
    "genre": ["Adventure", "Comedy", "Drama", "Family"],
    "score": 8.2,
    "title": "The Gold Rush",
    "year": 1925
  },
  {
    "director": "Fritz Lang",
    "duration": NaN,
    "genre": ["Action", "Adventure", "Comedy", "Drama", "War", "Western"],
    "score": 8.2,
    "title": "The General",
    "year": 1926
  },
  {
    "director": "F.W. Murnau",
    "duration": NaN,
    "genre": ["Drama", "Sci-Fi"],
    "score": 8.3,
    "title": "Metropolis",
    "year": 1927
  },
  {
    "director": "Carl Theodor Dreyer",
    "duration": NaN,
    "genre": ["Drama", "Romance"],
    "score": 8.2,
    "title": "Sunrise: A Song of Two Humans",
    "year": 1927
  },
  {
    "director": "Charles Chaplin",
    "duration": NaN,
    "genre": ["Biography", "Drama", "History"],
    "score": 8.2,
    "title": "La passion de Jeanne d'Arc",
    "year": 1928
  },
  {
    "director": "Fritz Lang",
    "duration": NaN,
    "genre": ["Comedy", "Drama", "Romance"],
    "score": 8.6,
    "title": "City Lights",
    "year": 1931
  },
  {
    "director": "Frank Capra",
    "duration": NaN,
    "genre": ["Crime", "Drama", "Mystery", "Thriller"],
    "score": 8.4,
    "title": "M",
    "year": 1931
  },
  {
    "director": "Charles Chaplin",
    "duration": NaN,
    "genre": ["Comedy", "Drama", "Family", "Romance"],
    "score": 8.5,
    "title": "Modern Times",
    "year": 1936
  },
  ...
]
```

```

    at Object.toEqual (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/tests/films.spec.js:381:40)
    at Promise.then.completed
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/utils.js:293:28)
    at new Promise (<anonymous>)
    at callAsyncCircusFn (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/utils.js:226:10)
    at _callCircusTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:297:40)
    at processTicksAndRejections (node:internal/process/task_queues:96:5)
    at _runTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:233:3)
    at _runTestsForDescribeBlock
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:135:9)
    at _runTestsForDescribeBlock
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:130:9)
    at run (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:68:3)
    at runAndTransformResultsToJestFormat
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapterInit.js:122:21)
    at jestAdapter (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapter.js:79:19)
    at runTestInternal (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-runner/build/runTest.js:367:16)
    at runTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-runner/build/runTest.js:444:34)

```

Function "hoursToMinutes"	<i>should return an array of movies with duration as a number</i>	passed	0s
Function "hoursToMinutes"	<i>should return an array of movies with the correct duration for a 31 minute movie</i>	passed	0.001s
Function "hoursToMinutes"	<i>should return an array of movies with the correct duration for a 341 minute movie</i>	passed	0s

Function "hoursToMinutes"	<i>should return an array of movies with the correct duration for a 2 hour movie</i>	passed	0s
Function "bestFilmOfYear"	<i>should be declared</i>	passed	0s
Function "bestFilmOfYear"	<i>should return an array</i>	failed	0s

```
Error: [2mexpect([22m[31mreceived[39m[2m).
[22mtoBe[2m([22m[32mexpected[39m[2m) // Object.is equality[22m
```

```
Expected: [32mtrue[39m
```

```
Received: [31mfalse[39m
```

```
    at Object.toBe (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/tests/films.spec.js:411:59)
    at Promise.then.completed
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/utils.js:293:28)
    at new Promise (<anonymous>)
    at callAsyncCircusFn (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/utils.js:226:10)
    at _callCircusTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:297:40)
    at processTicksAndRejections (node:internal/process/task_queues:96:5)
    at _runTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:233:3)
    at _runTestsForDescribeBlock
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:135:9)
    at _runTestsForDescribeBlock
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:130:9)
    at run (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:68:3)
    at runAndTransformResultsToJestFormat
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapterInit.js:122:21)
    at jestAdapter (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapter.js:79:19)
    at runTestInternal (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-runner/build/runTest.js:367:16)
    at runTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-runner/build/runTest.js:444:34)
```

Function "bestFilmOfYear"	<i>should return a new array, not update the original one</i>	passed	0s
Function "bestFilmOfYear"	<i>should return the best film of a year, searching in an array</i>	failed	0s

```
Error: [2mexpect([22m[31mreceived[39m[2m).
[22mtoEqual[2m([22m[32mexpected[39m[2m) // deep equality[22m
```

```
Expected: [32m[{"director": "Stanley Kubrick", "duration": "1h 28min",
"genre": ["Drama", "War"], "score": 8.4, "title": "Film2", "year": 1957}]
[39m
Received: [31mundefined[39m
```

```
    at Object.toEqual (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/tests/films.spec.js:445:43)
    at Promise.then.completed
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/utils.js:293:28)
    at new Promise (<anonymous>)
    at callAsyncCircusFn (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/utils.js:226:10)
    at _callCircusTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:297:40)
    at processTicksAndRejections (node:internal/process/task_queues:96:5)
    at _runTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:233:3)
    at _runTestsForDescribeBlock
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:135:9)
    at _runTestsForDescribeBlock
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:130:9)
    at run (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/run.js:68:3)
    at runAndTransformResultsToJestFormat
(/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapterInit.js:122:21)
    at jestAdapter (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapter.js:79:19)
    at runTestInternal (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-runner/build/runTest.js:367:16)
    at runTest (/Users/tinadecman/Desktop/barcelonaactiva/starter-code-frontend-sprint-4/node_modules/jest-runner/build/runTest.js:444:34)
```