

COS-INSPIRED THESIS: A THESIS IN COMPUTER SCIENCE

JILL MCSTUDENT

ADVISOR: PROFESSOR VERY IMPORTANT

SUBMITTED IN PARTIAL FULFILLMENT
OF THE REQUIREMENTS FOR THE DEGREE OF
BACHELOR OF SCIENCE IN ENGINEERING
DEPARTMENT OF COMPUTER SCIENCE
PRINCETON UNIVERSITY

APRIL 2021

I hereby declare that I am the sole author of this thesis.

I authorize Princeton University to lend this thesis to other institutions or individuals for the purpose of scholarly research.

Jill McStudent

I further authorize Princeton University to reproduce this thesis by photocopying or by other means, in total or in part, at the request of other institutions or individuals for the purpose of scholarly research.

Jill McStudent

Abstract

Here is the abstract. It should be a brief paragraph describing your problem, your approach in solving it and the conclusions.

blah blah blah Here is the abstract. It should be a brief paragraph describing your problem, your approach in solving it and the conclusions.

blah blah blah Here is the abstract. It should be a brief paragraph describing your problem, your approach in solving it and the conclusions.

Acknowledgements

Here are the acknowledgments. I'm sure you know what to do here...thanks, and thanks!

To me

Contents

Abstract	iii
Acknowledgements	iv
List of Tables	viii
List of Figures	ix
1 Introduction	1
1.1 A Different Word Processing System	1
2 Background and Related Work	2
3 Approach (section title could be very long blah blah blah blah blah blah blah blah blah blah)	3
3.1 Initial Setup	3
3.1.1 Additional Structure: The Use of Subsections	4
3.1.2 Another Subsection	4
3.2 Mathematical Symbols	5
3.3 Citing and Bibliography	5
3.4 Referencing Figures and Tables	6
4 Implementation	8
5 Evaluation	9
5.1 Preliminary Analysis	9

6	Conclusions and Future Work	12
A	Code	13

List of Tables

5.1	Values of the CDO Tranches.	11
-----	-------------------------------------	----

List of Figures

5.1	The density function f as given in (5.1) for three different ρ 's and $\bar{p} = 0.05$. (Plotted on $[0, 0.1]$ for convenience.)	10
-----	--	----

Chapter 1

Introduction

Most files provided in this document are copied from the thesis templates provided generously by ORFE.

Hello World. See [3].

See [3] and [2] for more information.

This is the introduction of my sample thesis. Let me just state that this is a very, very limited introduction to L^AT_EX, and I can not do justice to it through the next few pages.

I recommend reading this .pdf file along with the .tex file open on the side so that you can compare the pure ASCII text and the final result after compilation.

1.1 A Different Word Processing System

I highly recommend the booklet “The Not So Short Introduction to L^AT_EX 2_ε” which is free and very well-written. It is available on:

`http://tobi.oetiker.ch/lshort/lshort.pdf`.

I refer you to the introduction there.

Chapter 2

Background and Related Work

Context of your work

What is known?

What is similar?

Chapter 3

Approach (section title could be very long blah blah blah blah blah blah blah blah blah blah)

This section is copied from the latex templates provided by ORFE. Although your content will likely be different, this demonstrates some useful basics.

This Chapter has purposefully a very long title to illustrate how $\text{\LaTeX} 2_{\epsilon}$ handles such long names. Now it is a good time to look on the table of contents and see how this Chapter and also Chapter 1 are listed. Notice that the number 1 in the phrase “and also Chapter 1” is automatically generated by using the command `\ref{ch:intro}`, because we labeled Chapter 1 ‘ch:intro’ by using the command `\label{ch:intro}` after the `\chapter{Introduction}` declaration.

3.1 Initial Setup

A few things here to start. And here as well, since we need to fill in at least a line. Almost... , there we go!

Notice that I entered ellipses after the word ‘Almost’ above with the command

`\ldots`, and not by simply typing three dots. Compare the result here: ... vs. ...¹

Maybe some more words in a new paragraph. And more, and more, and more. Furthermore, additionally, in addition, and so on. Notice here that the word ‘Fur-thermore’ was broken into ‘Fur-’ and ‘thermore’ in order to fit the line—Word, as stupid as it is, would simply place the entire word on the next line, thus increasing the distance between words on the first line to fill up the entire line.

3.1.1 Additional Structure: The Use of Subsections

We are in a subsection now (two levels down from a Chapter). When we refer to *X.Y.Z*, we mean Chapter *X*, Section *Y*, and subsection *Z*. We declare a Chapter by the command `\chapter{title of Chapter}`, a Section by `\section{title of Section}`, and so on.

The nice thing about L^AT_EX is that it takes care of the chapter, section, and subsection numbering automatically. If I were to add another subsection before this one the subsection number would change (increment by one). This section is 3.1.1 and I referred to it using the command `\ref{label of this section}`. I inserted a label right after the `\subsection` declaration by typing `\label{label of this section}`.

A subsection

Just for fun! Notice that no number is allotted for such a low level environment but it sometimes useful.

3.1.2 Another Subsection

And so on. . . .

¹Word does that too, but lousily!

3.2 Mathematical Symbols

Let $X = \{X_n, n \in \mathbb{N}\}$ be a Markov chain with state space $\mathcal{D}$. Throughout this thesis, we use the notation

$$p_{ij} := \mathbb{P}\{X_{n+1} = j \mid X_n = i\}, \quad i, j \in \mathcal{D} \quad (3.1)$$

for the transition probabilities of the Markov chain X . Furthermore, we denote by P the transition matrix, $P = [p_{ij}]_{i,j \in \mathcal{D}}$.

When we wrote (3.1) we implicitly assumed that the Markov chain X is time-homogeneous.

Let us also define Y ,

$$Y = (Y_n)_{n=0,1,2,\dots}$$

to be another process. Notice that the second equation does not take a number on the right—this is the use of `\begin{equation*}` environment.

Notice that the all the math characters, X , $\mathcal{D}$, and others such as α, β, γ are part of the text in L^AT_EX. On the contrary, Word includes such characters as foreign objects (usually images), which increases the size of the document file, sometimes makes them disappear, but most importantly are not as aesthetically pleasing as the resulting characters here.

3.3 Citing and Bibliography

When working with large documents you need an easy way to cite your references without having to go back to your list all the time to remember the names of the authors and the year of publication. Even more importantly, you need to have all your references listed in the end of the document in alphabetical order. Of course, they all need to be syntactically the same so that alone makes the manual entry of

references a big pain. Thankfully, $\text{\LaTeX}$ takes care of that in a very easy and elegant way, using $\text{\BibTeX}$.

I cite here a few books, papers, and technical reports, and please go to page 16 to see the resulting bibliography.

According to the books by [8], [5], and [11] and the articles by [10], [7], and [9] we conclude absolutely nothing. However, in his report, [1] claims that otherwise. All these citations were entered by `\cite{citation label}`.

Notice the different citation style that follows: it is parenthetical, and observe that only one pair of parentheses is required [4, see Theorem 5.2 on pg. 32]. This citation is entered by typing `\cite[see Theorem 5.2 on pg. 32]{AMM05}` in the `.tex` file. (Here, the citation label corresponding to [4] is obviously `AMM05`.)

The citations are included in the file `refs.bib` under the folder `Bibliography`. You can modify it and make your own references.

Also notice that $\text{\LaTeX}$, by default, includes in the Bibliography section only the references you actually cited throughout the text. If you want a source to appear in the Bibliography section without actually citing it anywhere in your text use the command `\nocite{citation label}`. For example here I type `\nocite{B95}` and you see no citation appear—however look at the fourth entry of the Bibliography. That cited book does not appear anywhere in this thesis, other than the Bibliography.

3.4 Referencing Figures and Tables

The very informative Figure 5.1 is on page 10. Both of these numbers were automatically generated—which is great when you add a new figure before the one you just inserted, because the numbering changes automatically for you. Use `\ref{fig:dens}` for the figure number and `\pageref{fig:dens}` for the page number where the figure is located. Here, `fig:dens` was the label of the figure (see actual `.tex` file for more

information). Remember that L^AT_EX does not work like Word—the figures and tables are **not** always placed exactly where you want them, so avoid writing “according to the figure below...” and prefer writing “according to Figure [*figure number*]...” instead. The same things go unchanged for tables. Notice that when I talk about figures and tables in general, I do not need to capitalize them, however if I talk specifically about Figure 5.1 and Table 5.1, I’d better respect them and capitalize the ‘f’ and the ‘t.’

Since we’re at it, notice that the quotes ‘, ’, “, ” are not inserted like in Word. For ‘ you need to use the ‘ key that is located above the **Tab** button. For ’ you just press the ’ key, exactly to the left of the **Enter** key. For double quotes just double the appropriate single quotes without leaving any space.

Chapter 4

Implementation

Give details important to achieving your goals and proving your claims.

Chapter 5

Evaluation

How successful is your project?

What are the criteria for success?

Experiments to show success.

The rest of the section is copied from the latex templates provided by ORFE. Although your content will likely be different, this demonstrates how you can include equations, figures, and tables in your thesis.

Time for some analysis, and probably graphs and tables. Thankfully L^AT_EX (and L^AT_EX 2_ε) provides very nice environments for both.

5.1 Preliminary Analysis

Assume that the random variable D given $\tilde{p} = p$ is binomially distributed with parameters 50 and p (probability of success, in this case default). We also take the cumulative distribution function of $\tilde{p}$ to be

$$F(\theta) = \mathbb{P}\{\tilde{p} \leq \theta\} = \Phi\left(\frac{1}{\rho}\left(\sqrt{1-\rho^2}\Phi^{-1}(\theta) - \Phi^{-1}(\bar{p})\right)\right)$$




Figure 5.1: The density function f as given in (5.1) for three different ρ 's and $\bar{p} = 0.05$. (Plotted on $[0, 0.1]$ for convenience.)

where Φ is the cumulative standard normal distribution function, ρ is the correlation coefficient between the idiosyncratic and market factors and $\bar{p}$ is the mean default probability ($\bar{p} = \mathbb{E}\tilde{p}$). To calculate the density of $\tilde{p}$ let

$$h(\theta, \rho, \bar{p}) := \frac{1}{\rho} \left(\sqrt{1 - \rho^2} \Phi^{-1}(\theta) - \Phi^{-1}(\bar{p}) \right),$$

$$\varphi(\theta) := \frac{d}{d\theta} \Phi(\theta) = \frac{1}{\sqrt{2\pi}} e^{-\theta^2/2},$$

and notice that since Φ is a bijection we have

$$\Phi \circ \Phi^{-1}(\theta) = \Phi^{-1} \circ \Phi(\theta) = \theta,$$

for every $\theta \in \mathbb{R}$. Then, we have for the density of $\tilde{p}$,

$$\begin{aligned}
f(\theta, \rho, \bar{p}) &= \frac{d}{d\theta} F(\theta) = \Phi'(h(\theta, \rho, \bar{p})) \frac{\partial}{\partial \theta} h(\theta, \rho, \bar{p}) \\
&= \varphi(h(\theta, \rho, \bar{p})) \frac{\sqrt{1-\rho^2}}{\rho} \frac{d}{d\theta} \Phi^{-1}(\theta) \\
&= \varphi(h(\theta, \rho, \bar{p})) \frac{\sqrt{1-\rho^2}}{\rho} \frac{1}{\varphi(\Phi^{-1}(\theta))}, \tag{5.1}
\end{aligned}$$

for $\theta \in (0, 1)$ and zero otherwise, since

$$\begin{aligned}
\frac{d}{d\theta} (\Phi(\Phi^{-1}(\theta))) &= \Phi'(\Phi^{-1}(\theta)) \frac{d}{d\theta} \Phi^{-1}(\theta) \Leftrightarrow \\
\frac{d}{d\theta} \theta &= \varphi(\Phi^{-1}(\theta)) \frac{d}{d\theta} \Phi^{-1}(\theta) \Leftrightarrow \\
\frac{d}{d\theta} \Phi^{-1}(\theta) &= \frac{1}{\varphi(\Phi^{-1}(\theta))}.
\end{aligned}$$

The density of $\tilde{p}$ is shown in Figure 5.1 for three different values of ρ and $\bar{p} = 0.05$. The effect of the correlation is to put more mass towards higher default probabilities as the correlation increases, thus resulting in larger number of defaults as the correlation increases.

Table 5.1: Values of the CDO Tranches.

		ρ		
		0.1	0.4	0.7
Equity	$C_E^*(T)$	2.5712	2.8957	3.5642
Junior	$C_J^*(T)$	9.9289	9.6137	9.2120
Senior	$C_S^*(T)$	35.0000	34.9905	34.7239
Sum	$C_E^*(T) + C_J^*(T) + C_S^*(T)$	47.5000	47.5000	47.5001

Using the default values for the parameters as above we get the values for the tranches in Table 5.1.

Let's see one more result on Table 5.1. According to...

Chapter 6

Conclusions and Future Work

Summary of important contributions

Discuss how you would go forward

Discuss how others can go forward.

Appendix A

Code

```
% Question 1
warning('off'); % To protect our nerves
p = 0.05;
K_E = 5;
K_J = 10;
K_S = 35;

tmp1 = [];
for i = 0:(K_E-1)
    tmp1(i+1) = (K_E - i) * binopdf(i,50,p);
end
C_E = sum(tmp1)

tmp2 = [];
for i = (K_E+1):50
    tmp2(i-K_E) = (i-K_E) * binopdf(i,50,p);
end
```

```

tmp3 = [];
for i = (K_E + K_J +1):50
    tmp3(i- K_E - K_J) = (i - K_E - K_J) * binopdf(i,50,p);
end
C_J = K_J - sum(tmp2) +sum(tmp3)

C_S = K_S - sum(tmp3)

% Sanity check
C_E + C_J + C_S

```

Bibliography

- [1] K. Aas. Modelling the dependence structure of financial assets: A survey of four copulas. Technical report, Norwegian Computing Center, December 2004. SAMBA/22/04.
- [2] E. Altman, A. Resti, and A. Sironi. Default recovery rates in credit risk modeling: A review of the literature and empirical evidence. Working paper, New York University, December 2003.
- [3] M. Ammann. *Credit Risk Valuation*. Springer, 2nd edition, 2001.
- [4] A. Antonov, S. Mechkov, and T. Misirpashaev. Analytical techniques for synthetic cdos and credit default risk measures. Work in progress, NumeriX, May 2005.
- [5] T. R. Bielecki and M. Rutkowski. *Credit Risk: Modeling, Valuation and Hedging*. Springer, 2002.
- [6] P. Billingsley. *Probability and Measure*. Wiley, 3rd edition, 1995.
- [7] R. Blanco, S. Brennan, and I. W. Marsh. An empirical analysis of the dynamic relation between investment-grade bonds and credit default swaps. *Journal of Finance*, 60(5):2255–2281, 2005.
- [8] E. Çinlar. *Introduction to Stochastic Processes*. Prentice-Hall, 1975.

- [9] P. Cotton, J.-P. Fouque, G. Papanicolaou, and R. Sircar. Stochastic volatility corrections for interest rate derivatives. *Mathematical Finance*, 14(2):173–200, 2004.
- [10] D. Duffie and N. Gârleanu. Risk and valuation of collateralized debt obligations. *Financial Analysts Journal*, 57(1):41–59, 2001.
- [11] M. Musiela and M. Rutkowski. *Martingale Methods in Financial Modelling*. Springer, 1997.