

# ShopSphere

## S6 - Home, Banners and Merchandising

Admin Portal

Platform-Specific Sprint Planning Document

This document intentionally defines only the behavior and delivery scope of the selected platform. It does not mix implementation details from the other platforms.

# 1. Sprint Definition

Sprint: S6 - Home, Banners and Merchandising

Platform: Admin Portal

Application: ShopSphere

Objective: Implement only the admin-web behavior relevant to Home, Banners and Merchandising; do not implement customer behavior in this document.

This sprint is complete only when the stated use cases, acceptance criteria and tests pass for this platform.

## 2. Business Use Cases

| ID    | Use Case      | Actor    | Precondition              | Main Flow               | Expected Result                      |
|-------|---------------|----------|---------------------------|-------------------------|--------------------------------------|
| UC-01 | Manage banner | Admin    | Authorized role           | Create/schedule content | Banner appears during active window. |
| UC-02 | Load home     | Customer | Backend content available | Open home               | Active content is displayed.         |

## 3. Detailed Implementation Plan

1. Implement banner and merchandising controls: create, edit, schedule, activate/deactivate, reorder.
2. Provide preview.

## 4. Data / State / Contract Scope

- No direct database changes. Data is accessed through backend APIs.

### API / Integration Contract

- Consume the corresponding secured /api/v1 admin/customer operational APIs defined by the backend sprint document.

## 5. Rules and Expected Behavior

- The platform must rely on the backend as the source of truth for business rules.
- Do not expose stack traces, secrets or internal implementation details to end users.
- Handle loading, empty, validation and error states explicitly.
- Requests that can be retried must be safe from duplicate side effects where the feature requires idempotency.
- Ownership and authorization must be checked server-side for protected data.

## 6. Acceptance Criteria

- Only authorized admin roles can access the feature.
- Admin UI reflects server state and permission boundaries.
- Validation, loading, empty, error and confirmation states are implemented where relevant.
- No customer UI behavior is defined in this document.

## 7. Test Cases

| TC       | Scenario       | Expected Result                                                                                               |
|----------|----------------|---------------------------------------------------------------------------------------------------------------|
| TC-S6-01 | No banners     | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-02 | Expired banner | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-03 | Future banner  | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-04 | Broken image   | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |

| TC       | Scenario                  | Expected Result                                                                                               |
|----------|---------------------------|---------------------------------------------------------------------------------------------------------------|
| TC-S6-05 | No featured products      | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-06 | Partial API failure       | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-07 | Invalid product reference | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |

## 8. Sprint Exit Checklist

- Implementation completed only for this platform.
- All primary and negative use cases pass.
- API contracts are implemented/consumed as defined.
- Validation and authorization tests pass.
- Loading/empty/error handling is verified where applicable.
- No critical or blocker defect remains.
- Automated tests pass in CI.
- Documentation and contract changes are committed.

## 9. Out of Scope for This Document

- Implementation behavior of Backend + DB. That behavior belongs in the separate S6 document for that platform.
- Implementation behavior of Customer Portal. That behavior belongs in the separate S6 document for that platform.

## 10. Figma Design Implementation Contract

Sprint 6 - Home, Banners & Merchandising | Admin Portal

Purpose: This section makes the approved Figma design the UI/UX source of truth for this sprint while the sprint requirements remain the source of truth for business behavior.

### 10.1 Mandatory Exact-Screen Selection

- Cursor/Main Agent must use only the Figma frames explicitly mapped for this sprint and platform.
- Do not choose a Figma screen by visual similarity, approximate name, nearby position, or assumption.
- Each required screen must be mapped to an exact Figma frame URL or node ID before UI implementation starts.
- If a required frame URL/node ID is missing, inaccessible, still contains a placeholder, or is ambiguous, Cursor must stop UI implementation and report FIGMA\_MAPPING\_REQUIRED.
- Do not implement a screen belonging to another sprint merely because it appears related.

### 10.2 Required Screen Registry

After Figma Make generates and the team approves the design, fill the Exact Figma Frame URL / Node ID column. These identifiers are the mechanism that makes screen selection deterministic.

| Screen Key  | Required Screen / State | Exact Figma Frame URL / Node ID                            |
|-------------|-------------------------|------------------------------------------------------------|
| S6-ADMIN-01 | Banner List             | REQUIRED - paste exact approved Figma frame URL or node ID |
| S6-ADMIN-02 | Create / Edit Banner    | REQUIRED - paste exact approved Figma frame URL or node ID |
| S6-ADMIN-03 | Schedule / Order        | REQUIRED - paste exact approved Figma frame URL or node ID |
| S6-ADMIN-04 | Preview                 | REQUIRED - paste exact approved Figma frame URL or node ID |

### 10.3 Cursor Preflight Before Coding

- Read this sprint PDF completely.
- Resolve every required screen in the registry to its exact approved Figma node/frame.
- Inspect the existing codebase and shared component library.
- Create a screen-to-code mapping: Screen Key -> Figma Node -> Route/Screen File -> Existing Components -> Missing Components.
- Inspect exact Figma component variants, design tokens, assets, spacing, typography and interaction states.
- Only after the mapping is complete may UI coding begin.

### 10.4 Component Reuse / Import Rule

- Figma component -> inspect -> map to existing React Native/React component -> reuse if compatible.
- If a compatible reusable component does not exist, create it in the shared component layer rather than creating a one-off duplicate.
- Use approved Figma assets/icons where technically appropriate.
- Do not blindly paste generated Figma code into production. Adapt the design to the project architecture.
- Do not hardcode arbitrary visual values when approved design tokens/components exist.

### 10.5 Source-of-Truth Priority

Business behavior -> this Sprint specification. UI/UX -> exact approved Figma frame/node. API request/response -> backend/OpenAPI contract. Database/business invariants -> Backend sprint specification.

### 10.6 Conflict Rule

- If Figma conflicts with the sprint requirement or backend/API contract, do not silently alter behavior.
- Stop the conflicting implementation portion and report the sprint requirement, Figma behavior, API/backend behavior if relevant, exact conflict and recommended resolution.

### 10.7 Visual Fidelity and Completion Gate

- Verify exact frame/node used for every required screen.
- Match layout hierarchy, typography, spacing, components, variants, icons/assets and interaction behavior.
- Implement loading, empty, validation, error, disabled and retry states required by this sprint/Figma.
- Customer Portal: verify iOS, Android and responsive Web behavior where applicable.

- Admin Portal: verify desktop/tablet responsive behavior and permission-aware states.
- Connect real APIs required by the sprint; do not replace required integrations with mocks/stubs.
- Run lint, type-check, tests and build.
- Compare implemented UI against the exact approved Figma frame before marking the sprint DONE.
- No unmapped screen may be invented.

## 10.8 Ready-to-Copy Cursor Instruction

Implement Sprint 6 Admin Portal according to this sprint document. For UI, use ONLY the exact approved Figma frames listed in Section 10.2. Before coding, resolve every required frame URL/node ID and produce a screen-to-code mapping. Never select a frame by similarity or approximate name. If any required mapping is missing or ambiguous, stop and return: FIGMA\_MAPPING\_REQUIRED: S6 ADMIN. Reuse existing shared components when compatible; create missing reusable components in the shared layer. Connect the real sprint APIs, implement all required states, run tests/build, and visually compare every implemented screen against its exact Figma node before marking DONE.