

ShopSphere

S1 - Customer Authentication and Account Security

Admin Portal

Platform-Specific Sprint Planning Document

This document intentionally defines only the behavior and delivery scope of the selected platform. It does not mix implementation details from the other platforms.

1. Sprint Definition

Sprint: S1 - Customer Authentication and Account Security

Platform: Admin Portal

Application: ShopSphere

Objective: Prepare only the client-side contract needed for future admin authentication; do not implement customer authentication screens here.

This sprint is complete only when the stated use cases, acceptance criteria and tests pass for this platform.

2. Business Use Cases

ID	Use Case	Actor	Precondition	Main Flow	Expected Result
UC-AD-01-01	Prepare admin auth client	Admin UI	Backend contract available	Configure auth service and protected-route contract	Admin app can consume future admin auth APIs without mixing customer behavior.

3. Detailed Implementation Plan

1. Create admin authentication service interface.
2. Create admin session state model.
3. Connect protected-route abstraction to session state.
4. Create unauthorized and session-expired route placeholders.
5. Add tests for auth-state transitions.
6. Do not duplicate customer registration/OTP UI in admin portal.

4. Data / State / Contract Scope

- No direct database changes.

API / Integration Contract

- Reserved for Sprint 2 admin authentication contract.

5. Rules and Expected Behavior

- The platform must rely on the backend as the source of truth for business rules.
- Do not expose stack traces, secrets or internal implementation details to end users.
- Handle loading, empty, validation and error states explicitly.
- Requests that can be retried must be safe from duplicate side effects where the feature requires idempotency.
- Ownership and authorization must be checked server-side for protected data.

6. Acceptance Criteria

- Admin repository remains isolated from customer auth UI.
- Protected routing is ready for Sprint 2.
- Session-expiry behavior is testable.

7. Test Cases

TC	Scenario	Expected Result
TC-S1-01	Unauthenticated route access	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S1-02	Authenticated route access	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.

TC	Scenario	Expected Result
TC-S1-03	Session expired	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S1-04	Malformed auth state	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.

8. Sprint Exit Checklist

- Implementation completed only for this platform.
- All primary and negative use cases pass.
- API contracts are implemented/consumed as defined.
- Validation and authorization tests pass.
- Loading/empty/error handling is verified where applicable.
- No critical or blocker defect remains.
- Automated tests pass in CI.
- Documentation and contract changes are committed.

9. Out of Scope for This Document

- Implementation behavior of Backend + DB. That behavior belongs in the separate S1 document for that platform.
- Implementation behavior of Customer Portal. That behavior belongs in the separate S1 document for that platform.