

ShopSphere

S18 - Notifications and Event Processing

Backend + DB

Platform-Specific Sprint Planning Document

This document intentionally defines only the behavior and delivery scope of the selected platform. It does not mix implementation details from the other platforms.

1. Sprint Definition

Sprint: S18 - Notifications and Event Processing

Platform: Backend + DB

Application: ShopSphere

Objective: Implement the backend and database boundary for Notifications and Event Processing, including business rules, persistence and API behavior.

This sprint is complete only when the stated use cases, acceptance criteria and tests pass for this platform.

2. Business Use Cases

ID	Use Case	Actor	Precondition	Main Flow	Expected Result
UC-01	Send order notification	System	Order event emitted	Enqueue event, worker processes provider call	Notification is delivered or retried without changing core order state.
UC-02	Open notification	Customer	Notification received	Tap notification	Authorized target screen opens.

3. Detailed Implementation Plan

1. Implement event-driven notification pipeline.
2. Integrate push/email/SMS provider abstractions.
3. Implement retry, idempotency and failure handling.
4. Ensure provider failure does not block core transactions.

4. Data / State / Contract Scope

- notifications
- notification events/queue metadata

API / Integration Contract

- Feature APIs for this sprint, versioned under /api/v1.
- Every endpoint must define authentication, authorization, validation, error codes and request correlation.

5. Rules and Expected Behavior

- The platform must rely on the backend as the source of truth for business rules.
- Do not expose stack traces, secrets or internal implementation details to end users.
- Handle loading, empty, validation and error states explicitly.
- Requests that can be retried must be safe from duplicate side effects where the feature requires idempotency.
- Ownership and authorization must be checked server-side for protected data.

6. Acceptance Criteria

- Data model supports the required business relationships and constraints.
- API enforces authentication, authorization, validation and ownership where applicable.
- Business rules are server-authoritative.
- Transactions/idempotency/concurrency controls are used where the feature requires them.
- Controlled error codes and request correlation are implemented.

7. Test Cases

TC	Scenario	Expected Result
TC-S18-01	Provider timeout	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-02	Duplicate event	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-03	Invalid token	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-04	Permission denied	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-05	Email bounce	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-06	SMS failure	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-07	Queue retry exhaustion	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.
TC-S18-08	Unauthorized deep link	Operation is handled according to the defined business rule; no incorrect state or security leak is produced.

8. Sprint Exit Checklist

- Implementation completed only for this platform.
- All primary and negative use cases pass.
- API contracts are implemented/consumed as defined.
- Validation and authorization tests pass.
- Loading/empty/error handling is verified where applicable.
- No critical or blocker defect remains.
- Automated tests pass in CI.
- Documentation and contract changes are committed.

9. Out of Scope for This Document

- Implementation behavior of Customer Portal. That behavior belongs in the separate S18 document for that platform.
- Implementation behavior of Admin Portal. That behavior belongs in the separate S18 document for that platform.