

# ShopSphere

## S6 - Home, Banners and Merchandising

Admin Portal

Platform-Specific Sprint Planning Document

This document intentionally defines only the behavior and delivery scope of the selected platform. It does not mix implementation details from the other platforms.

# 1. Sprint Definition

Sprint: S6 - Home, Banners and Merchandising

Platform: Admin Portal

Application: ShopSphere

Objective: Implement only the admin-web behavior relevant to Home, Banners and Merchandising; do not implement customer behavior in this document.

This sprint is complete only when the stated use cases, acceptance criteria and tests pass for this platform.

## 2. Business Use Cases

| ID    | Use Case      | Actor    | Precondition              | Main Flow               | Expected Result                      |
|-------|---------------|----------|---------------------------|-------------------------|--------------------------------------|
| UC-01 | Manage banner | Admin    | Authorized role           | Create/schedule content | Banner appears during active window. |
| UC-02 | Load home     | Customer | Backend content available | Open home               | Active content is displayed.         |

## 3. Detailed Implementation Plan

1. Implement banner and merchandising controls: create, edit, schedule, activate/deactivate, reorder.
2. Provide preview.

## 4. Data / State / Contract Scope

- No direct database changes. Data is accessed through backend APIs.

### API / Integration Contract

- Consume the corresponding secured /api/v1 admin/customer operational APIs defined by the backend sprint document.

## 5. Rules and Expected Behavior

- The platform must rely on the backend as the source of truth for business rules.
- Do not expose stack traces, secrets or internal implementation details to end users.
- Handle loading, empty, validation and error states explicitly.
- Requests that can be retried must be safe from duplicate side effects where the feature requires idempotency.
- Ownership and authorization must be checked server-side for protected data.

## 6. Acceptance Criteria

- Only authorized admin roles can access the feature.
- Admin UI reflects server state and permission boundaries.
- Validation, loading, empty, error and confirmation states are implemented where relevant.
- No customer UI behavior is defined in this document.

## 7. Test Cases

| TC       | Scenario       | Expected Result                                                                                               |
|----------|----------------|---------------------------------------------------------------------------------------------------------------|
| TC-S6-01 | No banners     | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-02 | Expired banner | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-03 | Future banner  | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-04 | Broken image   | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |

| TC       | Scenario                  | Expected Result                                                                                               |
|----------|---------------------------|---------------------------------------------------------------------------------------------------------------|
| TC-S6-05 | No featured products      | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-06 | Partial API failure       | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |
| TC-S6-07 | Invalid product reference | Operation is handled according to the defined business rule; no incorrect state or security leak is produced. |

## 8. Sprint Exit Checklist

- Implementation completed only for this platform.
- All primary and negative use cases pass.
- API contracts are implemented/consumed as defined.
- Validation and authorization tests pass.
- Loading/empty/error handling is verified where applicable.
- No critical or blocker defect remains.
- Automated tests pass in CI.
- Documentation and contract changes are committed.

## 9. Out of Scope for This Document

- Implementation behavior of Backend + DB. That behavior belongs in the separate S6 document for that platform.
- Implementation behavior of Customer Portal. That behavior belongs in the separate S6 document for that platform.