# Run R184 Comparison Study Methods Study

HELIX FORGE LAB / p04-full-007713 / RUN R184 / 2026-07-13

| ALPHA F1 | PRECISION | RECALL | BETA F1 |
|---|---|---|---|
| 0.873 | 0.881 | 0.865 | 0.846 |

## Decision context

This report records a bounded comparison study evaluation on HF-Eval-S1/S2 v3.2. The 2,400-record population is synthetic. Alpha M-14 is retained as a research checkpoint, not as a deployment authorization.

## Engineering interpretation

Aggregate improvement remains meaningful only with the frozen scoring policy. The review therefore keeps slice-level calibration, dataset lineage, and the comparison with Beta B-07 attached to run R184.

## Lineage

Upstream evidence: p04-full-000214 (presentations/lab-meetings/2026-07-13/run-r184/data-lineage/tables/run-r184-data-lineage-thresholds-v01.csv).

| Slice | Records | Precision | Recall | F1 |
|---|---|---|---|---|
| slice-01 | 186 | 0.883 | 0.863 | 0.873 |
| slice-02 | 210 | 0.865 | 0.876 | 0.870 |
| slice-03 | 240 | 0.882 | 0.852 | 0.867 |
| slice-04 | 179 | 0.864 | 0.865 | 0.864 |
| slice-05 | 167 | 0.881 | 0.878 | 0.879 |