

GRC EVIDENCE SUMMARY

CASE ID:	CASE-260713-184	DATE:	2026-07-14
SYSTEM / ASSET:	Aegis Control AC-27	EVIDENCE SET:	Evidence Set 184
ORGANIZATION:	Cobalt Harbor Systems	RECORD TYPE:	Synthetic Evidence Summary
REVIEW SCOPE:	Access Control Review	REVIEW WINDOW:	2026-07-12 to 2026-07-14

SUMMARY

- Evidence Set 184
- 24 of 24 required synthetic items verified
- EXC-260713-006 Closed after one calendar day
- RISK-031 residual risk Medium
- Status: Closed
- Sufficiency: Complete
- Follow-up: Complete

Review evidence is complete, with all follow-up actions completed.

OVERALL STATUS



CLOSED

DETAILS

AREA	DETAIL
Evidence Set	Evidence Set 184
Items Required	24
Items Verified	24
Verification Result	24 of 24 required synthetic items verified
Exceptions	EXC-260713-006 Closed after one calendar day
Risk	RISK-031 residual risk Medium
Status	Closed
Sufficiency	Complete
Follow-up	Complete
Review Start	2026-07-12
Review End	2026-07-14
Review Duration	3 calendar days
Notes	All required synthetic evidence collected and validated. No outstanding exceptions or actions.

CONCLUSION



Review evidence is complete, with all follow-up actions completed.