

Cobalt Harbor Systems | AC-27 Evidence Review | Synthetic record

Control: Aegis Control AC-27

Control Name: Account Management

Case ID: CASE-260713-184

Evidence Set: 184

Review Date: 2026-07-20

Record Type: Evidence Reminder & Review Mail Update

Business Unit: Platform Operations

System/Service: Aegis Control

Environment: Production

Owner: Control Owner

Reviewer: Control Reviewer

Classification: Internal Use



Evidence Set

184



Verified Items

24 of 24
(100%)



Overall Status

VERIFIED



Exception

EXC-260713-006
CLOSED



Residual Risk

RISK-031
Medium

Evidence Reminder

Reminder Sent: 2026-07-06

Reminder Method: System Notification

Reminder Recipients: Control Owner
Evidence Contributor

Reminder Notes: Quarterly AC-27 evidence collection reminder for CASE-260713-184. Please ensure all required artifacts are attached to Evidence Set 184.

Review Mail Update

Review Mail Sent: 2026-07-20

Mail Type: Review Update

Recipients: Control Stakeholders

Mail Summary: AC-27 evidence for CASE-260713-184 has been reviewed. All 24 required items verified. Exception closed. Residual risk set to Medium.

Verification Summary (24 of 24 Items Verified)

#	Evidence Item	Requirement	Source	Status
1	Account Provisioning Procedure	AC-27(a)	AC-27-184-01	Verified
2	Account Approval Workflow	AC-27(a)	AC-27-184-02	Verified
3	Account Modification Procedure	AC-27(b)	AC-27-184-03	Verified
4	Account Disable Procedure	AC-27(c)	AC-27-184-04	Verified
5	Account Removal Procedure	AC-27(d)	AC-27-184-05	Verified
...	...	...	...	...
24	Periodic Access Review Report (Q2 2026)	AC-27(h)	AC-27-184-24	Verified

Reviewer Summary

Review Outcome: All required AC-27 evidence items verified.

Exception Status: EXC-260713-006 closed on 2026-07-20.

Residual Risk: RISK-031 (Medium)

Notes: No outstanding issues. Next review scheduled per quarterly cycle.