

Construction RFI Reference Guide

Harbor Build | Project Alpha 2026 | Control date 2026-07-29 | CO-014 JPY 18,600,000

A concise guide for turning a coordination question into a decision-ready request. This is an internal synthetic reference, not a substitute for design authority.

When an RFI is appropriate

Use an RFI when issued information conflicts, omits a constructible interface, or needs an explicit decision. Do not use it to ask for unrestricted design alternatives or to authorize work.

Required fields

Field	Good practice	Avoid
Question	One decision framed in plain language	Multiple unrelated asks
Reference	Drawing, section, model location, or prior record	A vague “see plans” note
Impact	State access, sequencing, cost, and schedule exposure separately	Claiming approval by implication
Recommendation	Offer a bounded constructible option	Presenting unreviewed design as final

Drafting sequence

1. State the condition. 2. Identify the affected interface. 3. Describe the decision needed. 4. Attach a neutral sketch or marked extract if helpful. 5. State the date the answer is needed to protect the look-ahead. 6. Log the response and resulting action.

Response handling

Classify the response as clarification, direction, returned for more information, or no change. Update the coordination register only after the written response is received and checked against related documents.

Alpha example

For Project Alpha, a sleeve-routing conflict should reference the applicable electrical and architectural interfaces, request a route confirmation, and state any need to coordinate with CO-014. The JPY 18,600,000 CO-014 total remains a controlled commercial reference, not an automatic RFI cost instruction.

Quality review

Before issue, verify the RFI has one accountable question, legible references, no private information, no site access details, and a clear response deadline expressed as a project-control target.