

2026 07 15 Assessment Assurance Scope S000717

Artifact p03-full-000717 | Assigned reporting period: 2026-07-15 | AC-27 / RISK-031

Assurance purpose

This synthetic assurance report assesses review-window sequencing for the named review context. Its evidence test is to reconcile the source review date with the assigned review window so a follow-up does not imply the earlier source was recreated. It is a documentation-focused, defensive record for Cobalt Harbor Systems and does not claim a live test, intrusion, compromise, or operating-effectiveness result.

Direct foundation source

This report is assigned to 2026-07-15. Its direct foundation is p03-full-000955 (2026-07-14-assessment-control-validation-evidence-metrics-tsv-s000955.tsv), whose source review date is 2026-07-14. The source records control-validation, case CASE-260713-184, and evidence reference EV-184-20. The assigned period and source date are intentionally shown separately.

Recorded foundation measures

Measure	Value	Unit
Privileged Roles Reviewed	48	records
Timely Attestations	47	records
Evidence Completeness	24	items

Review analysis

Finding: the evidence is point-in-time and can support sequencing if dates remain distinct. The direct record permits a verifier to test review-window sequencing by tracing EV-184-20 to a bounded AC-27 conclusion. The review retains the distinction between 47 timely attestations and final completion after compensating review where those measures appear in the foundation; no prior timing is rewritten.

Recommended disposition

Disposition: record the source-to-report timing relationship in the closure route. Retain the source-supported conclusion with the RISK-031 treatment record and document independent preparer and reviewer roles for any exception disposition. This report is fully fictional, uses no sensitive operational data, and makes no Kio indexing, history, search, chunk, or performance claim.