

2026 07 15 Assessment Defensive Testing S000684

Artifact p03-full-000684 | Assigned reporting period: 2026-07-15 | AC-27 / RISK-031

Assurance purpose

This synthetic assurance report assesses remediation-plan evidence test for the named review context. Its evidence test is to test whether the evidence measures provide a sufficient basis to examine remediation-plan validation at the assigned period. It is a documentation-focused, defensive record for Cobalt Harbor Systems and does not claim a live test, intrusion, compromise, or operating-effectiveness result.

Direct foundation source

This report is assigned to 2026-07-15. Its direct foundation is p03-full-000048 (2026-07-14-assessment-defensive-testing-evidence-metrics-tsv-s000048.tsv), whose source review date is 2026-07-14. The source records defensive-testing, case CASE-260713-184, and evidence reference EV-184-01. The assigned period and source date are intentionally shown separately.

Recorded foundation measures

Measure	Value	Unit
Privileged Roles Reviewed	48	records
Timely Attestations	47	records
Evidence Completeness	24	items

Review analysis

Finding: the source can inform a plan review when linked to a named evidence reference. The direct record permits a verifier to test remediation-plan evidence test by tracing EV-184-01 to a bounded AC-27 conclusion. The review retains the distinction between 47 timely attestations and final completion after compensating review where those measures appear in the foundation; no prior timing is rewritten.

Recommended disposition

Disposition: obtain a control-owner validation note rather than infer plan completion. Retain the source-supported conclusion with the RISK-031 treatment record and document independent preparer and reviewer roles for any exception disposition. This report is fully fictional, uses no sensitive operational data, and makes no Kio indexing, history, search, chunk, or performance claim.