

2026 07 20 Assessment Control Validation S000551

Artifact p03-full-000551 | Assigned reporting period: 2026-07-20 | AC-27 / RISK-031

Assurance purpose

This synthetic assurance report assesses closure-evidence threshold for the named review context. Its evidence test is to compare each listed measure with the minimum documentary proof required to call a follow-up closed. It is a documentation-focused, defensive record for Cobalt Harbor Systems and does not claim a live test, intrusion, compromise, or operating-effectiveness result.

Direct foundation source

This report is assigned to 2026-07-20. Its direct foundation is p03-full-001167 (2026-07-14-assessment-control-validation-evidence-metrics-csv-s001167.csv), whose source review date is 2026-07-14. The source records control-validation, case CASE-260713-184, and evidence reference EV-184-16. The assigned period and source date are intentionally shown separately.

Recorded foundation measures

Measure	Value	Unit
Privileged Roles Reviewed	48	records
Timely Attestations	47	records
Evidence Completeness	24	items

Review analysis

Finding: the source provides a threshold input but not closure proof by itself. The direct record permits a verifier to test closure-evidence threshold by tracing EV-184-16 to a bounded AC-27 conclusion. The review retains the distinction between 47 timely attestations and final completion after compensating review where those measures appear in the foundation; no prior timing is rewritten.

Recommended disposition

Disposition: obtain a closure attestation that cites the threshold explicitly. Retain the source-supported conclusion with the RISK-031 treatment record and document independent preparer and reviewer roles for any exception disposition. This report is fully fictional, uses no sensitive operational data, and makes no Kio indexing, history, search, chunk, or performance claim.