

2026 07 14 Threat Model Residual Risk Assurance Report

Synthetic defensive GRC working paper | Artifact p03-full-007499 | Source p03-src-007499 | Review stage: closure follow-up

Assigned report period	2026-07-14
Dependency source ID	p03-src-001052
Dependency artifact ID	p03-full-001052
Dependency source date	2026-07-13
Control / case	AC-27 / CASE-260713-184
Topic / classification	access-review / synthetic-defensive

Review question

Question. For access-review in AC-27, whether RISK-031 is supported without overstating the result during the 2026-07-14 report label while the source row is dated 2026-07-13? The selected analytic protocol is residual-risk calibration.

Procedure

Procedure. The analyst performs the residual-risk rationale review by tie the missing-review condition to the final completion metric and classify the disposition separately. In this report the method tests whether the incomplete-evidence condition and compensating outcome support residual Medium, explicitly distinguishing inherent severity from the bounded review disposition. Method vocabulary: risk calibration, inherent severity, compensating outcome, residual medium, bounded disposition, severity distinction. The source file is 2026-07-13-threat-model-access-review-evidence-metrics-csv-s001052.csv; it is treated as a bounded synthetic source, not a live-system export.

Source-grounded observation

Observation. Dependency p03-full-001052 / p03-src-001052 states population 48, timely attestations 47, final attestations 48, and residual risk Medium. Under the residual-risk calibration protocol, these values are interpreted only through the listed source fields. Its spine reference is: org.cobalt-harbor: Cobalt Harbor Systems is a fictional managed logistics and harbor-operations platform organization. | evidence.set-184: Evidence set 184 is the bounded July 2026 AC-27 review package with 24 synthetic items. | date.2026-07-13: Primary review date; evidence intake opens 08:30 UTC and AC-27 review closes 16:45 UTC.

Finding and disposition

Finding and disposition. The residual-risk calibration result supports an AC-27 evidence review of access-review; it does not establish an incident, an intrusion, or a claim about any real organization. RISK-031 remains residual Medium after bounded remediation. Maintain residual medium and route the treatment note to the control owner.

Accountable action

Accountable action. The GRC reviewer records this residual-risk calibration working paper under CASE-260713-184, preserves the assigned/source period distinction (2026-07-14 versus 2026-07-13), and asks the AC-27 control owner to acknowledge the next review step. Corpus production and QA make no Kio indexing, history, chunk, search-quality, or performance claim.

Prepared for Cobalt Harbor Systems synthetic AC-27 evidence set 184. Record key: p03-full-007499.