

# 2026 07 15 Threat Model Evidence Flow Assurance Report

Synthetic defensive GRC working paper | Artifact p03-full-004358 | Source p03-src-004358 | Review stage: quarterly planning

|                        |                                     |
|------------------------|-------------------------------------|
| Assigned report period | 2026-07-15                          |
| Dependency source ID   | p03-src-000195                      |
| Dependency artifact ID | p03-full-000195                     |
| Dependency source date | 2026-07-15                          |
| Control / case         | AC-27 / CASE-260713-184             |
| Topic / classification | residual-risk / synthetic-defensive |

## Review question

Question. For residual-risk in AC-27, whether the evidence can be retained as a synthetic control record during the 2026-07-15 report label while the source row is dated 2026-07-15? The selected analytic protocol is control-claim boundary test.

## Procedure

Procedure. The analyst performs the retention disposition review by confirm the classification and case linkage before relating the output to the retention decision. In this report the method separates AC-27 operating-evidence statements from claims about wider operations, using the classification column as a guardrail against unbounded conclusions. Method vocabulary: claim boundary, operating evidence, classification guardrail, bounded conclusion, wider operations, assertion filter. The source file is 2026-07-15-threat-model-residual-risk-evidence-metrics-csv-s000195.csv; it is treated as a bounded synthetic source, not a live-system export.

## Source-grounded observation

Observation. Dependency p03-full-000195 / p03-src-000195 states population 48, timely attestations 47, final attestations 48, and residual risk Medium. Under the control-claim boundary test protocol, these values are interpreted only through the listed source fields. Its spine reference is: org.cobalt-harbor: Cobalt Harbor Systems is a fictional managed logistics and harbor-operations platform organization. | control.ac-27: Aegis Control AC-27 requires evidence-backed quarterly access review, approval, retention, and exception disposition. | date.2026-07-15: Control-owner remediation-plan and retention-disposition validation date.

## Finding and disposition

Finding and disposition. The control-claim boundary test result supports an AC-27 evidence review of residual-risk; it does not establish an incident, an intrusion, or a claim about any real organization. RISK-031 remains residual Medium after bounded remediation. Route the bounded record to the synthetic retention disposition without asserting legal advice.

## Accountable action

Accountable action. The GRC reviewer records this control-claim boundary test working paper under CASE-260713-184, preserves the assigned/source period distinction (2026-07-15 versus 2026-07-15), and asks the AC-27 control owner to acknowledge the next review step. Corpus production and QA make no Kio indexing, history, chunk, search-quality, or performance claim.

Prepared for Cobalt Harbor Systems synthetic AC-27 evidence set 184. Record key: p03-full-004358.