

2026 07 20 Threat Model Control Boundary Assurance Report

Synthetic defensive GRC working paper | Artifact p03-full-007517 | Source p03-src-007517 | Review stage: quarterly planning

Assigned report period	2026-07-20
Dependency source ID	p03-src-000437
Dependency artifact ID	p03-full-000437
Dependency source date	2026-07-15
Control / case	AC-27 / CASE-260713-184
Topic / classification	control-boundary / synthetic-defensive

Review question

Question. For control-boundary in AC-27, whether the source-date event is placed correctly in CASE-260713-184 during the 2026-07-20 report label while the source row is dated 2026-07-15? The selected analytic protocol is residual-risk calibration.

Procedure

Procedure. The analyst performs the case chronology review by compare the dependency review date to the assigned report period and enumerate only stated milestones. In this report the method tests whether the incomplete-evidence condition and compensating outcome support residual Medium, explicitly distinguishing inherent severity from the bounded review disposition. Method vocabulary: risk calibration, inherent severity, compensating outcome, residual medium, bounded disposition, severity distinction. The source file is 2026-07-15-threat-model-control-boundary-evidence-metrics-csv-s000437.csv; it is treated as a bounded synthetic source, not a live-system export.

Source-grounded observation

Observation. Dependency p03-full-000437 / p03-src-000437 states population 48, timely attestations 47, final attestations 48, and residual risk Medium. Under the residual-risk calibration protocol, these values are interpreted only through the listed source fields. Its spine reference is: org.cobalt-harbor: Cobalt Harbor Systems is a fictional managed logistics and harbor-operations platform organization. | evidence.set-184: Evidence set 184 is the bounded July 2026 AC-27 review package with 24 synthetic items. | date.2026-07-15: Control-owner remediation-plan and retention-disposition validation date.

Finding and disposition

Finding and disposition. The residual-risk calibration result supports an AC-27 evidence review of control-boundary; it does not establish an incident, an intrusion, or a claim about any real organization. RISK-031 remains residual Medium after bounded remediation. Attach the report to the case chronology with the dependency date preserved.

Accountable action

Accountable action. The GRC reviewer records this residual-risk calibration working paper under CASE-260713-184, preserves the assigned/source period distinction (2026-07-20 versus 2026-07-15), and asks the AC-27 control owner to acknowledge the next review step. Corpus production and QA make no Kio indexing, history, chunk, search-quality, or performance claim.

Prepared for Cobalt Harbor Systems synthetic AC-27 evidence set 184. Record key: p03-full-007517.