

2026 Q3 Threat Model Control Boundary Assurance Report

Synthetic defensive GRC working paper | Artifact p03-full-007417 | Source p03-src-007417 | Review stage: normalization

Assigned report period	2026-q3
Dependency source ID	p03-src-000079
Dependency artifact ID	p03-full-000079
Dependency source date	2026-07-14
Control / case	AC-27 / CASE-260713-184
Topic / classification	residual-risk / synthetic-defensive

Review question

Question. For residual-risk in AC-27, whether the late primary attestation changes the assurance conclusion during the 2026-q3 report label while the source row is dated 2026-07-14? The selected analytic protocol is residual-risk calibration.

Procedure

Procedure. The analyst performs the attestation timing review by compare timely and final completion values while retaining the delayed-attestation history. In this report the method tests whether the incomplete-evidence condition and compensating outcome support residual Medium, explicitly distinguishing inherent severity from the bounded review disposition. Method vocabulary: risk calibration, inherent severity, compensating outcome, residual medium, bounded disposition, severity distinction. The source file is 2026-07-14-threat-model-residual-risk-evidence-metrics-csv-s000079.csv; it is treated as a bounded synthetic source, not a live-system export.

Source-grounded observation

Observation. Dependency p03-full-000079 / p03-src-000079 states population 48, timely attestations 47, final attestations 48, and residual risk Medium. Under the residual-risk calibration protocol, these values are interpreted only through the listed source fields. Its spine reference is: org.cobalt-harbor: Cobalt Harbor Systems is a fictional managed logistics and harbor-operations platform organization. | risk.risk-031: RISK-031 is incomplete quarterly privileged-access review evidence; inherent High and residual Medium after bounded remediation. | date.2026-07-14: Evidence normalization, checksum confirmation, and action-owner acknowledgement date.

Finding and disposition

Finding and disposition. The residual-risk calibration result supports an AC-27 evidence review of residual-risk; it does not establish an incident, an intrusion, or a claim about any real organization. RISK-031 remains residual Medium after bounded remediation. Record the compensating-review rationale and retain the original timing distinction.

Accountable action

Accountable action. The GRC reviewer records this residual-risk calibration working paper under CASE-260713-184, preserves the assigned/source period distinction (2026-q3 versus 2026-07-14), and asks the AC-27 control owner to acknowledge the next review step. Corpus production and QA make no Kio indexing, history, chunk, search-quality, or performance claim.

Prepared for Cobalt Harbor Systems synthetic AC-27 evidence set 184. Record key: p03-full-007417.