

2026 Q3 Threat Model Residual Risk Assurance Report

Synthetic defensive GRC working paper | Artifact p03-full-004059 | Source p03-src-004059 | Review stage: normalization

Assigned report period	2026-q3
Dependency source ID	p03-src-000252
Dependency artifact ID	p03-full-000252
Dependency source date	2026-07-14
Control / case	AC-27 / CASE-260713-184
Topic / classification	access-review / synthetic-defensive

Review question

Question. For access-review in AC-27, whether the late primary attestation changes the assurance conclusion during the 2026-q3 report label while the source row is dated 2026-07-14? The selected analytic protocol is control-claim boundary test.

Procedure

Procedure. The analyst performs the attestation timing review by compare timely and final completion values while retaining the delayed-attestation history. In this report the method separates AC-27 operating-evidence statements from claims about wider operations, using the classification column as a guardrail against unbounded conclusions. Method vocabulary: claim boundary, operating evidence, classification guardrail, bounded conclusion, wider operations, assertion filter. The source file is 2026-07-14-threat-model-access-review-evidence-metrics-csv-s000252.csv; it is treated as a bounded synthetic source, not a live-system export.

Source-grounded observation

Observation. Dependency p03-full-000252 / p03-src-000252 states population 48, timely attestations 47, final attestations 48, and residual risk Medium. Under the control-claim boundary test protocol, these values are interpreted only through the listed source fields. Its spine reference is: org.cobalt-harbor: Cobalt Harbor Systems is a fictional managed logistics and harbor-operations platform organization. | control.ac-27: Aegis Control AC-27 requires evidence-backed quarterly access review, approval, retention, and exception disposition. | date.2026-07-14: Evidence normalization, checksum confirmation, and action-owner acknowledgement date.

Finding and disposition

Finding and disposition. The control-claim boundary test result supports an AC-27 evidence review of access-review; it does not establish an incident, an intrusion, or a claim about any real organization. RISK-031 remains residual Medium after bounded remediation. Record the compensating-review rationale and retain the original timing distinction.

Accountable action

Accountable action. The GRC reviewer records this control-claim boundary test working paper under CASE-260713-184, preserves the assigned/source period distinction (2026-q3 versus 2026-07-14), and asks the AC-27 control owner to acknowledge the next review step. Corpus production and QA make no Kio indexing, history, chunk, search-quality, or performance claim.

Prepared for Cobalt Harbor Systems synthetic AC-27 evidence set 184. Record key: p03-full-004059.