DD2434 - Machine Learning, Advanced Course Assignment 2B

Tristan Perrot tristanp@kth.se

December 2023



Contents

1	Multidimensional Scaling (MDS) and Isomap	3
	1.1 Question 1	3
	1.2 Question 2	3
	1.3 Question 3	3
	1.4 Question 4	3
	1.5 Question 5	3
2	Success probability in the Johnson-Lindenstrauss lemma	3
	2.1 Question 6	3
3	Node similarity for representation learning	3
	3.1 Question 7	3
	3.2 Question 8	3
4	Spectral graph analysis	3
	4.1 Question 9	3
	4.2 Question 10	3
	4.3 Question 11	3
5	Programming task	4
	5.1 Question 12	4
\mathbf{A}	Appendix	5

1 Multidimensional Scaling (MDS) and Isomap

1.1 Question 1

The intuitive reason that the "double centering" trick works is that, as for the PCA, we want to center and then here we want to center by subtracting the overall mean and therefore the mean for the columns and the rows. This is why we have to subtract the mean twice.

1.2 Question 2

TODO

1.3 Question 3

TODO

1.4 Question 4

TODO

1.5 Question 5

TODO

2 Success probability in the Johnson-Lindenstrauss lemma

2.1 Question 6

TODO

3 Node similarity for representation learning

3.1 Question 7

TODO

3.2 Question 8

TODO

4 Spectral graph analysis

4.1 Question 9

TODO

4.2 Question 10

TODO

4.3 Question 11

TODO

5 Programming task

5.1 Question 12

TODO

A Appendix