Section: CS OCY, OC1

FixProof: A Validation-Oriented System for AI-Generated Vulnerability Remediation

Tony Tran

Progress Report 5 - Working Draft, October 22, 2026

Draft status: This report updates the latest repository Report 4 source with completed work through October 22. Video IV has been posted, the corrected PATH-S06 public evidence package is live and browser-validated, and a full clean-package reproduction rehearsal passed. Peer Feedback Report IV is in progress and must be summarized after Tony completes it. Tony must also verify the live Canvas submission deadline and add actual personal hours if the course template requires them.

Problem Statement:

AI coding tools can propose security repairs that appear plausible but leave a weakness exploitable, change intended behavior, or satisfy one evaluator while failing another. Disappearance of a static-analysis finding alone is therefore incomplete evidence of a correct repair. Pearce et al. (2022) found security weaknesses in a substantial portion of Copilot-generated programs within their selected scenarios, while later research has examined LLM vulnerability repair and the role of compiler, sanitizer, and test feedback (Pearce et al., 2023; Kulsum et al., 2024).

FixProof asks a narrower question: can separately recorded static, runtime security, functional, deterministic-policy, and human-review evidence support a defensible decision about an AI-generated patch? The evaluation uses three purpose-built JavaScript/Express applications containing reflected XSS (CWE-79), SQL injection (CWE-89), and path traversal (CWE-22). Five scheduled repair calls were made per fixture. These 15 calls are repeated repairs of three applications, not 15 independent applications and not a production repair-success sample.

The project translates beyond this small benchmark through its evidence and authority structure rather than through its measured success percentages. To use FixProof on another repository, an evaluator would need repository-specific build commands, scanner configuration, target-finding identity, security and benign-behavior oracles, and a documented human-review rule. The transferable claim is that these evidence channels should be preserved separately and that the repair model should not approve its own candidate.

Solution Statement:

FixProof is a Python orchestration prototype that records a normalized Semgrep finding, constructs a focused remediation prompt, obtains candidate code, applies it in a copied workspace, and runs syntax, candidate SAST, targeted runtime-security, and functional checks. A deterministic policy routes each candidate to REJECT, READY_FOR_HUMAN_REVIEW, or NEEDS_HUMAN_ADJUDICATION. Human verdicts and rationales are stored separately from automated outcomes. The system does not automatically approve or deploy repaired code.

The design choices remain deliberate. Minimal fixtures provide reproducible ground truth and benign-behavior expectations within the course timeline, but they sacrifice production realism. A fixed generator, prompt template, tool setting, and five-call schedule hold generation conditions constant without creating independent application samples. Copied workspaces protect frozen inputs but are not security sandboxes. Static and runtime checks answer different questions, and later evidence qualifies earlier conclusions without rewriting the original study history.

The public website is a read-only evidence reference. It presents saved, sanitized results, payloads, requests, responses, decisions, and rationales. It does not call a model, scan code, execute attacks, approve a patch, or deploy software.

Completed Tasks Since Progress Report 4:

• Finalized, reviewed, and posted Video IV. The main seven-slide presentation explains the Windows-inconclusive PATH-S06 case, the separately frozen WSL2 extension, its zero-pass/five-fail result, the later human qualifications, and the limitation that one registered case does not establish application-wide security.

- Refined the Video IV terminology so the intentionally vulnerable original application is labeled as a positive control whose disclosure confirms that the Linux symbolic-link fixture works. It is not described as a security pass and is excluded from the five-candidate denominator.
- Prepared terminal-level backup evidence for Traversal 01-05. Each manual spot-check verified the saved candidate source hash, normal-file response, direct parent-traversal rejection, and PATH-S06 symbolic-link disclosure. These presentation checks do not add registered observations. The formal extension human metadata continues to identify only Traversal 02 as the originally recorded manual reproduction.

- Corrected the Netlify package after the first Windows-created ZIP stored nested paths with backslashes and produced HTTP 404 responses. Version 2 uses forward-slash archive paths and places index.html at the archive root.
- Published the corrected package at https://fixproof.netlify.app/ and performed a dated live validation on October 22. The home page, test-evidence page, JSON evidence files, workbook, appendix, scripts, and workflow image were available. Five downloaded evidence artifacts matched the local release files by SHA-256.
- Ran the existing Playwright validation against the live HTTPS deployment. It confirmed 15 primary rows, 15 supplemental rows, 245 case-evidence rows, 29 human-decision records, candidate details, pagination, and the registered filters. There were no application page errors or unexpected console errors. Four content-security-policy messages came from optional Netlify hosting injections and did not affect the application.
- Completed a full clean-package reproduction rehearsal from a disposable Git snapshot. The process created a new Python environment, installed pinned Python dependencies and all six Node application dependency trees, installed the Playwright browser, verified recorded evidence, and ran the controlled demo suite.
- Passed all 131 automated tests during readiness verification and again during the guided demo suite. The verifier confirmed 15/15 primary initial attempts, 10/10 original conflict reviews, evidence/control separation, and artifact bindings.
- Reproduced four controlled candidate outcomes: SQLi ready for human review, XSS rejection for functional regression, XSS human adjudication for SAST/runtime disagreement, and path-traversal human adjudication for SAST/runtime disagreement. The separated non-AI false-success control was also verified.
- Removed two stale Microsoft Office lock files from the release-candidate rehearsal and added ignore rules for future ~$*.docx, ~$*.pptx, and ~$*.xlsx files. These temporary files are not supporting evidence and do not belong in the final package.
- Recorded an additional dependency-maintenance limitation. All npm ci operations completed from the committed lockfiles, but npm reported existing moderate, high, and critical advisories in the fixture dependency trees. I did not run npm audit fix, because changing those lockfiles would silently alter the frozen benchmark. The advisories will be disclosed and triaged separately from the experimental results.

Effort and Weekly Contribution:

This week's work moved the project from a locally validated result toward a reviewable and reproducible final deliverable. The dated artifacts demonstrate the work performed: the October 21 Video IV deck and corrected Netlify package, the October 22 live browser screenshots and validation record, and the October 22 clean-package reproduction record. Tony should add his actual personal hours before submission if the required course template includes an hours field; no automatic hours estimate is used here.

Date	Work completed	Contribution to final deliverables
October 21	Corrected and locally validated Netlify version 2 package	Produced a deployable static evidence reference without the prior 404 path defect
October 21-22	Finalized Video IV deck, script, terminology, and terminal backup evidence	Communicated the PATH-S06 method, result, human decision, and claim boundary
October 22	Posted Video IV and published the corrected package	Completed the course communication milestone and made supporting evidence accessible
October 22	Performed live HTTP, hash, and Playwright checks	Confirmed that the deployed evidence matched the reviewed release and that the interactive tables functioned
October 22	Ran the clean-package dependency install, evidence verification, tests, and demo suite	Demonstrated reproducibility from a clean exported snapshot and identified dependency-maintenance limitations
In progress	Complete Peer Feedback Report IV and summarize received feedback	Will connect peer feedback to final-report and presentation revisions without treating comments as experimental data

Remaining Work Before Progress Report 5 Submission:

- Complete Peer Feedback Report IV. Summarize substantive feedback on FixProof with an adopt, defer, or decline disposition and a short rationale. Do not invent or anticipate comments that have not been received.
- Add Tony's actual personal work hours if required by the submitted template.

- Confirm the Report 5 deadline and the Video V/final-presentation dates in Canvas before submission. The repository planning schedule lists Report 5 on November 1, Video V on November 3, and Peer Feedback V on November 8, but the live course site is authoritative.
- Decide how to present the npm audit advisories. The current recommendation is to preserve the frozen benchmark lockfiles, report the advisories as a maintenance limitation, and create a separately versioned dependency-update plan only if time permits.
- Convert the existing final-report placeholder into a self-contained working draft containing methodology, analysis, results, limitations, conclusions, reproducibility, and AI-use disclosure.
- Create the first final release manifest with selected artifacts, file sizes, SHA-256 values, environment versions, and explicit exclusions.

Tasks for the Next Project Report or Final Milestone:

- Incorporate accepted Video IV feedback into the final report and final presentation while preserving the registered evidence and denominators.
- Prepare Video V as a concise final-project checkpoint focused on reproducibility, the claim-to-evidence mapping, and final deliverable status rather than introducing another broad experiment.
- Draft the final report's results and limitations sections using the separate primary-v1, supplemental-v1, and PATH-S06 extension tables.
- Build the final presentation around the workflow figure, the primary candidate matrix, one XSS parity example, the PATH-S06 example, the reproducibility result, limitations, and conclusions.
- Generate and verify the exact final submission package, public access link, manifest, and checksums. Test permissions in a private browser and retain a local archival copy of the submitted version.

Questions I Have or Issues I Am Running Into:

The largest remaining methodological issue is not another missing test; it is how to communicate the limits of the evidence without weakening its value. The project shows that separately preserved validators and human review can expose disagreement, regressions, robustness gaps, and a symbolic-link failure within three controlled Express fixtures. It cannot estimate production repair reliability or establish scanner accuracy across repositories.

The clean reproduction also surfaced npm dependency advisories. These are not candidate-test outcomes and should not be mixed with the repair evaluation. Updating the dependencies inside the frozen benchmark could change behavior and invalidate direct reproduction. The defensible approach is to disclose the advisories, keep the evaluated snapshot immutable, and treat any remediation as a separate maintenance version.

Feedback requested: Is the distinction between a reproducible research snapshot and a production-ready software release clear? For the final presentation, which evidence is most persuasive: the clean reproduction, the candidate-level matrices, or a focused request/response example?

Methodology Paragraph Summary:

Each controlled fixture defines an attacker-controlled input, a vulnerable operation, synthetic data, a baseline attack, and benign-behavior expectations. Primary-v1 used five scheduled initial repair calls per CWE while holding the generator (gpt-5.2), prompt template (1.0), and model tool access (none) constant. The model received the target finding and focused source context but not the evaluator's hidden runtime tests. Saved candidates received syntax, Semgrep, targeted HTTP/browser security, and functional checks. Deterministic policy and separate human review then interpreted the recorded evidence.

Supplemental-v1 was registered before candidate execution and applied new security, behavioral-parity, and robustness contracts to the same 15 saved candidates. It made no new model calls and did not rerun primary SAST. The later PATH-S06 extension registered one Linux symbolic-link case, reused the baseline and five saved traversal candidates, and preserved supplemental-v1's five Windows-inconclusive outcomes. Manual presentation spot-checks and the public dashboard are verification and communication activities, not additional experimental observations.

The clean-package rehearsal used a disposable release-candidate commit and the existing scripts/verify-clean.ps1 process. It exported the snapshot with Git, created a new environment, restored dependencies from project metadata and committed lockfiles, recomputed readiness checks, ran the 131-test suite, and executed controlled demonstrations in disposable directories. No original model call was repeated and no registered evidence was overwritten.

OWASP WSTG and Semgrep's run-rules documentation remain technical references for runtime-test organization and scanner configuration. They are not treated as experimental datasets. The public website and workbook are sanitized views of repository records and are not execution environments.

Timeline:

When	Description of Task	Status
September 28	Submit Progress Report 3	Completed
September 30	Freeze and execute PATH-S06 extension; record five human qualifications	Completed
October 1	Build student evidence workbook and request/response tables	Completed
October 18	Progress Report 4 milestone	Completed according to current project sequence; retain submission receipt
October 21	Build and locally validate corrected Netlify PATH-S06 version 2 package	Completed
October 21-22	Finalize and post Video IV	Completed
October 22	Publish and browser-validate live Netlify evidence reference	Completed
October 22	Complete clean-package reproduction and controlled demo suite	Completed
Before Report 5	Complete and summarize Peer Feedback IV; add actual hours	In progress
November 1	Submit Progress Report 5	Planned; confirm in Canvas
November 3	Post Video V	Planned; confirm in Canvas
November 8	Complete Peer Feedback Report V	Planned; confirm in Canvas
November 15	Submit final presentation, no more than 15 minutes	Planned; confirm in Canvas
November 22	Submit peer feedback on final presentation	Planned; confirm in Canvas
December 6	Submit final report and reproducible supporting package	Planned; confirm in Canvas

Evaluation:

The registered experimental results remain unchanged. Publishing the website, running manual presentation checks, and rehearsing the package did not add model calls or change any experimental denominator.

Primary case	Initial attempts	Target SAST resolved	Security pass	Functional pass	Automated decision
Reflected XSS	5	0/5	5/5	5/5	5 need adjudication
SQL injection	5	5/5	5/5	5/5	5 ready for review
Path traversal	5	0/5	5/5	5/5	5 need adjudication
Total	15	5/15	15/15	15/15	5 ready for review; 10 need adjudication

Security and functional columns count candidates whose complete registered primary suite passed. They are not individual test counts. Target-SAST resolution was 5/15, while 10/15 candidates showed SAST/runtime disagreement. These are descriptive results for the controlled fixtures, not estimates of Semgrep accuracy or production repair success.

Evidence layer	Category	Observations	Pass	Fail	Inconclusive
Primary-v1	Security	40	40	0	0
Primary-v1	Functional	60	60	0	0
Supplemental-v1	Security	60	55	0	5
Supplemental-v1	Behavioral parity	45	40	5	0
Supplemental-v1	Robustness	35	25	10	0
PATH-S06 extension-v1	Security	5	0	5	0

The 100 primary observations, 140 supplemental-v1 observations, and five extension observations remain separate. They must not be pooled into a single security rate. The public evidence table exposes all 245 rows but retains an evidence-layer field and the original category-specific decision rules.

Human evidence layer	Records	Current interpretation
Original primary conflict reviews	10	Seven acceptances and three requests for more testing under original evidence

Human evidence layer	Records	Current interpretation
Supplemental-v1 later decisions	14	Five rejections, five bounded SQLi acceptances, and four requests for more testing
PATH-S06 extension qualifications	5	Five later traversal rejections; prior records preserved
Total displayed human records	29	Separate authorities and dates; not one approval rate

The live deployment validation confirmed that these values and their evidence bindings are available through the public dashboard and workbook. The clean reproduction independently recomputed the repository's readiness checks and authoritative demo decisions from a clean exported snapshot. These activities increase confidence in traceability and reproducibility, but they do not add application diversity or prove production readiness.

Report 5 checkpoint	State on October 22
Video IV	Posted; submission evidence should be retained
Peer Feedback Report IV	In progress
Corrected Netlify package	Published and live-validated
Public evidence	15 candidates; 245 case rows; 29 human records
PATH-S06 extension	Frozen separately at 0 pass, 5 fail, 0 inconclusive
Clean-package rehearsal	Passed; fresh dependency install, evidence verification, 131 tests, and controlled demo suite
Dependency advisories	Disclosed maintenance limitation; frozen lockfiles unchanged
Primary-v1 and supplemental-v1	Frozen and unchanged
Final report	Structured placeholder exists; full self-contained draft is the next writing milestone
Final release manifest	Planned

Claim-to-Evidence Map:

Claim	Supporting evidence	Boundary
FixProof preserves multiple validation signals	Primary, supplemental, policy, and human records	Three controlled Express fixtures
Static and runtime evidence can disagree	10/15 primary candidates	Not a general scanner-accuracy estimate
Exact behavioral parity can qualify a security repair	Four XSS-P01 supplemental failures and later rationales	Frozen missing-input contract only
The five saved traversal candidates fail PATH-S06	Five HTTP 200 responses disclosing the controlled marker	One registered symbolic-link case
Summary counts are traceable	245-row table, workbook, JSON evidence paths, and rationales	Saved evidence; website does not rerun tests
The package is reproducible in the tested environment	Clean export, fresh dependency install, 131 tests, evidence verification, and demo suite	Same snapshot and documented environment; not independent replication

Report Outline:

1. Introduction and bounded research question.
2. Related work and technical references.
3. FixProof architecture and separation of authority.
4. Primary-v1 protocol and evidence.
5. Supplemental-v1 protocol and evidence.
6. Separately versioned PATH-S06 extension.
7. Human-review methodology and decisions.
8. Evaluation, claim-to-evidence mapping, and reproducibility.
9. Limitations, dependency-maintenance boundary, and threats to validity.
10. Conclusions and future work.
11. AI-use disclosure, references, and supporting-material index.

References:

Pearce, H., Ahmad, B., Tan, B., Dolan-Gavitt, B., & Karri, R. (2022). Asleep at the keyboard? Assessing the security of GitHub Copilot's code contributions. 2022 IEEE Symposium on Security and Privacy. https://doi.org/10.1109/SP46214.2022.9833571

Pearce, H., Tan, B., Ahmad, B., Karri, R., & Dolan-Gavitt, B. (2023). Examining zero-shot vulnerability repair with large language models. 2023 IEEE Symposium on Security and Privacy. https://doi.org/10.1109/SP46215.2023.10179324

Kulsum, U., Zhu, H., Xu, B., & d'Amorim, M. (2024). A case study of LLM for automated vulnerability repair: Assessing impact of reasoning and patch validation feedback. Proceedings of the 1st ACM International Conference on AI-Powered Software. https://doi.org/10.1145/3664646.3664770

OWASP Foundation. (n.d.). Web Security Testing Guide, version 4.2. https://wstg.owasp.org/v4.2/

Semgrep. (n.d.). Run rules. https://semgrep.dev/docs/running-rules

Appendix:

The frozen primary protocol and evidence are under docs/study-protocol-v1.md, benchmarks/primary/v1/, data/primary_trials/v1/, data/primary_reviews/v1/, and data/evaluation/primary-report.json. Supplemental-v1 is defined by docs/supplemental-protocol-v1.md and tests/supplemental/v1/cases.json; its evidence remains under data/supplemental/v1/ and totals 140 observations.

The separate PATH-S06 extension is defined by docs/path-s06-extension-v1-protocol.md, hash-locked in data/extensions/path-s06-v1/protocol-lock.json, and summarized in docs/path-s06-extension-v1-results.md. Its five candidate outcomes are not part of supplemental-v1's 140-observation denominator.

The student evidence workbook is docs/coursework/review-2026-10-01/FixProof-15-candidate-test-evidence.xlsx. The public reference is available at https://fixproof.netlify.app/. The live deployment record and screenshots are under docs/coursework/review-2026-10-22/, together with the clean-package reproduction validation.

Generative AI disclosure: OpenAI ChatGPT/Codex assisted planning, implementation, debugging, test orchestration, documentation, evidence organization, presentation preparation, and drafting. Separate saved OpenAI API calls generated the primary repair candidates. Tony Tran remains responsible for checking evidence and references, making human-review decisions, reporting actual effort, selecting which peer feedback to adopt, and approving submitted text.