




```
SELECT {
  _:knows friend ?friendA ;
    friend ?friendB .
  ?friendA fName ?friendAFName ;
    lName ?friendALName .
  ?friendB fName ?friendBFName ;
    lName ?friendBLName .
} WHERE {
  ?friendA -4/5 ?friendB .
  ?friendA 2 ?friendAFName ;
    3 ?friendALName .
  ?friendB 2 ?friendBFName ;
    3 ?friendBLName .
  FILTER(?friendA < ?friendB)
}

SELECT c1.name, c1.surname, c2.name,
c2.surname
FROM Knows k
JOIN Customer c1 ON k.id1 = c1.id
JOIN Customer c2 ON k.id2 = c2.id
WHERE c1.id < c2.id
```

```
SELECT {
  SUM(?price) AS ?totalPrice .
} WHERE {
  ?orders -18/12 ?customer ;
    -17/10 ?price .
  ?customer 2 "Anna" .
}
ORDER BY (?totalPrice) DESC
LIMIT 1

db.orders.aggregate([
  { $match: { "customer.name": "Anna" } },
  { $unwind: "$items" },
  { $group: {
    _id: "$_id",
    totalPrice: { $sum: "$items.price" }
  } },
  { $project: { _id: 0, totalPrice: 1 } },
  { $sort: { totalPrice: -1 } },
  { $limit: 1 }
]);
```