Διευθύντρια εργαστηρίου 3, Δημήτρη Λιπέρτη, Λεμεσός Τηλ.: 25347992 φαξ 25347993 yiannalab@cytanet.com.cy



CLINICAL LABORATORY YIANNA HADJIPAPA

Laboratory director

3, Demetris Lipertis Str., Limassol Tel.: 25347992 fax 25347993 yiannalab@cytanet.com.cy

VISIT ID 12733	NAME	GENDER MALE	DOB / AGE April 5, 1948 (75 Years)	BENEFICIARY ID / HIO CODE
DOCTOR [D5186] NIKOLAC	OS TSATSANIDIS · [L1127] ΙΩΑΝΝΑ ΧΑΤΖΗΠΑΠΑ		DATE SAMPLED 18/10/2023 08:20 a.m.	DATE COMPLETED 20/10/2023 16:18 p.m. (G. H.)

HIO Execution ID: 69118988 · 69022065 · 69022025 · 69022042 · 69022000

Biochemistry

EXAMI	NATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
2339-0	Glucose, Fasting / Ζάχαρο νηστείας	↑ 138	mg/dL	A 60 - 110	Serum	GOD-PAP
3094-0	Urea / Ουρία	21	mg/dL	10 - 50	Serum	GLDH kinetic
38483-4	Creatinine/ Κρεατινίνη	0.98	mg/dL	0.60 - 1.10	Serum	IFCC
2947-0	Sodium (Na) Νάτριο	141	mmol/L	135 - 155	Serum	ISE
2823-3	Potassium (K) Κάλιο	4.3	mmol/L	3.5 - 5.5	Serum	ISE
6768-6	Alkaline Phosphatase (ALP)Αλκαλική Φωσφατάση	40	U/L	35 - 120	Serum	IFCC
1742-6	Alanine Aminotransferase (ALT/SGPT) Τρανσαμινάση	16	U/L	< 45	Serum	IFCC
1920-8	Aspartate Aminotransferase (AST/SGOT)Τρανσαμινάση	23	U/L	< 35	Serum	IFCC
49765-1	Calcium, Total (Ca) Ασβέστιο	9.3	mg/dL	8.2 - 11.0	Serum	Chrom.

A Results lie out of reference values.

— End of Report Biochemistry —

This report cannot be reproduced by any means without the written permission of the laboratory.



Διευθύντρια εργαστηρίου 3, Δημήτρη Λιπέρτη, Λεμεσός Τηλ.: 25347992 φαξ 25347993 yiannalab@cytanet.com.cy



CLINICAL LABORATORY YIANNA HADJIPAPA

Laboratory director

3, Demetris Lipertis Str., Limassol Tel.: 25347992 fax 25347993 yiannalab@cytanet.com.cy

VISIT ID 12733	NAME	GENDER MALE	DOB / AGE April 5, 1948 (75 Years)	BENEFICIARY ID / HIO CODE
DOCTOR [D5186] NIKOLAC	OS TSATSANIDIS · [L1127] ΙΩΑΝΝΑ ΧΑΤΖΗΠΑΠΑ		DATE SAMPLED 18/10/2023 08:20 a.m.	DATE COMPLETED 20/10/2023 16:18 p.m. (G. H.)

HIO Execution ID: 69118988 · 69022065 · 69022025 · 69022042 · 69022000

Coagulation

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
6301-6 INR	† 1.20		Δ 0.90 - 1.10 No Therapy/Χωρίς	Citrate Plasma	Calc.
			Θεραπ.		

▲ Results lie out of reference values.

— End of Report Coagulation —

This report cannot be reproduced by any means without the written permission of the laboratory.



Διευθύντρια εργαστηρίου 3, Δημήτρη Λιπέρτη, Λεμεσός Τηλ.: 25347992 φαξ 25347993 yiannalab@cytanet.com.cy



CLINICAL LABORATORY YIANNA HADJIPAPA

Laboratory director

3, Demetris Lipertis Str., Limassol Tel.: 25347992 fax 25347993 yiannalab@cytanet.com.cy

VISIT ID 12733	NAME	GENDER MALE	DOB / AGE April 5, 1948 (75 Years)	BENEFICIARY ID / HIO CODE
DOCTOR [D5186] NIKOLAC	OS TSATSANIDIS · [L1127] ΙΩΑΝΝΑ ΧΑΤΖΗΠΑΠΑ		DATE SAMPLED 18/10/2023 08:20 a.m.	DATE COMPLETED 20/10/2023 16:18 p.m. (G. H.)

HIO Execution ID: 69118988 · 69022065 · 69022025 · 69022042 · 69022000

Full Blood Count (FBC)

EXAMI	NATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
718-7	Haemoglobin (Hb) Αιμοσφαιρίνη	↓ 12.0	g/dL	A 13.0 - 18.0	EDTA	CN
4544-3	Haematocrit (HCT) Αιματοκρίτης	37.8	%	40.0 - 54.0	EDTA	Impedance
26453-1	Red Blood Cells (RBC) Ερυθρά αιμοσφαίρια	5.43	x10^6/μL	4.50 - 6.00	EDTA	Impedance
787-2	MCV	69.6	fl	78.0 - 93.0	EDTA	Impedance
785-6	МСН	22.1	pg	27.0 - 32.0	EDTA	Calculated
786-4	МСНС	31.7	g/dL	32.0 - 36.0	EDTA	Calculated
777-3	Platelets (PLT) Αιμοπετάλια	235	x10^3/μL	140 - 450	EDTA	Impedance
26464-8	White Blood Cells (WBC) Λευκά αιμοσφαίρια	7.47	x10^3/μL	4.00 - 11.00	EDTA	Impedance
770-8	Neutrophils (NEUT%)Ουδετερόφιλα	55.0	%	45.0 - 75.0	EDTA	Impedance
736-9	Lymphocytes (LYMPH%)Λεμφοκύτταρα	37.3	%	20.0 - 45.0	EDTA	Impedance
5905-5	Monocytes (MONO%)Μονοκύτταρα	6.8	%	2.0 - 10.0	EDTA	Impedance
713-8	Eosinophils (ΕΟ%)Ηωσινόφιλα	0.5	%	< 6.0	EDTA	Impedance
706-2	Basophils (BASO%)Βασεόφιλα	0.4	%	< 1.0	EDTA	Impedance
751-8	Neutrophils (NEUT#)	4.11	x10^3/μL	1.50 - 6.50	EDTA	Impedance
731-0	Lymphocytes (LYMPH#)	2.79	x10^3/μL	1.20 - 3.40	EDTA	Impedance
742-7	Monocytes (MONO#)	0.51	x10^3/μL	0.20 - 0.90	EDTA	Impedance
711-2	Eosinophils (EO#)	0.04	x10^3/μL	0.04 - 0.36	EDTA	Impedance
704-7	Basophils (BASO#)	0.03	x10^3/μL	0.01 - 0.08	EDTA	Impedance
32623-1	MPV	11.9	fl	7.4 - 12.3	EDTA	Impedance
32207-3	PDW	18.7	fL		EDTA	Impedance

A Results lie out of reference values.

- End of Report Full Blood Count (FBC) -

This report cannot be reproduced by any means without the written permission of the laboratory.



Διευθύντρια εργαστηρίου 3, Δημήτρη Λιπέρτη, Λεμεσός Τηλ.: 25347992 φαξ 25347993 yiannalab@cytanet.com.cy



CLINICAL LABORATORY YIANNA HADJIPAPA

Laboratory director

3, Demetris Lipertis Str., Limassol Tel.: 25347992 fax 25347993 yiannalab@cytanet.com.cy

VISIT ID 12733	NAME	GENDER MALE	DOB / AGE April 5, 1948 (75 Years)	BENEFICIARYID / HIO CODE
DOCTOR [D5186] NIKOLAC	OS TSATSANIDIS · [L1127] ΙΩΑΝΝΑ ΧΑΤΖΗΠΑΠΑ		DATE SAMPLED 18/10/2023 08:20 a.m.	DATE COMPLETED 20/10/2023 16:18 p.m. (G. H.)

HIO Execution ID: 69118988 · 69022065 · 69022025 · 69022042 · 69022000

Immunology - Infections

EXAMINATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
Hepatitis B virus surface Ag [Units/ 63557-3 volume]in Serum or Plasma by Immunoassay	Negative		Non-reactive	Serum	EIA
16128-1 Anti-HCV, EIA	Negative	+/-	Negative/Αρνητικό	Serum	EIA
73905-2 HIV I & II Antibodies, EIA	Negative	Index	Negative/Αρνητικό	Serum	EIA

A Results lie out of reference values.

— End of Report Immunology - Infections —

This report cannot be reproduced by any means without the written permission of the laboratory.

Typape

Διευθύντρια εργαστηρίου 3, Δημήτρη Λιπέρτη, Λεμεσός Τηλ.: 25347992 φαξ 25347993 yiannalab@cytanet.com.cy



CLINICAL LABORATORY YIANNA HADJIPAPA

Laboratory director

3, Demetris Lipertis Str., Limassol Tel.: 25347992 fax 25347993 yiannalab@cytanet.com.cy

VISIT ID 12733	NAME	GENDER MALE	DOB / AGE April 5, 1948 (75 Years)	BENEFICIARY ID / HIO CODE
DOCTOR [D5186] NIKOLAC	OS TSATSANIDIS · [L1127] ΙΩΑΝΝΑ ΧΑΤΖΗΠΑΠΑ		DATE SAMPLED 18/10/2023 08:20 a.m.	DATE COMPLETED 20/10/2023 16:18 p.m. (G. H.)

HIO Execution ID: 69118988 · 69022065 · 69022025 · 69022042 · 69022000

Urine Routine Analysis

EXAMI	NATION	RESULT	UNITS	REFERENCE VALUE	SAMPLE	METHOD
5778-6	Colour - Χρώμα	Yellow			Urine	Macro
5767-9	Turbidity -Θολερότητα	Clear			Urine	Macro
5811-5	Specific Gravity - Ειδικό βάρος	1.010	g/L	1.005 - 1.030	Urine	Strip
5803-2	рН	5.0		5.0 - 8.0	Urine	Strip
20454-5	Protein - Λεύκωμα	Nil		<trace td="" ίχνη<=""><td>Urine</td><td>Strip</td></trace>	Urine	Strip
5792-7	Glucose -Γλυκόζη	Nil		Nil/Όχι	Urine	Strip
2514-8	Ketones - Κετόνες	Nil		Nil/Όχι	Urine	Strip
20409-9	Blood- αίμα	Nil		Nil/Όχι	Urine	Strip
5818-0	Urobilinogen	Nil	mg/dL	< 4.0	Urine	Strip
5770-3	Bilirubin - Χολερυθρίνη	Nil		Nil/Όχι	Urine	Strp
5802-4	Nitrite - Νιτρικά	Nil		Nil/Όχι	Urine	Strip
5821-4	White Blood Cells (WBCs)Πυοσφαίρια	0-2	/hpf	< 5	Urine	Microscopy
13945-1	Red Blood Cells (RBCs)Ερυθρα αιμοσφαίρια	Nil	/hpf	< 5.0	Urine	Microscopy
5787-7	Epithelial Cells - Πλακώδη επιθήλια	Rare	/hpf	Rare	Urine	Microscopy
5782-8	Crystals- Κρυστάλλοι	Nil		Nil/Όχι	Urine	Microscopy
58436-7	Casts- Κύλινδροι	Nil		Nil/Όχι	Urine	Microscopy
5796-8	Urine Hyaline Casts	Nil	/lpf			
8246-1	Salts-άμορφα άλατα	Nil		Nil/Όχι	Urine	Microscopy
8247-9	Mucous- Βλέννη	Nil			Urine	Microscopy
20456-0	Urine Fungi yeastlike - Μύκητες	Nil				
58437-5	Microorganisms-Μικροοργανισμοί	Bacilli (++)		Nil/Όχι	Urine	Microscopy
630-4	Culture	POSITIVE		Negative/Αρνητική	Urine	Culture
900035	FOR LAB USE ONLY Susceptibility test, disk diffusion method, 12 discs	*				

A Results lie out of reference values.

Cultures

Microorganism	Count	Antibiogram		
Proteus spp.	10^5/ml	[S] Cefixime [S] Cefprozil [S] Cefuroxime [S] Nitrofurantoin	[I] Moxifloxacin	[R] Augmentin [R] Cefaclor [R] Ciprofloxacin [R] Levofloxacin [R] Sulphomethoxazole/Trimethoprim

[S] Sensitive [I] Intermediate [R] Resistant

— End of Report Urine Routine Analysis —

This report cannot be reproduced by any means without the written permission of the laboratory.

