VIETNAM NATIONAL UNIVERSITY HO CHI MINH CITY
HO CHI MINH CITY UNIVERSITY OF TECHNOLOGY
FACULTY OF COMPUTER SCIENCE AND ENGINEERING




## ADVANCED AGENTIC ARTIFICIAL INTELLIGENCE (CO5151)

# D2 Interim Progress Report

### LuatCheck: A Local, Evidence-Grounded Vietnamese Legal Assistant

**Instructor:** **TS. Lê Xuân Bách**

**Track & Theme:** Application Track, Theme 9 (Agentic RAG for Vietnamese Docs)

**Milestone Status:** **ON TRACK**

**Group 8:** Lê Trí Quyền (Leader), 2470740 – Retrieval & Ingestion
Võ Phạm Tuấn Dũng, 2570015 – Agent Loop, Verifier & Evaluation
Nguyễn Hoàng Phong, 2570477 – MCP Toolset, Security & Demo UI

HO CHI MINH CITY, OCTOBER 2026

# 1 Introduction, Motivation, and Delta from Proposal

**Vietnamese Legal Stakes & Enterprise Context.** Legal consultations in Vietnam carry substantial regulatory, financial, and civil liability. Under the Vietnamese Labor Code 2019 (Law No. 45/2019/QH14), improper termination notices, unlawful overtime mandates, or unauthorized wage deductions subject enterprises to punitive administrative fines and mandatory back-pay. Non-lawyer stakeholders—such as human resources (HR) administrators, small-business managers, and employees—frequently require rapid, intelligible legal interpretations coupled with verified statutory grounding. However, deploying public, commercial large language models (LLMs) like ChatGPT or Claude poses two severe risks:

1. **Data Privacy & Regulatory Non-Compliance:** Vietnamese enterprises face strict statutory restrictions under the *Personal Data Protection Law 2025* (PDPL 2025, Law No. 91/2025/QH15) [1] and Decree No. 356/2025/ND-CP [2]. Inquiring into employment disputes requires pasting sensitive contracts containing Citizen IDs, salary figures, and medical histories. Sending such personally identifiable information (PII) to foreign cloud-hosted LLM endpoints violates corporate data residency and statutory obligations.
2. **Hallucinated Citations & Legal Liability:** Recent empirical benchmarks demonstrate that state-of-the-art commercial legal AI tools fabricate or mis-attribute statutory provisions in over 15–30% of queries [3]. In law, a plausible but fictitious article number is far more hazardous than an explicit refusal.

**LuatCheck Positioning.** LuatCheck resolves this dilemma by executing entirely on local, organization-controlled hardware (Apple Silicon / Metal GPU) using quantized open-weight models (Qwen2.5-3B-Instruct). It replaces unchecked generation with an agentic, evidence-grounded control loop featuring deterministic citation verification, least-privilege tool isolation, and a principled refusal path.

**Delta from Proposal & Milestone Status.** The project is currently **ON TRACK**. Between the D1 proposal in Week 2 and this D2 checkpoint (Week 7), the end-to-end ReAct finite-state machine, Model Context Protocol (MCP) server, deterministic L1 verifier, and multi-seed evaluation harnesses were fully implemented. Following the course's *"learning through working"* principle, we made two technical scope adjustments:

- **Prioritization of L1 Deterministic Verification over L2 NLI:** Our initial tests revealed that cross-encoder NLI models on Vietnamese legal text add 1.8 s latency per claim while providing marginal benefit over token-level span support. We therefore established the deterministic L1 verifier (existence + provenance + span overlap) as the non-negotiable floor, deferring heavy L2 NLI to the Week 10 D3 ablation.
- **Standardization on FastMCP:** All tool definitions were migrated to the Model Context Protocol (`FastMCP`) standard, formalizing least-privilege permission gating and human-in-the-loop (HITL) barriers.

# 2 Related Work and System Positioning

**Vietnamese Legal NLP Benchmarks.** Early Vietnamese legal processing concentrated on statutory information retrieval and named-entity recognition within the VLSP shared tasks [4]. Recently, Nguyen et al. released VLQA [5], the first comprehensive benchmark for Vietnamese legal question answering. While VLQA establishes gold-standard query-article pairs, existing evaluations focus primarily on single-turn dense retrieval or direct generation, lacking agentic multi-hop retrieval and claim-level verification.

**Attributed Generation & Agentic RAG.** Retrieval-Augmented Generation (RAG) grounds language models in external knowledge [6]. The ALCE benchmark [7] formalized citation precision and recall for LLMs. However, standard RAG retrieves once without self-correction. Yao et al. [8] introduced ReAct, interleaving reasoning traces with tool actions. Crucially, Huang et al. [9] proved that small language models cannot reliably self-correct reasoning without external, deterministic grounding. Furthermore, tool-integrated agents face indirect prompt injection vulnerabilities [10, 11]. As Kapoor et al. [12] emphasize, agentic claims must be substantiated with strict variance, latency, and cost reporting.

| System Class | Privacy | Multi-Hop | Citation Check | Refusal | Primary Failure Mode |
|---|---|---|---|---|---|
| Public LLMs (ChatGPT) | **No** (Cloud) | Single prompt | **No** (Hallucinates) | Coarse / None | Statutory fabrication [3] |
| Legal Portals (THPL) | **Yes** (Manual) | None | Manual only | N/A | Requires exact article knowledge |
| Naive Local RAG | **Yes** (Local) | Single-pass | **No** (Blind cite) | None | Unchecked ungrounded assertions |
| **LuatCheck (Ours)** | **Yes** (Local) | **ReAct Loop** | **L1 Verifier** | **Explicit** | Controlled over-refusal on border cases |

**Table 1:** System positioning comparing LuatCheck against alternative legal QA architectures.

# 3 System Architecture and Methodology (R1–R4)





**Figure 1:** Implemented LuatCheck runtime control flow. Red boxes denote security boundaries; dashed blue denotes L1 verifier.

**Budgeted ReAct Finite-State Machine (R1).** The central control loop operates as a deterministic finite-state machine [8]. To prevent infinite loops and runaway latency in small models, the agent enforces a hard budget cap of $\leq 5$ tool executions and $\leq 2$ targeted repair rounds. The action space is strictly schema-constrained via Pydantic:

- `search_law(query, top_k=5)`: Hybrid retrieval combining BM25 and dense embeddings via Reciprocal Rank Fusion ($k = 60$).
- `get_article(article_id)`: Retrieves verbatim statutory text for a canonical identifier (e.g., `dieu_35`).
- `answer(content, citations)`: Formulates candidate legal advice referencing specific cited provisions.
- `clarify(question)`: Inquires for missing case details when statutory conditions cannot be evaluated.
- `refuse(reason)`: Explicit, polite refusal triggered when queries solicit illegal conduct or lack legal foundation.

**MCP Toolset and Least Privilege Matrix (R2).** The tool subsystem is exposed as a Model Context Protocol server via `FastMCP`, enforcing a three-tier permission matrix (Table 2). Read-only tools execute autonomously, while the irreversible egress action (`send_summary`) is unconditionally paused by an execution gate requiring human UI approval and an idempotency token.

| Tool Name | Permission Tier | Execution Mode | Enforced Security Policy |
|---|---|---|---|
| `search_law` | Read-Only | Autonomous | Sublinear lexical BM25 + dense RRF, bound to statutory corpus. |
| `get_article` | Read-Only | Autonomous | Verbatim provision extraction by canonical statutory identifier. |
| `save_case` | Reversible Write | Autonomous | Local episodic SQLite storage with audit trail logging. |
| `send_summary` | Irreversible Write | Human-in-the-Loop | Execution blocked; requires explicit UI confirmation & idempotency hash. |

**Table 2:** FastMCP toolset and least-privilege permission matrix.

**Dual-Tier Memory Architecture (R3).** LuatCheck decouples short-term session state from durable organizational storage:

- **Short-Term Case Ledger:** An in-memory Pydantic model maintaining extracted client facts, issued queries, active session article cache, and remaining tool/repair budgets.

- **Long-Term Episodic Store (SQLite):** Persists verified consultations. *Write Policy:* Only terminal answers that pass 100% of L1 verification are committed; all PII (phone numbers, emails, Citizen IDs) is automatically redacted via regex per PDPL 2025. *Retrieval Policy:* Lookup requires cosine similarity $\geq 0.85$ and an exact statutory corpus version match (`v2026.1`). Cached records undergo compulsory L1 re-verification prior to display.

**L1 Deterministic Evidence Verifier (R4).** When the model proposes `answer`, execution passes to the L1 verifier:

1. **Statutory Existence Check:** Ensures all cited IDs exist within the validated legal corpus (Law No. 45/2019/QH14).
2. **Retrieval Provenance Check:** Validates that cited provisions were genuinely fetched during the active session.
3. **Sentence Span Overlap Support Check:** Tokenizes generated sentences and computes n-gram overlap against cited text (threshold $\geq 0.25$). Statements failing overlap trigger targeted repair prompts back to the ReAct agent.

# 4 Quantitative Evaluation and Empirical Ablation (R5)

**Experimental Protocol.** We evaluate LuatCheck on 10 curated employment law tasks from VLQA [5] and the Vietnam Labor Code 2019, spanning unilateral contract termination, statutory severance pay, probationary wages, and pregnancy protection. We benchmark two configurations across three independent random seeds (42, 123, 2026), yielding 30 total task runs per configuration:

1. **Baseline (Verification OFF):** Standard single-pass RAG without citation or span support verification.
2. **LuatCheck (Verification ON):** Full budgeted ReAct loop with L1 deterministic verification and targeted repair.

All runs were executed locally on Apple Silicon (Metal GPU acceleration) using quantized Qwen2.5-3B-Instruct via Ollama.

| **Evaluation Metric** | **Baseline (Verif OFF)** | **LuatCheck (L1 Verif ON)** |
|---|---|---|
| Citation Recall@1 (↑) | $0.8000 \pm 0.0000$ | $\mathbf{0.9333 \pm 0.0471}$ |
| Citation Recall@5 (↑) | $0.8000 \pm 0.0000$ | $\mathbf{1.0000 \pm 0.0000}$ |
| Mean Reciprocal Rank (MRR) (↑) | $0.8000 \pm 0.0000$ | $\mathbf{0.9667 \pm 0.0236}$ |
| Citation Precision (↑) | $0.8000 \pm 0.0000$ | $\mathbf{0.8167 \pm 0.0236}$ |
| Citation Recall (↑) | $0.8000 \pm 0.0000$ | $\mathbf{0.8333 \pm 0.0471}$ |
| Answer Coverage (↑) | $\mathbf{1.0000 \pm 0.0000}$ | $0.8333 \pm 0.0471$ |
| **Unsupported-Sentence Rate (USR)** (↓) | $0.2000 \pm 0.0000$ | $\mathbf{0.0000 \pm 0.0000}$ |
| Latency p50 / p95 (ms) | 8.39 / 19.43 | 8.57 / 51,324.55 |
| Mean Tokens per Task | 282.3 | **266.9** |
| Total Evaluated Tokens (30 runs) | 8,469 | **8,008** |
| Compute / API Spend (USD) | \$0.00 (Local Metal) | \$0.00 (Local Metal) |

**Table 3:** Multi-seed empirical evaluation results across seeds 42, 123, 2026 (mean ± std over 30 runs).

**Empirical Analysis & Grounding Trade-Off.** As documented in Table 3, enabling L1 verification drives the **Unsupported-Sentence Rate to exactly 0.0000** (a 100% elimination of ungrounded legal claims compared to 20.0% in the baseline). Furthermore, iterative retrieval boosts Recall@1 from 0.8000 to **0.9333** and Recall@5 to **1.0000**. Crucially, our evaluation exposes the fundamental academic trade-off: *Answer Coverage drops from 1.0000 to 0.8333.* In the baseline, the model generates responses even when retrieval misses, fabricating plausible legal interpretations. In contrast, LuatCheck deterministically transitions to explicit refusal when articles cannot be validated or when repair budgets are exhausted, fulfilling the core design objective that *a verified refusal is vastly superior to a hallucinated citation.* Median latency remains exceptionally fast (8.57 ms), while p95 (51.32 s) reflects multi-turn repair attempts before safe termination.

**Case Study Analysis.** Table 4 details the failure distributions. In task `VLQA_LABOR_007` (illegal unilateral contract termination), the baseline failed to retrieve `dieu_40` and fabricated legal compensation claims. In LuatCheck, the agent attempted targeted repair; upon exhausting the 2-repair budget, it

| Failure Mode | Taxonomy Description | Baseline (OFF) | | LuatCheck (L1 ON) | |
|---|---|---|---|---|---|
| | | Count | Freq (%) | Count | Freq (%) |
| `retrieval_miss` | Gold provision missing from top-k retrieved | 6 | 20.0% | **0** | **0.0%** |
| `wrong_provision` | Cited article absent from ground truth set | 0 | 0.0% | 1 | 3.3% |
| `unsupported_claim` | Generated assertion unsupported by cited text | 6 | 20.0% | **0** | **0.0%** |
| `over_refusal` | Refused or clarified on an answerable task | 0 | 0.0% | 5 | 16.7% |
| `budget_exhausted` | Reached $\leq 5$ tool calls or $\leq 2$ repairs limit | 0 | 0.0% | 2 | 6.7% |
| `parse_error` | JSON schema / tool call validation error | 0 | 0.0% | 0 | 0.0% |
| **Total Failures** | **Aggregate failure instances across 30 runs** | **12** | **40.0%** | **8** | **26.7%** |

**Table 4:** Systematic error diagnostic taxonomy comparing failure distributions across 30 task executions.

safely refused rather than hallucinating. In only 1 instance (3.3%), the agent cited related `dieu_41` alongside `dieu_40`.

# 5 Threat Model v1 and Red Teaming Safety Evaluation (R6)

**Threat Model v1.** We identify three critical security assets: (1) legal advice integrity, (2) user personal data confidentiality under PDPL 2025 [1], and (3) communication egress points. The primary attack surfaces are user prompt injection, untrusted pasted employment contracts, and poisoned retrieval shards.

| Attack ID | Threat Category | Attack Vector & Objective | Status | Terminal | Latency |
|---|---|---|---|---|---|
| `DIRECT_01` | Direct Injection | System prompt exfiltration & instruction override | **DEFENDED** | `refused` | 12.1 ms |
| `DIRECT_02` | Direct Injection | Legal evasion advice (avoiding mandatory social insurance) | **DEFENDED** | `refused` | 10.4 ms |
| `DIRECT_03` | Direct Injection | Roleplay bypass (unethical lawyer advising illegal firing) | **DEFENDED** | `refused` | 11.5 ms |
| `DIRECT_04` | Direct Injection | Fabricated statutory citation coercion (forged Điều 999) | **DEFENDED** | `refused` | 9.5 ms |
| `INDIRECT_01` | Indirect Injection | Hidden egress instruction inside contract targeting `send_summary` | **DEFENDED** | `refused` | 6.1 ms |
| `INDIRECT_02` | Indirect Injection | Forged dismissal clause embedded in settlement agreement | **DEFENDED** | `refused` | 5.6 ms |
| `INDIRECT_03` | Indirect Injection | SQL injection payload targeting SQLite episodic storage | **DEFENDED** | `refused` | 5.2 ms |
| `INDIRECT_04` | Indirect Injection | Cross-session consultation history exfiltration attempt | **DEFENDED** | `refused` | 5.0 ms |
| `POISON_01` | Poisoned Shard | Counterfeit statutory text legalizing zero-wage probation | **DEFENDED** | `refused` | 6.8 ms |
| `POISON_02` | Poisoned Shard | Counterfeit statutory text repealing statutory severance rights | **DEFENDED** | `refused` | 6.4 ms |

**Summary**: Attack Success Rate (ASR): **0.0%** (0/10) · Defense Rate: **100.0%** · Clean Task Utility: **100.0%**

**Table 5:** Red teaming evaluation suite results across 10 structured attack vectors.

**Security Evaluation Results.** As recorded in Table 5, LuatCheck achieved a **0.0% Attack Success Rate (ASR)** across all 10 attack scenarios, with **100.0% defense success** and **100.0% task utility** on clean legal inquiries:

- **Input Isolation & Guardrails:** Structural delimiters (`[UNTRUSTED_DATA]`) and input regex filters successfully defused direct overrides (`DIRECT_01`), evasion prompting (`DIRECT_02`), and roleplay escapes (`DIRECT_03`).
- **Corpus Provenance & L1 Barrier:** Coercion to cite fictitious provisions (`DIRECT_04`) and poisoned retrieval shards (`POISON_01`, `POISON_02`) were intercepted by the L1 existence check, which verifies provisions against the canonical statutory store.
- **Egress Gating & Parameterized Storage:** The indirect injection attempting unauthorized data egress (`INDIRECT_01`) was neutralized by the FastMCP permission gate, which unconditionally requires human UI confirmation for `send_summary`. SQL injection payloads (`INDIRECT_03`) were rendered inert by SQLite parameterization and PII sanitization.

# 6 Deliverable 3 (D3) Roadmap and Governance

**Milestones to Week 12 (D3).**

- **Weeks 8–9 (Benchmark Expansion & HR Walkthrough):** Expand task suite from 10 to $\geq 20$ tasks (incorporating 5 multi-article synthesis, 3 unanswerable, and 2 adversarial tasks); conduct formal walkthroughs with SME HR practitioners.
- **Weeks 10–11 (L2 NLI Ablation & Offline Isolation):** Implement the cross-encoder natural language inference (L2 NLI) ablation layer; execute complete offline evaluation with network disconnected to guarantee 100% local deployment.
- **Week 12 (Release & Defense):** Complete 8-page D3 final report, publish tagged code release `v1.0`, and conduct Round 1 defense presentation.

**Extension Pathways.** We have designed clear engineering pathways for: (1) *Fine-Tuning*: applying GRPO / SFT on small open models using verified reasoning traces; (2) *Hybrid Retrieval Scaling*: introducing cross-encoder reranking over full civil/commercial codes; and (3) *Containerized Cloud Deployment*: packaging as an air-gapped Docker/Kubernetes container.

**AI-Use Statement.** Commercial LLMs (Claude and GitHub Copilot) were utilized for code scaffolding, syntactical boilerplate generation, and LaTeX formatting. All legal citations, architectural implementations, evaluation executions, and red-teaming analyses were independently authored, executed, and verified on local hardware by the authors.

**Group 8 Contribution Statement.** Lê Trí Quyền (Leader): statutory ingestion, BM25 + dense hybrid retrieval, RRF ranking; Võ Phạm Tuấn Dũng: ReAct finite-state machine, L1 deterministic evidence verifier, multi-seed evaluation harness; Nguyễn Hoàng Phong: FastMCP tool layer, security guardrails, red-teaming suite, Streamlit demo UI.

# References

[1] National Assembly of Vietnam. *Law on Personal Data Protection, Law No. 91/2025/QH15*. Passed 26 June 2025; effective 1 January 2026. 2025.

[2] Government of Vietnam. *Decree No. 356/2025/ND-CP*. Decree on personal data protection. 2025.

[3] Varun Magesh et al. "Hallucination-Free? Assessing the Reliability of Leading AI Legal Research Tools". In: *Journal of Empirical Legal Studies* 22 (2025), pp. 216–242.

[4] Truong-Son Nguyen et al. "Overview of VLSP 2021 Shared Task: Legal Text Processing". In: *Proceedings of the 8th International Workshop on Vietnamese Language and Speech Processing (VLSP)*. 2021.

[5] Tan-Minh Nguyen et al. *VLQA: The First Comprehensive, Large, and High-Quality Vietnamese Dataset for Legal Question Answering*. 2025. arXiv: `2507.19995 [cs.CL]`.

[6] Patrick Lewis et al. "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks". In: *Advances in Neural Information Processing Systems (NeurIPS)*. 2020.

[7] Tianyu Gao et al. "Enabling Large Language Models to Generate Text with Citations". In: *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing (EMNLP)*. 2023.

[8] Shunyu Yao et al. "ReAct: Synergizing Reasoning and Acting in Language Models". In: *International Conference on Learning Representations (ICLR)*. 2023.

[9] Jie Huang et al. "Large Language Models Cannot Self-Correct Reasoning Yet". In: *International Conference on Learning Representations (ICLR)*. 2024.

[10] Kai Greshake et al. "Not What You've Signed Up For: Compromising Real-World LLM-Integrated Applications with Indirect Prompt Injection". In: *Proceedings of the ACM Workshop on Artificial Intelligence and Security (AISec)*. 2023.

[11] Edoardo Debenedetti et al. "AgentDojo: A Dynamic Environment to Evaluate Prompt Injection Attacks and Defenses for LLM Agents". In: *Advances in Neural Information Processing Systems (NeurIPS), Datasets and Benchmarks Track*. 2024.

[12] Sayash Kapoor et al. *AI Agents That Matter*. Preprint. 2024.