

Tóm tắt toàn khoá

Mục lục

Tóm tắt toàn khoá Software Architecture Foundation	2
Map toàn khoá	2
Cụm 1: Giới thiệu	2
Định nghĩa SA	2
Mục tiêu khoá (Bài 1.3)	2
Lộ trình (Bài 1.4)	2
Cụm 2: SOLID	2
Cohesion-Coupling (Bài 2.2)	2
5 nguyên lý SOLID	2
Cụm 3: Architectural Thinking	3
Architecture vs Design (Bài 3.2)	3
Trade-off (Bài 3.3)	3
Modularity (Bài 3.4)	3
Cụm 4: Quality Attributes	3
FR vs NFR (Bài 4.2)	3
Identifying (Bài 4.3)	3
Component thinking (Bài 4.4)	3
Cụm 5: Fundamental Styles	3
Monolithic vs Distributed (Bài 5.2)	3
Layered (Bài 5.3)	5
Pipeline (Bài 5.4)	5
Microkernel (Bài 5.5)	5
Cụm 6: Distributed Styles	5
Service-based (Bài 6.2)	5
Microservices (Bài 6.3)	5
Event-Driven (Bài 6.4)	5
Space-Based (Bài 6.5)	5
Cụm 7: Documenting	5
3 Views (Bass-Clements-Kazman)	5
ADR (7.2)	5
C4 Model (Simon Brown)	6
Conway's Law	6
Cụm 8: Case Studies	6
UAMS (8.2)	6
Smart City Traffic (8.3)	6
Exercise Set (8.4)	6
Key takeaways	6

1. Architecture = trade-off	6
2. NFR drives architecture	6
3. Style mix	6
4. SOLID = foundation	6
5. Document hoặc chết	6
6. Match team size	6
Bảng cheat sheet 1 trang	7
Khi nào hỏi câu nào	7
Reading list cho sâu	7
Final advice	7

Tóm tắt toàn khoá Software Architecture Foundation

Tóm tắt một dòng: Software Architecture là tập hợp các quyết định khó-sửa-nhất, được quyết dựa trên trade-off giữa quality attributes, tổ chức thành component qua một architecture style phù hợp, và documented qua views chuẩn (Module, C&C, Allocation) + ADR.

Map toàn khoá

Cụm 1: Giới thiệu

Định nghĩa SA

3 tiêu chí (Bài 1.2):

1. **Bao trùm toàn hệ thống** (system-wide).
2. **Ảnh hưởng quality attributes** (không chỉ functional).
3. **Chi phí thay đổi cao.**

Quyết định nào thoả cả 3 = architectural. Còn lại = design hoặc implementation detail.

Mục tiêu khoá (Bài 1.3)

10 Learning Outcomes (LO1-LO10), từ “định nghĩa SA” tới “thiết kế end-to-end kiến trúc cho hệ cỡ trung”.

Lộ trình (Bài 1.4)

3 paths: Chuyên sâu (30-40h), Ôn thi (5-8h), Tra cứu (on-demand). 4 shortcuts theo focus.

Cụm 2: SOLID

Cohesion-Coupling (Bài 2.2)

Mục tiêu vĩnh cửu: **high cohesion + low coupling**. Cohesion = phần tử trong module tập trung 1 mục đích. Coupling = ràng buộc giữa module.

5 nguyên lý SOLID

Principle	Tóm tắt	Scale architecture
SRP (2.3)	Mỗi module 1 actor	Microservice = 1 bounded context

Principle	Tóm tắt	Scale architecture
OCP (2.4)	Open extension, closed modification	Plug-in / Microkernel
LSP (2.5)	Subtype substitutable	API versioning, schema migration
ISP (2.6)	Client không depend method không dùng	BFF, CQRS
DIP (2.7)	Depend abstraction, không concretion	Hexagonal/Clean architecture

Cụm 3: Architectural Thinking

Architecture vs Design (Bài 3.2)

Ranh giới mềm theo context. Levels of Knowledge: architect cần *breadth* (vùng “know you don’t know”), không cần master mọi thứ.

Trade-off (Bài 3.3)

Mọi quyết định có cost. ATAM-lite: list options □ map QA □ identify trade-off □ match priority □ document ADR. Architect code 20-40% thời gian.

Modularity (Bài 3.4)

Vertical slicing (theo domain) > Horizontal slicing (theo layer) cho team trung-lớn. Anti-pattern: Big Ball of Mud, Distributed Monolith, Death Star. Heuristics: two-pizza team, change rate, data ownership, bounded context.

Cụm 4: Quality Attributes

FR vs NFR (Bài 4.2)

Architecture driven bởi NFR, không FR. Architecture Characteristic (Richards): non-domain + structural + critical.

Identifying (Bài 4.3)

Top 5-7 QA. Pipeline: read requirement □ stakeholder interview □ identify implicit □ priority workshop □ operationalize. Hierarchy: Operational + Structural + Cross-cutting.


Component thinking (Bài 4.4)

Cohesion principles: REP (Reuse), CCP (Common Closure), CRP (Common Reuse). Coupling: ADP (Acyclic), SDP (Stable Dependencies), SAP (Stable Abstractions). Main Sequence: balance.

Cụm 5: Fundamental Styles

Monolithic vs Distributed (Bài 5.2)

Monolithic là default. Distributed chỉ khi lý do mạnh. 8 fallacies (network reliable, latency zero, ...). Modular monolith là middle ground. Strangler Fig để migrate.



Layered (Bài 5.3)

Tầng UI/Business/Persistence. Default cho monolith đơn giản. Anti: Sinkhole.

Pipeline (Bài 5.4)

Filter + Pipe. Unix philosophy. Use: ETL, compiler, image processing.

Microkernel (Bài 5.5)

Core + Plug-ins. OCP at scale. Use: IDE, browser, CMS.

Cụm 6: Distributed Styles**Service-based (Bài 6.2)**

4-12 coarse services + shared/per-domain DB. **Default distributed**. Middle ground monolith vs microservices.

Microservices (Bài 6.3)

20+ fine-grained, DB per service, async event heavily. **Cần điều kiện**: team 50+, complex domain, DevOps mature. Cost ops 5-10x monolith. Saga pattern cho distributed transaction.

Event-Driven (Bài 6.4)

Async messaging, decoupling cực mạnh. Topologies: Mediator (orchestration) vs Broker (choreography). Brokers: Kafka (gold), RabbitMQ, cloud-managed. CAP: thường AP.

Space-Based (Bài 6.5)

In-memory grid + async DB. Extreme load (Black Friday). Niche.

Cụm 7: Documenting**3 Views (Bass-Clements-Kazman)**

View	Question	Tools
Module (7.2)	Code organize ra sao?	C4, UML class
C&C (7.3)	Runtime ra sao?	Sequence diagram, C4 component
Allocation (7.4)	Chạy ở đâu? Ai own?	Deployment, K8s topology, org chart

ADR (7.2)

Architecture Decision Record. 1-page, append-only, in git. Format: Context-Decision-Alternatives-Consequences.

C4 Model (Simon Brown)

4 mức zoom: System Context □ Container □ Component □ Code.

Conway's Law

Architecture follows org chart. Inverse Conway: design org for desired architecture.

Cụm 8: Case Studies

UAMS (8.2)

Academic Management. **Service-based** với 6 services, shared PostgreSQL schema-per-service. Sync HTTP + async event (notification). Audit via DB trigger. Cost ~\$1500-2500/month.

Smart City Traffic (8.3)

Real-time incident detection. **Event-Driven + Microservices + Microkernel** mix. Kafka backbone, TimescaleDB + BigQuery. Cost ~\$15-20k/month. 7300 events/s sustained.

Exercise Set (8.4)

5 bài tự practice: Food Delivery, Property Management SaaS, Stock Trading, IoT Manufacturing, Multi-region E-commerce migration.

Key takeaways

1. Architecture = trade-off

Không có “best architecture”. Chỉ có “best given priorities”. Cụm 3.3 là core skill.

2. NFR drives architecture

Cùng functional □ vô số architecture khả thi. NFR quyết định cái nào fit. Cụm 4 là cốt lõi.

3. Style mix

Hệ thực thường mix nhiều style. UAMS = service-based. Smart City = EDA + microservices + microkernel + pipeline. Lập luận từng layer.

4. SOLID = foundation

Code không tuân SOLID □ architecture không cứu được. Cụm 2 là tiền đề.

5. Document hoặc chết

Kiến trúc trong đầu = bus factor 1. Cụm 7 không phải optional.

6. Match team size

Architecture should match team size + 1 stage (Bài 3.3). Đừng over-engineer.

Bảng cheat sheet 1 trang

Vấn đề	Cụm	Insight chính
SA là gì	1.2	3 tiêu chí: bao trùm + QA + đắt
Code tốt	2	Cohesion cao + Coupling thấp + SOLID
Quyết định nào quan trọng	3.2	Apply 3 tiêu chí
Cân nhắc	3.3	List options + map QA + match priority
Chia module	3.4	Vertical > Horizontal
Cái cần tối ưu	4.3	Top 5-7 QA, measurable
Choose style	5-6	Match QA priority, team size
Document	7	C4 + 3 views + ADR
Apply	8	UAMS, Smart City patterns

Khi nào hỏi câu nào

- “Hệ này tốt không?” □ check 3 view + key decisions vs Cụm 4 QA.
- “Sai ở đâu?” □ Cụm 3.4 anti-pattern (BBoM, distributed monolith, sinkhole).
- “Nên upgrade gì?” □ identify pain (Cụm 4 missed QA) □ migrate path (Cụm 5.2 Strangler Fig).
- “Justify decision?” □ write ADR (Cụm 7).

Reading list cho sâu

Topic	Recommended book
Foundation	<i>Fundamentals of Software Architecture</i> — Mark Richards, Neal Ford
Comprehensive	<i>Software Architecture in Practice</i> (4th ed) — Bass, Clements, Kazman
Distributed	<i>Designing Data-Intensive Applications</i> — Martin Kleppmann
Microservices	<i>Microservices Patterns</i> — Chris Richardson
Clean code	<i>Clean Architecture</i> — Robert C. Martin
Organizational	<i>Team Topologies</i> — Skelton, Pais
Role	<i>The Software Architect Elevator</i> — Gregor Hohpe

Final advice

Software Architecture là kỹ năng *cộng dồn*. Đọc khoá này 1 lần không đủ. Practice trên 3-5 dự án thực + đọc 3 sách trong list trên + làm 5 exercise bài 8.4 □ 1-2 năm sau bạn sẽ là senior architect.

Không có shortcut. Chỉ có *practice + reflection + feedback*.

Good luck.