

# Homework 4

Nguyen Tuan Anh

March 14, 2023

## Section 6.3

### Exercise 39

How many bit strings of length 10 contain at least three 1s and at least three 0s?

#### Solution

In this problem, we will take the general case of bit strings length 10 and then minus for some specific cases that are not in the requirement of the problem.

1. There are 10 1s in the strings and 10 0s in the strings and there will be one way for each so that in total there will be 2 ways
2. There are 2 1s and 8 0s in the strings:  ${}^2C_10 = \frac{10!}{2! \times (10-2)!} = 45$  strings
3. There are 1 1s and 9 0s in the strings:  ${}^1C_10 = 10$  strings
4. There are 2 0s and 8 1s in the strings:  ${}^2C_10 = \frac{10!}{2! \times (10-2)!} = 45$  strings
5. There are 1 0s and 9 1s in the strings:  ${}^1C_10 = 10$  strings

→ The number of bit strings length 10 contain at least three 1s and at least three 0s:

$$2^{10} - (45 + 45 + 10 + 10) = 912 \text{ strings}$$

### Exercise 40

How many ways are there to select 12 countries in the United Nations to serve on a council if 3 are selected from a block of 45, 4 are selected from a block of 57, and the others are selected from the remaining 69 countries?

#### Solution

The ways are there to select 12 countries in the United Nations to serve on a council:

$${}^3C_{45} \times {}^4C_{57} \times {}^{(12-3-4)}C_{69} = 6.3 \times 10^{16}$$

### Exercise 41

How many license plates consisting of three letters followed by three digits contain no letter or digit twice?

### Solution

As we know that there are 26 letters in the alphabet and 10 numbers in the integer. In this problem, we need to take 3 letters from 26 letters and matter the order, and we also need to take 3 numbers from 10 numbers and matter the order. Therefore, we will use **Permutations**:

For the letter, the way to choose 3 letters that are different from each other is :  ${}^3P_{26} = 15600$

For the number, the way to choose 3 numbers that are different from each other is :  ${}^3P_{10} = 720$

→ The number of license plates that satisfy with the requirement of the problem:

$$15600 \times 720 = 11,232,000 \text{ plates}$$


section\*Section 6.3

### Exercise 43


Find a formula for the number of circular  $r$ -permutations of  $n$  people.

### Solution

We can see that for normal table, the  $r$  - permutations of  $n$  people will be  ${}^rP_n$  but in circular will be different because in the circular, there will be some cases that will be the same with each other if we rotate the circle.



For example, let take  $n = 3$  and we will need to find the 3 - permutations of 3 people. Basically, we will calculate by  $3! = 6$ . However, on the picture above, we can see that there are 3 permutations but these permutations are the same because by rotating the circle, we will get second and the third from the first one. If we write all of the permutation as usual on the circular, it will be:



Although on the picture show that there are 6 permutations but we just take first one on the first row and the second one on the second row. From that observation, we can give out the conclusion that for  $r$  people sitting on the table, we will have  $r$  way to rotate the table and we do not want to take the cases when we rotate the table so that we can get the formula:

$$P_3 = 3! = 6$$

We do not want to take the rotation cases so that we will divide for the number of people sitting on the table. Because there are 3 people so that we can get that:

$$\frac{P_3}{3} = \frac{3!}{3} = \frac{6}{3} = 2$$

From this observation, we can get the formula when finding the  $n$  - permutations of  $n$  people:

$$\frac{P_n}{n} = \frac{n!}{n} = (n-1)!$$

Moreover, if we are finding the number of circular  $r$ -permutations of  $n$  people. Firstly, we will choose  $r$  people from  $n$  people. And then, we will find the permutations of  $r$  people from the above formula. Choosing  $r$  people from  $n$  people, we will have that  ${}^nC_r$  and the permutations of  $r$  people will be  $\frac{r!}{r}$ . Multiply them together, we will have that:

$${}^nC_r \times \frac{r!}{r} = \frac{n!}{r! \times (n-r)!} \times \frac{r!}{r} = \frac{n!}{r \times (n-r)!}$$

## Exercise 42

Find the number of circular 3-permutations of 5 people.

### Solution

Choose 3 from 5 people:  ${}^3C_5 = \frac{5!}{3! \times (5-3)!} = 10$

Permutations of 3 people:  $(3-1)! = 2! = 2$


The number of circular 3 - permutations of 5 people:  $10 \times 2 = 20$


## Exercise 44

Find a formula for the number of ways to seat  $r$  of  $n$  people around a circular table, where seatings are considered the same if every person has the same two neighbors without regard to which side these neighbors are sitting on.

### Solution

Let take the same example of **Exercise 43** where we find the circular 3 - permutations of 3 people, we will have that:





In **Exercise 43**, the first row and the second row are two different permutations. However, on this problem requires that the first row and the second row are the same which means that they require the clockwise and anti-clockwise cases are all the same. Therefore, in this case, take the formula in **Exercise 43** and then divide by 2 because there are 2 direction clockwise and anti-clockwise and we commit that two of them are the same. We have the formula that:

$$\frac{P_n}{2 \times n} = \frac{n!}{2 \times n} = \frac{(n-1)!}{2}$$

Therefore, the circular  $r$  - permutations of  $n$  people we will first choose  $r$  people from  $n$  people and then use the circular  $r$ -permutations of  $n$  people:

$${}^r C_k \times \frac{P_n}{2 \times n} = \frac{n!}{r! \times (n-r)!} \times \frac{r!}{2 \times r} = \frac{n!}{2 \times r \times (n-r)!}$$